

X2 Price List

Designed by Dante Bonuccelli Licensed by Mobimex Effective January 1, 2026





X2 Series

Specifications. 2
Round Conference Tables X2-1048
Rectangle Conference Tables X2-2084 5 X2-2096 5 X2-2108 5 X2-2120 6
Double Conference Tables X2-2144 6 X2-3168 7 X2-3192 7 X2-3216 8
Wire Management

For information concerning Condition of Sales, Warranty, Fabric, Finishes, etc., please download the *Conditions of Sales.pdf* on the Davis web site: www.davisfurniture.com

FEATURES		All tops are 11/8" (2.8 cm) thick								
SOLID WOOD		Tops are constructed of solid wood glued boards – only the most attractive sections of the timber are processed to the highest quality standards.								
Characteri	stics	Every tree is a unique creation of nature, so that the color, shade, and structure may well differ from one item of furniture to the next. An item of furniture in solid wood reveals the character and history of a mature tree that may have been 50 to 100 years old: small knots, variations in the growth pattern, and fine cracks caused by the wind are natural features of genuine solid wood furniture. The underside of the table differs from the top, since individual planks are positioned with any knots or less desirable grain effects concealed.								
Temperatu Caution	ire	Solid wood is a living product, so that slight surface irregularities are to be regarded as normal when the climate changes (i.e. when the room is heated or when the summer is cool and wet). The optimal atmospheric humidity, summer and winter, is approximately 55%. Electrical equipment that generates heat, such as computers, lamp transformers, etc., must not be placed directly on a solid wood surface. Their heat dries out the wood excessively at the contact area, and may cause it to split.								
Solid Wood Selections		Standard offering is Elm, Oak, Sycamore, and American Walnut. Other species of wood are subject to availability and construction requirements - contact Factory with wood desired - will require additional lead time								
Elm	-EE	The heartwood of the elm has a brown to slightly reddish coloring. The growth rings are a prominent visual feature. The sapwood is much paler, and it is this contrast that gives the wood its strong textured effect.								
Oak	-OA	Oak's color scale ranges from yellowish-brown to mid-brown. It is a very hard and durable wood.								
Sycamore -SS		The sycamore is steam-treated, which brings out its warm, reddish color. Alternating lighter and darker areas with a calm, strongly linear grain pattern make this wood unique and unmistakable.								
Walnut	-ww	American walnut's heartwood is chocolate to violet-brown in color.								
Surface Fir	nishes	Tops are standard with a clear lacquer finish – a natural linseed oil finish may be specified at no upcharge								
Lacquer		Standard is a clear coat of lacquer that is applied to the raw wood to enhance the natural characteristic of the wood and add a protective coating.								
Linseed Oi	I	Optional Finish - X2-Oiled Finish - A natural linseed oil is applied in several coats on raw wood – SPECIFY AT TIME OF ORDER This finish will have to be reapplied as it dries out on the product - so extended care is necessary Initial order with this finish has a touch-up kit included - for oil replacement purchase locally boiled linseed oil								
Legs		Legs are solid wood, the same as the table top. Legs have individual nodules in cast metal, with steel plate connectors, with powder coat finishes in 01-Sand, 02-Silver, 03-Anthracite or 04-Rust.								
Custom		X2 is always built individually to order, so that suitable special dimensions may be chosen for all items. For special projects, please consult the factory in advance – we will gladly provide the necessary support for your space and product planning								
Edge Detail		See below for the edge detail. The standard corner edge will be a 5cm radius.								
Access Lid		If electrical is ordered all access lids will come standard in solid wood to match the top.								

IMAGES X2









IMAGES X2

Solid Wood



Standard in Lacquer - **X2-Oiled** finish is an option, no upcharge

				inches				
Item	Description	Dimensions		dia	h			
X2-1048	48" Round Conference Table	Outside		48	291/8			
0		Seats 4 to 6 pe	eople - 30" se	ating are	ea			
Electrical Detail	List Price Solid Wood Selection	-EE Elm	-0A Oak	Sy	-SS rcamore	-WW Walnut		
		21728	23060		21728	23974		
Item	Description	Dimensions		inches dia	h			
X2-1060	60" Round Conference Table	Outside		60	291/8			
o Electrical Detail		Seats 6 to 8 people - 30" seating area						
	List Price Solid Wood Selection	-EE Elm	-0A Oak	Sv	-SS rcamore	-WW Walnut		
		26795	28738		26795	30147		
Item	Description	Dimensions		inches dia	h			
X2-1072	72" Round Conference Table	Outside		72	291/8			
o CElectrical Detail		Seats 8 to 10 people - 30" seating area						
	List Price Solid Wood Selection	-EE Elm	- OA Oak	Sy	-SS rcamore	-WW Walnut		
		34260	36966		34260	39557		

Required to Specify

Metal Finish: 01-Sand, 02-Silver, 03-Anthracite or 04-Rust

Top Finishes: See page 4 for solid wood options.

Options (specify only if preferred)

Power Box Option:

X2-5200 Electrification in table top (one power, two RJ45 Cat. 6) includes end power cord with plug \$3547

Wire Management:

Felty-10 - \$474 - Vertical Wire Management.



Example: item number X2-2084 + wood suffix -SS = X2-2084-SS

				inches			
Item	Description	Dimensions	1	w	h		
X2-2084	Rectangle Top with Under Frame Conference Table	Outside	84	48	291/4		
Electrical De		Seats 4 to 6 p	people - 30" s	seating ar	ea		
Electrical D	List Price						
	Solid Wood	-EE	-OA		-SS	-WW	
	Selection	Elm	Oak	Sy	camore	Walnut	
		26374	28241		26374	30946	
				inches			
Item	Description	Dimensions	1	W	h		
X2-2096	Rectangle Top with Under Frame Conference Table	Outside	96	48	291/4		
□ □ Electrical D	etail	Seats 6 to 8 p	eople - 30" s	eating are	ea		
	List Price	-EE	0.4		-SS	14/14/	
	Solid Wood Selection	Elm	-OA Oak	Sv	camore	-WW Walnut	
	Selection	29615	32093	,	29615	35140	
		_, _,	22070				
Item	Description	Dimensions	1	inches w	h		
iteiii	Description	DIIIIGIISIOIIS	I	vv			
X2-2108	Rectangle Top with Under Frame	Outside	108	48	291/4		
	Conference Table						
		Seats 6 to 8 p	eople - 30" s	eating are	ea		
Electrical D	Detail List Price						
	Solid Wood	-EE	-OA		-SS	-WW	
	Selection	Elm	Oak	Sy	camore	Walnut	
		33347	36204	3	33347	40167	

Required to Specify

Metal Finish: 01-Sand, 02-Silver, 03-Anthracite or 04-Rust

Top Finishes: See page 4 for solid wood options.

Options (specify only if preferred)

Power Box Options:

X2-5175 Electrification in table top / 4 power / 2 USB-A, 2 USB-C / 2 HDMI – \$7809 includes two modules with lid X2-5176 Electrification in table top / 6 power / 2 USB-A, 2 USB-C – \$ 6127 includes two modules with lid

Infeed Option:

SPI15-4 End power cord with plug – \$154 HWI-4 End power cord for hardwire – \$101

Wire Management:

Felty-10 - \$ 474 - Vertical Wire Management.

Example: item number $\underline{X2-2120}$ + wood suffix $\underline{-SS}$ = $\underline{X2-2120-SS}$

-WW

Walnut

62230

			inches			
Description	Dimensions	1	W	h		
Rectangle Top with Under Frame Conference Table	Outside	120	48	291/4		
Detail		Seats 8	s to 10 peop	le - 30" seatin	g area	
List Price						
Solid Wood	-EE	-OA	-:	SS	-WW	
Selection	Elm	Oak	Syca	amore	Walnut	
	47406	51294	47	406	57388	
	Rectangle Top with Under Frame Conference Table Detail List Price Solid Wood	Rectangle Top with Under Frame Outside Conference Table Detail List Price Solid Wood -EE Selection Elm	Rectangle Top with Under Frame Outside 120 Conference Table Seats 8 Detail List Price Solid Wood -EE -OA Selection Elm Oak	Rectangle Top with Under Frame Outside 120 48 Conference Table Seats 8 to 10 peop Detail List Price Solid Wood -EE -OA -Selection Elm Oak Syca	Description Dimensions I w h Rectangle Top with Under Frame Outside Conference Table Seats 8 to 10 people - 30" seating List Price Solid Wood FEE Oak Selection FIM Oak Sycamore	Description Dimensions I w h Rectangle Top with Under Frame Conference Table Seats 8 to 10 people - 30" seating area List Price Solid Wood Selection Elm Oak Sycamore Walnut

				inches	
Item	Description	Dimensions	1	W	h
X2-2144	Rectangle Top with Under Frame Conference Table	Outside	144	48	291/4
			Seats	10 to 12 pec	pple - 30" seating area
Electrical Det	ail List Price				

-OA

Oak

55180

-SS

Sycamore

51103

Red	uired	to S	pecify	/

Metal Finish: 01-Sand, 02-Silver, 03-Anthracite or 04-Rust

Solid Wood Selection

Top Finishes: See page 4 for solid wood options.

Options (specify only if preferred)

Power Box Options: <u>Must select two</u>

X2-5175 Electrification in table top / 4 power / 2 USB-A, 2 USB-C / 2 HDMI - \$7809 includes two modules with lid X2-5176 Electrification in table top / 6 power / 2 USB-A, 2 USB-C - \$6127 includes two modules with lid

-EE

Elm


51103

Infeed Option:

SPI15-4 End power cord with plug – \$154 HWI-4 End power cord for hardwire – \$101

Wire Management:

Felty-10 - \$ 474 - Vertical Wire Management.



Example: item number X2-3168 + wood suffix -SS = X2-3168-SS

93129

				inches			
Item	Description	Dimensions	1	W	h		
X2-3168	Double Conference Table	Outside Each Top	168	60	291/4		
Electrical Detail			and nor	-continuous,	more will hav non-matchin e - 30″ seatir	g grain.	
	List Price Solid Wood Selection	-EE Elm	-0A Oak	-S Sycar		-ww Walnut	
		63641	69507	636	541	79758	

	inches							
Item	Description	Dimensions	1	W	h			
X2-3192	Double Conference Table	Outside Each Top	192	60	291/4			
□ □			and no	n-continuous	amore will hav s, non-matchin le - 30" seatir	g grain.		
	List Price							
	Solid Wood	-EE	-OA	-9	SS	-WW		
	Selection	Elm	Oak	Syca	more	Walnut		

79109

72214

Required to Specify

Metal Finish: 01-Sand, 02-Silver, 03-Anthracite or 04-Rust

Top Finishes: See page 4 for solid wood options.

Options (specify only if preferred)

Power Box Options: <u>Must select two</u>

 $\textbf{X2-5175} \ \ \text{Electrification in table top / 4 power / 2 USB-A, 2 USB-C / 2 HDMI-\$7809 includes \ two \ modules \ with \ lides and \ lides \ and \ and$

X2-5176 Electrification in table top / 6 power / 2 USB-A, 2 USB-C - \$6127 includes two modules with lid

72214

Infeed Option:

SPI15-4 End power cord with plug – \$154 HWI-4 End power cord for hardwire – \$101

Wire Management:

Felty-10 - \$474 - Vertical Wire Management.

Example: item number X2-3216 + wood suffix -SS = X2-3216-SS

	inches								
Item	Description	Dimensions	1	W	h				
X2-3216	Double	Outside	216	60	291/4				
	Conference Table	Each Top							
		NOTE: Elm and Sycamore will have two tops and non-continuous, non-matching grain.							
Electrical Detail	a fi	•	Seats 1	4 to 16 people	- 30" seatin	g area			
Liecti icai Detaii	List Price								
	Solid Wood	-EE	-OA	-SS	;	-WW			
	Selection	Elm	Oak	Sycam	ore	Walnut			
		80289	88101	802	89	107417			

Required to Specify

Metal Finish: 01-Sand, 02-Silver, 03-Anthracite or 04-Rust

 $\textbf{Top Finishes:} See \textit{page 4} \ for solid wood options.$

Options (specify only if preferred)

Power Box Options: $\underline{\textit{Must select two}}$

X2-5175 Electrification in table top / 4 power / 2 USB-A, 2 USB-C / 2 HDMI - \$7809 includes two modules with lid

X2-5176 Electrification in table top / 6 power / 2 USB-A, 2 USB-C - \$6127 includes two modules with lid

Infeed Option:

SPI15-4 End power cord with plug – \$154 HWI-4 End power cord for hardwire – \$101

Wire Management:

Felty-10 - \$474 - Vertical Wire Management.

Item	Description	Dimensions	inches dia	Shipping Weight
Felty-10	Vertical Wire Manager for Meeting Height Tables	Outside	4 ¹ / ₃	lbs.
•		NOTE: For ta	ables 29" high	
	List Price			

474