



PRAT Table Series

Specifications	2
Images	3
Veneer Finishes	4
Standard Laminates	5
Powder Coat Finishes	6

TABLES

30" High Tables	7
30" High Table Specifications	8
36" High Tables	9
36" High Table Specifications	10
42" High Tables	11
42" High Table Specifications	12

119" T-LEG TABLES

119" T-Leg Tables	13
119" T-Leg Table Specifications	14

MODULAR SECTIONS

30" High Modular Sections	15
30" High Modular Specifications	16
36" High Modular Sections	17
36" High Modular Specifications	18
42" High Modular Sections	19
42" High Modular Specifications	20

SPANNER TABLE SECTIONS

Modular Spanner Tables	21
Modular Spanner Table Specifications	22

BENCHES

Benches	23
Bench Specifications	24

KICK PLATES

Kick Plates	25
-------------------	----

ELECTRICAL

Electrical Options	26
--------------------------	----

For information concerning Condition of Sales, Warranty, Fabric, Finishes, etc., please download the *Conditions of Sales.pdf* on the Davis web site: www.davisfurniture.com

FEATURES

Construction

Frame is constructed of $\frac{1}{2}$ " and $\frac{3}{4}$ " Baltic Birch plywood
 Leg and top frames are fitted together using stepped connection with wood glue

Edge and leg thickness is $2\frac{1}{2}$ "

Glides

Nylon adjustable glides are attached to steel brackets that are mechanically fastened to the table frame
 On all tables with T-Legs there will be $\frac{1}{4}$ " holes on inside of legs are to access adjustable glides

Kick Plate

Metal powder coated boot used on the bottom of the table legs to protect from everyday traffic that may lead to damage. See page 25 for pricing.

Power Data Unit

Tables may be specified with a unit that has two power plugs **PR-90PP**, two power plugs and two RJ-45 Cat. 6, **PR-90PD**, or two power plugs and two charging USB **PR-90PU**. See page 26 for pricing.

Two outfeed cords are offered for these units:

SP115-4 - 15A power plug 11.5' (3.5 meter) **\$154** list

HWI-4 - Hardwire 11.5' (3.5 meter) **\$101** list

When two power units are placed on the top they will be $\frac{1}{3}$ distance apart.

These tables cannot be retrofitted in the field. Electrical must be specified at time of order.

A button is pushed to flip unit around when electrical and data use is required.

Horizontal wire management on all freestanding units. *Must specify powder coat at time of order.*

Special Sizes

Special sizes may be specified for the Prat Table

General parameters to follow are:

Height - not over 42" high

Length - no longer than 119" without T-leg

Depth - no deeper than 42" at this time. Minimum depth 24"

Please always contact the Factory with your request for Specials and discuss your needs. Quantities do make a difference in any special order.

Special Veneer

Please contact Factory with this request

Not all materials are available in sizes needed for construction of tables

Surface Materials

Laminates, solid surface acrylic (*only available in white*) Fenix® or wood materials are applied to all sides of the legs and top

ELECTRICAL OPTION



Electrical Detail Closed



Electrical Detail Open



Wire Management


KICK PLATE



Ash Veneer




30 Vanilla Ash



31 Natural Ash




32 Sand Ash




33 Toasted Ash


Oak Veneer




10 Alabaster
White Oak




11 Light Oak




12 Golden
Oak




13 Harvest
Oak



14 Slate Oak



15 Mineral Grey
Oak




16 Dark Oak


Walnut Veneer




20 Clear
Walnut




21 Light Grey
Walnut



22 Classic
Walnut




23 Mocha
Walnut



24 Midnight
Walnut

Acrylic



White

FENIX® Innovative Materials



Bianco Kos Grigio Efeso Grigio Antrim Grigio Bromo Beige Arizona Grigio Londra Cacao Orinoco Rosso Jaipur



Blu Shaba Blu Fes Verde Kitami Verde Comodoro Nero Ingo

Note: Some Fenix Colors may have longer than normal leadtimes for tables greater than 96" long, please contact the factory for details.

Standard Laminates

Solids



Brite White 459-58 Classic White 9244-58 Folkstone 927-58 Mouse 928-58 Storm 912-58 Platinum 902-58 Citadel 1097-58 Black 909-58

Woodgrains




White Ash 8841-26 Buff Elm 5793-26 Ashwood Beige 5785-26 Silver Riftwood 6413-26 Natural Ash 8843-26 Finnish Oak 118-26 Formal Walnut 5782-26 Nut Brown Cherry 5790-26




Graphite Elm 5796-26

Powder Coats


Neutral Powder Coats




Pearl Powder Coats



Fenix Powder Coats - *color matched to FENIX®*



Color Trend Powder Coats



30" HIGH TABLES


PRAT Table Series

Example: item number **PR-3000** + top material suffix **-OA** = **PR-3000-OA**

List Price

Surface Material


Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminated)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)
30" High x 24" Wide									
PR-3000	59	24	30	6148	6148	6148	6148	8366	12301
PR-3001	72	24	30	6429	6429	6429	6429	8808	12951
PR-3002	96	24	30	7116	7116	7116	7116	9711	14279
PR-3003	119	24	30	7814	7814	7814	7814	11291	16606



List Price

Surface Material


Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminated)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)
30" High x 29" Wide									
PR-3004	59	29	30	6868	6868	6868	6868	8729	12837
PR-3005	72	29	30	7296	7296	7296	7296	9417	13848
PR-3006	96	29	30	8192	8192	8192	8192	10118	14880
PR-3007	119	29	30	8953	8953	8953	8953	11896	17494



List Price

Surface Material


Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminated)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)
30" High x 36" Wide									
PR-3008	59	36	30	7701	7701	7701	7701	9603	14121
PR-3009	72	36	30	8313	8313	8313	8313	10393	15284
PR-3010	96	36	30	9394	9394	9394	9394	11709	17219
PR-3011	119	36	30	10284	10284	10284	10284	12988	19101



List Price

Surface Material

Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminated)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)
30" High x 42" Wide									
PR-3012	59	42	30	8395	8395	8395	8395	10478	15408
PR-3013	72	42	30	9124	9124	9124	9124	11370	16720
PR-3014	96	42	30	10269	10269	10269	10269	13293	19551
PR-3015	119	42	30	11284	11284	11284	11284	14079	20704



Required to Specify

Table Finishes : See **pages 4 & 5** for finish options.

Options (specify only if preferred) - see **page 26** for electrical schematics

Power Box Options:

PR-90PP Electrification in table top / 2 power plugs – **\$1573** - If **one** Power unit is ordered it will be placed in the middle of table top.

PR-90PP Electrification in table top / 2 power plugs – **\$2839** - If **two** Power units are ordered they will be placed $\frac{1}{3}$ of the table length apart.

PR-90PD Electrification in table top / 2 power / 2 RJ45 Cat.6 – **\$2209** - If **one** Power unit is ordered it will be placed in the middle of table top.

PR-90PD Electrification in table top / 2 power / 2 RJ45 Cat.6 – **\$4122** - If **two** Power units are ordered they will be placed $\frac{1}{3}$ of the table length apart.

PR-90PU Electrification in table top / 2 power / 1 USB-A, 1 USB-C included – **\$2251** - If **one** Power unit is ordered it will be placed in the middle of table top.

PR-90PU Electrification in table top / 2 power / 1 USB-A, 1 USB-C included – **\$4207** - If **two** Power units are ordered they will be placed $\frac{1}{3}$ of the table length apart.

Infeed Options:

SPI15-4 End power cord with plug – **\$154** - 3.5 meter with 15A power plug

HWI-4 End power cord for hardwire – **\$101** - 3.5 meter for hardwire

Horizontal Wire Management:

See powder coat options on **page 6**.

36" HIGH TABLES


PRAT Table Series

Example: item number PR-3600 + top material suffix -OA = PR-3600-OA

List Price

Surface Material


Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminate)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)
36" High x 24" Wide									
PR-3600	59	24	36	6530	6530	6530	6530	9264	13624
PR-3601	72	24	36	6800	6800	6800	6800	9999	14705
PR-3602	96	24	36	7489	7489	7489	7489	10510	15456
PR-3603	119	24	36	8185	8185	8185	8185	12231	17987



List Price

Surface Material


Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminate)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)
36" High x 29" Wide									
PR-3604	59	29	36	7291	7291	7291	7291	9653	14197
PR-3605	72	29	36	7721	7721	7721	7721	10402	15297
PR-3606	96	29	36	8604	8604	8604	8604	11013	16196
PR-3607	119	29	36	9515	9515	9515	9515	12897	18966



List Price

Surface Material


Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminate)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)
36" High x 36" Wide									
PR-3608	59	36	36	8177	8177	8177	8177	10588	15570
PR-3609	72	36	36	8841	8841	8841	8841	11549	16984
PR-3610	96	36	36	9879	9879	9879	9879	12297	18084
PR-3611	119	36	36	10759	10759	10759	10759	14019	20616



List Price

Surface Material

Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminate)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)
36" High x 42" Wide									
PR-3612	59	42	36	8939	8939	8939	8939	11523	16947
PR-3613	72	42	36	9656	9656	9656	9656	12698	18674
PR-3614	96	42	36	10794	10794	10794	10794	13584	19976
PR-3615	119	42	36	11823	11823	11823	11823	15141	22267



Required to Specify

Table Finishes : See **pages 4 & 5** for finish options.

Options (specify only if preferred) - see **page 26** for electrical schematics

Power Box Options:

PR-90PP Electrification in table top / 2 power plugs – **\$1573** - If **one** Power unit is ordered it will be placed in the middle of table top.

PR-90PP Electrification in table top / 2 power plugs – **\$2839** - If **two** Power units are ordered they will be placed $\frac{1}{3}$ of the table length apart.

PR-90PD Electrification in table top / 2 power / 2 RJ45 Cat.6 – **\$2209** - If **one** Power unit is ordered it will be placed in the middle of table top.

PR-90PD Electrification in table top / 2 power / 2 RJ45 Cat.6 – **\$4122** - If **two** Power units are ordered they will be placed $\frac{1}{3}$ of the table length apart.

PR-90PU Electrification in table top / 2 power / 1 USB-A, 1 USB-C included – **\$2251** - If **one** Power unit is ordered it will be placed in the middle of table top.

PR-90PU Electrification in table top / 2 power / 1 USB-A, 1 USB-C included – **\$4207** - If **two** Power units are ordered they will be placed $\frac{1}{3}$ of the table length apart.

Infeed Options:

SPI15-4 End power cord with plug – **\$154** - 3.5 meter with 15A power plug

HWI-4 End power cord for hardwire – **\$101** - 3.5 meter for hardwire

Horizontal Wire Management:

See powder coat options on **page 6**.

42" HIGH TABLES


PRAT Table Series

Example: item number PR-4200 + top material suffix -OA = PR-4200-OA

List Price

Surface Material


Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminated)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)
42" High x 24" Wide									
PR-4200	59	24	42	6808	6808	6808	6808	9458	13910
PR-4201	72	24	42	7062	7062	7062	7062	10097	14847
PR-4202	96	24	42	7741	7741	7741	7741	10605	15597
PR-4203	119	24	42	8493	8493	8493	8493	12461	18326



List Price

Surface Material


Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminated)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)
42" High x 29" Wide									
PR-4204	59	29	42	7590	7590	7590	7590	9856	14493
PR-4205	72	29	42	8028	8028	8028	8028	10600	15588
PR-4206	96	29	42	8934	8934	8934	8934	11189	16454
PR-4207	119	29	42	9886	9886	9886	9886	13169	19367



List Price

Surface Material


Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminated)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)
42" High x 36" Wide									
PR-4208	59	36	42	8527	8527	8527	8527	10812	15900
PR-4209	72	36	42	9211	9211	9211	9211	11846	17419
PR-4210	96	36	42	10248	10248	10248	10248	12856	18906
PR-4211	119	36	42	11134	11134	11134	11134	14271	20986



List Price

Surface Material

Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminated)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)
42" High x 42" Wide									
PR-4212	59	42	42	9488	9488	9488	9488	11768	17306
PR-4213	72	42	42	10151	10151	10151	10151	13090	19250
PR-4214	96	42	42	11261	11261	11261	11261	14522	21356
PR-4215	119	42	42	12348	12348	12348	12348	15374	22609



Required to Specify

Table Finishes : See **pages 4 & 5** for finish options.

Options (specify only if preferred) - see **page 26** for electrical schematics

Power Box Options:

PR-90PP Electrification in table top / 2 power plugs – **\$1573** - If **one** Power unit is ordered it will be placed in the middle of table top.

PR-90PP Electrification in table top / 2 power plugs – **\$2839** - If **two** Power units are ordered they will be placed $\frac{1}{3}$ of the table length apart.

PR-90PD Electrification in table top / 2 power / 2 RJ45 Cat.6 – **\$2209** - If **one** Power unit is ordered it will be placed in the middle of table top.

PR-90PD Electrification in table top / 2 power / 2 RJ45 Cat.6 – **\$4122** - If **two** Power units are ordered they will be placed $\frac{1}{3}$ of the table length apart.

PR-90PU Electrification in table top / 2 power / 1 USB-A, 1 USB-C included – **\$2251** - If **one** Power unit is ordered it will be placed in the middle of table top.

PR-90PU Electrification in table top / 2 power / 1 USB-A, 1 USB-C included – **\$4207** - If **two** Power units are ordered they will be placed $\frac{1}{3}$ of the table length apart.

Infeed Options:

SPI15-4 End power cord with plug – **\$154** - 3.5 meter with 15A power plug


HWI-4 End power cord for hardwire – **\$101** - 3.5 meter for hardwire

Horizontal Wire Management:

See powder coat options on **page 6**.

Example: item number PR-1190 + top material suffix -OA = PR-1190-OA

		List Price								
		Surface Material								
	Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminate)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)
42" High x 119" Length	PR-1190	119	24	42	11249	11249	11249	11249	14630	21514
	PR-1191	119	29	42	12562	12562	12562	12562	15183	22328
	PR-1192	119	36	42	13995	13995	13995	13995	16940	24910
	PR-1193	119	42	42	15752	15752	15752	15752	20640	30353



T-LEG INCLUDED SO THAT TABLE CAN BE ASSEMBLED AT TIME OF DELIVERY

NOTE: 1/4" holes on inside of legs are to access adjustable glides

NOTE: For electrical options, contact factory

Required to Specify



Metal Finish : Polished Aluminum, or see powder coat options on **page 6**.

Table Finishes : See **pages 4 & 5** for finish options.



30" HIGH MODULAR SECTION

PRAT Table Series



Example: item number **PR-3050** + top material suffix **-OA** = **PR-3050-OA**

				List Price						
				Surface Material						
Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminated)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)	
30" High x 24" Depth 	PR-3050	48	24	30	4080	4080	4080	4080	5629	8278
	PR-3051	72	24	30	4799	4799	4799	4799	6845	10067
	PR-3052	96	24	30	5493	5493	5493	5493	7493	11019
PR-3024 24" depth T-leg	3/8	24	30	1512	NOTE: Blade depth is 7 PR-3024 T-leg required at connection For electrical options contact factory					



NOTE: 1/4" holes on inside of legs are to access adjustable glides

				List Price						
				Surface Material						
Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminated)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)	
30" High x 29" Depth 	PR-3053	48	29	30	4732	4732	4732	4732	5822	8562
	PR-3054	72	29	30	5527	5527	5527	5527	7186	10566
	PR-3055	96	29	30	6412	6412	6412	6412	7929	11660
PR-3029 29" depth T-leg	3/8	29	30	1719	NOTE: Blade depth is 9 PR-3029 T-leg required at connection For electrical options contact factory					

NOTE: 1/4" holes on inside of legs are to access adjustable glides

				List Price						
				Surface Material						
Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminated)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)	
30" High x 36" Depth 	PR-3056	48	36	30	5237	5237	5237	5237	6044	8889
	PR-3057	72	36	30	6343	6343	6343	6343	8108	11924
	PR-3058	96	36	30	7396	7396	7396	7396	8993	13225
PR-3036 36" depth T-leg	3/8	36	30	1757	NOTE: Blade depth is 10 PR-3036 T-leg required at connection For electrical options contact factory					

NOTE: 1/4" holes on inside of legs are to access adjustable glides

				List Price						
				Surface Material						
Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminated)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)	
30" High x 42" Depth 	PR-3059	48	42	30	5723	5723	5723	5723	6268	9217
	PR-3060	72	42	30	6932	6932	6932	6932	9033	13284
	PR-3061	96	42	30	8056	8056	8056	8056	10058	14791
PR-3042 42" depth T-leg	3/8	42	30	1968	NOTE: Blade depth is 12 PR-3042 T-leg required at connection For electrical options contact factory					

NOTE: 1/4" holes on inside of legs are to access adjustable glides

Required to Specify

Metal Finish : Polished Aluminum, or see powder coat options on *page 6*.

Table Finishes : See *pages 4 & 5* for finish options.


NOTE: For electrical options, contact factory

36" HIGH MODULAR SECTION

PRAT Table Series


Example: item number **PR-3650** + top material suffix **-OA** = **PR-3650-OA**

		List Price								
		Surface Material								
Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminated)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)	
36" High x 24" Depth	PR-3650	48	24	36	4274	4274	4274	4274	5981	8794
	PR-3651	72	24	36	4986	4986	4986	4986	7357	10820
	PR-3652	96	24	36	5688	5688	5688	5688	7845	11537
PR-3624 24" depth T-leg	3/8	24	36	1512	NOTE: Blade depth is 7 PR-3624 T-leg required at connection For electrical options contact factory					





NOTE: 1/4" holes on inside of legs are to access adjustable glides

		List Price								
		Surface Material								
Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminated)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)	
36" High x 29" Depth	PR-3653	48	29	36	4931	4931	4931	4931	6328	9307
	PR-3654	72	29	36	5726	5726	5726	5726	7734	11373
	PR-3655	96	29	36	6624	6624	6624	6624	8285	12184
PR-3629 29" depth T-leg	3/8	29	36	1719	NOTE: Blade depth is 9 PR-3629 T-leg required at connection For electrical options contact factory					





NOTE: 1/4" holes on inside of legs are to access adjustable glides

		List Price								
		Surface Material								
Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminated)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)	
36" High x 36" Depth	PR-3656	48	36	36	5490	5490	5490	5490	6606	9714
	PR-3657	72	36	36	6602	6602	6602	6602	8639	12705
	PR-3658	96	36	36	7647	7647	7647	7647	9458	13910
PR-3636 36" depth T-leg	3/8	36	36	1757	NOTE: Blade depth is 10 PR-3636 T-leg required at connection For electrical options contact factory					



NOTE: 1/4" holes on inside of legs are to access adjustable glides

		List Price								
		Surface Material								
Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminated)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)	
36" High x 42" Depth	PR-3659	48	42	36	5977	5977	5977	5977	6885	10123
	PR-3660	72	42	36	7209	7209	7209	7209	9543	14034
	PR-3661	96	42	36	8336	8336	8336	8336	10631	15633
PR-3642 42" depth T-leg	3/8	42	36	1968	NOTE: Blade depth is 12 PR-3642 T-leg required at connection For electrical options contact factory					



NOTE: 1/4" holes on inside of legs are to access adjustable glides

Required to Specify

Metal Finish : Polished Aluminum, or see powder coat options on **page 6**.

Table Finishes : See **pages 4 & 5** for finish options.


NOTE: For electrical options, contact factory

42" HIGH MODULAR SECTION

PRAT Table Series

Example: item number PR-4250 + top material suffix -OA = PR-4250-OA

Item	l	d	h	List Price						
				-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminate)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)	
42" High x 24" Depth	PR-4250	48	24	42	4401	4401	4401	4401	6064	8919
	PR-4251	72	24	42	5123	5123	5123	5123	7438	10938
	PR-4252	96	24	42	5817	5817	5817	5817	7931	11661



PR-4224
24" depth T-leg

$\frac{3}{8}$ 24 42

1512


NOTE: Blade depth is 7

PR-4224 T-leg required at connection
For electrical options contact factory



NOTE: $\frac{1}{4}$ " holes on inside of legs are to access adjustable glides

Item	l	d	h	List Price						
				-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminate)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)	
42" High x 29" Depth	PR-4253	48	29	42	5080	5080	5080	5080	6409	9424
	PR-4254	72	29	42	5887	5887	5887	5887	7838	11528
	PR-4255	96	29	42	6782	6782	6782	6782	8390	12338




PR-4229
29" depth T-leg

$\frac{3}{8}$ 29 42

1719


NOTE: Blade depth is 9

PR-4229 T-leg required at connection
For electrical options contact factory



NOTE: $\frac{1}{4}$ " holes on inside of legs are to access adjustable glides

Item	l	d	h	List Price						
				-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminate)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)	
42" High x 36" Depth	PR-4256	48	36	42	5665	5665	5665	5665	6682	9828
	PR-4257	72	36	42	6778	6778	6778	6778	8745	12861
	PR-4258	96	36	42	7823	7823	7823	7823	9528	14010




PR-4236
36" depth T-leg

$\frac{3}{8}$ 36 42

1757


NOTE: Blade depth is 10

PR-4236 T-leg required at connection
For electrical options contact factory



NOTE: $\frac{1}{4}$ " holes on inside of legs are to access adjustable glides

Item	l	d	h	List Price						
				-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminate)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)	
42" High x 42" Depth	PR-4259	48	42	42	6208	6208	6208	6208	6955	10228
	PR-4260	72	42	42	7444	7444	7444	7444	9651	14193
	PR-4261	96	42	42	8568	8568	8568	8568	10665	15683




PR-4242
42" depth T-leg

$\frac{3}{8}$ 42 42

1968

NOTE: Blade depth is 12

PR-4242 T-leg required at connection
For electrical options contact factory



NOTE: $\frac{1}{4}$ " holes on inside of legs are to access adjustable glides



Required to Specify



Metal Finish : Polished Aluminum, or see powder coat options on *page 6*.



Table Finishes : See *pages 4 & 5* for finish options.



NOTE: For electrical options, contact factory

Example: item number **PR-5000** + top material suffix **-OA** = **PR-5000-OA**

		List Price								
		Surface Material								
Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminated)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)	
2 1/2" High x 24" Depth 	PR-5000	48	24	2 1/2	2392	2392	2392	2392	3306	4862
	PR-5001	72	24	2 1/2	3082	3082	3082	3082	4662	6856
	PR-5002	96	24	2 1/2	3741	3741	3741	3741	5187	7629
	PR-3024 24" depth T-leg	3/8	24	30	1512	NOTE: Blade depth is 7				
	PR-3624 24" depth T-leg	3/8	24	36	1512	NOTE: Blade depth is 7				
	PR-4224 24" depth T-leg	3/8	24	42	1512	NOTE: Blade depth is 7				

		List Price								
		Surface Material								
Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminated)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)	
2 1/2" High x 29" Depth 	PR-5003	48	29	2 1/2	2828	2828	2828	2828	3535	5200
	PR-5004	72	29	2 1/2	3645	3645	3645	3645	4948	7276
	PR-5005	96	29	2 1/2	4497	4497	4497	4497	5533	8137
	PR-3029 29" depth T-leg	3/8	29	30	1719	NOTE: Blade depth is 9				
	PR-3629 29" depth T-leg	3/8	29	36	1719	NOTE: Blade depth is 9				
	PR-4229 29" depth T-leg	3/8	29	42	1719	NOTE: Blade depth is 9				

		List Price								
		Surface Material								
Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminated)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)	
2 1/2" High x 36" Depth 	PR-5006	48	36	2 1/2	3126	3126	3126	3126	3676	5407
	PR-5007	72	36	2 1/2	4235	4235	4235	4235	5724	8416
	PR-5008	96	36	2 1/2	5237	5237	5237	5237	6561	9649
	PR-3036 36" depth T-leg	3/8	36	30	1757	NOTE: Blade depth is 10				
	PR-3636 36" depth T-leg	3/8	36	36	1757	NOTE: Blade depth is 10				
	PR-4236 36" depth T-leg	3/8	36	42	1757	NOTE: Blade depth is 10				

		List Price								
		Surface Material								
Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminated)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)	
2 1/2" High x 42" Depth 	PR-5009	48	42	2 1/2	3396	3396	3396	3396	4619	6791
	PR-5010	72	42	2 1/2	4629	4629	4629	4629	6503	9563
	PR-5011	96	42	2 1/2	5712	5712	5712	5712	7590	11161
	PR-3042 42" depth T-leg	3/8	42	30	1968	NOTE: Blade depth is 12				
	PR-3642 42" depth T-leg	3/8	42	36	1968	NOTE: Blade depth is 12				
	PR-4242 42" depth T-leg	3/8	42	42	1968	NOTE: Blade depth is 12				

Required to Specify

Metal Finish : Polished Aluminum, or see powder coat options on **page 6**.

Table Finishes : See **pages 4 & 5** for finish options.

NOTE: For electrical options, contact factory

BENCHES


PRAT Table Series

Example: item number **PR-6064** + top material suffix **-OA** = **PR-6064-OA**

List Price

Surface Material

Item	l	d	h	-AA Ash (veneer)	-OA Oak (veneer)	-WW Walnut (veneer)	-LAM Laminate (laminated)	-FX Fenix (fenix lam.)	-AY Acrylic (white only)
PR-6064	64 1/2	20	17 1/2	5204	5204	5204	5204	7298	10731
PR-6086	86	20	17 1/2	5836	5836	5836	5836	8499	12497
PR-6107	107 1/2	20	17 1/2	7007	7007	7007	7007	9103	13387




NOTE: See page 6 for required Support Beam Powder Coat finish options. Only for PR-6086 and PR-6107.


Item	l	d	h	Grades COM/COL	Grades											
					A	B	C	D	E	F	G	H	I	J	K	L
PR-8001	21 3/8	19 1/2	3/4	394	416	438	460	482	504	526	548	570	592	614	636	658
PR-8002	42 3/8	19 1/2	3/4	569	591	613	635	657	679	701	723	745	767	789	811	833
PR-8003	64	19 1/2	3/4	832	876	920	964	1008	1052	1096	1140	1184	1228	1272	1316	1360
PR-8004	85 1/2	19 1/2	3/4	1001	1045	1089	1133	1177	1221	1265	1309	1353	1397	1441	1485	1529
PR-8005	107	19 1/2	3/4	1222	1280	1338	1396	1454	1512	1570	1628	1686	1744	1802	1860	1918




PR-8001
One Module
3/4 yds / 13 1/2 sq ft




PR-8002
Two Module
1 yds / 18 sq ft



PR-8003
Three Module
1 3/4 yds / 22 1/2 sq ft




PR-8004
Four Module
1 1/2 yds / 27 sq ft




PR-8005
Five Module
2 yds / 36 sq ft

See below for examples to specify location of cushion on bench


PR-6064 BENCH CUSHION OPTIONS



PR-6086 BENCH CUSHION OPTIONS



PR-6107 BENCH CUSHION OPTIONS



Required to Specify

Fabrics or Leather : Ensure graded in material or COM/COL is approved for use on Prat benches by contacting Davis

Support Beam Finish : See powder coat options on **page 6**

Bench Finishes : See **pages 4 & 5** for finish options.


KICK PLATES

PRAT Table Series

Example: item number PR-7000 = PR-7000


List Price

Item	l	d	h	
Kick Plate				
PR-7000	29	2 7/16	2	747 per table
PR-7001	24	2 7/16	2	689 per table
PR-7002	36	2 7/16	2	808 per table
PR-7003	42	2 7/16	2	808 per table




List Price

Item	l	d	h	
Modular Kick Plate				
PR-7005	24	2 7/16	2	342 per section
PR-7006	29	2 7/16	2	376 per section
PR-7007	36	2 7/16	2	405 per section
PR-7008	42	2 7/16	2	405 per section



List Price

Item	l	d	h	
Bench Kick Plate				
PR-7009	20	2 7/16	2	689 per bench



Required to Specify

Metal Finishes: See [page 6](#) for all standard powder coats

Example: item number **PR-90PP** = **PR-90PP**

Item	Description	List Price
------	-------------	------------

Data / Power Units –

PR-90PP	Power Surface Unit with 2 power plugs	One 1573
		Two 2839



Two cord options are available:
SPI15-4 - 3.5 meter with 15A power plug **154**
HWI-4 - 3.5 meter for hardwire **101**

Dimensions	inches	
w x d	outside	8 1/2 x 4 1/4
Shipping Weight approx.	1.35 lbs.	

PR-90PD	Data / Power Surface Unit with 2 power plugs and 2 RJ-45 Cat. 6	One 2209
		Two 4122



Two cord options are available:
SPI15-4 - 3.5 meter with 15A power plug **154**
HWI-4 - 3.5 meter for hardwire **101**

Dimensions	inches	
w x d	outside	10 1/2 x 4 1/4
Shipping Weight approx.	2.28 lbs.	

PR-90PU	Data / Power Surface Unit with 2 power plugs and 1 USB-A, 1 USB-C	One 2251
		Two 4207



Two cord options are available:
SPI15-4 - 3.5 meter with 15A power plug **154**
HWI-4 - 3.5 meter for hardwire **101**

Dimensions	inches	
w x d	outside	10 1/2 x 4 1/4
Shipping Weight approx.	2.28 lbs.	