

DAVIS®

Techniq Table Price List

Designed by Jonathan Prestwich

Effective January 1, 2026



Techniq Table Series

Specifications	2
Nesting	3
Images.....	4
Veneer Finishes	5
FENIX® / Standard Laminates.....	6
Powder Coat Finishes	7
Configurations	8

T-Legs

Rectangle <i>Edge</i> Base.....	9
Rectangle <i>Inset</i> Base.....	10

C-Legs

Rectangle Tops.....	11
Semi-Circle Tops	12
Trapezoid Tops.....	12

Joining Top	13
-------------------	----

Modesty Panel.....	14
--------------------	----

Power	15-16
-------------	-------


For information concerning
Condition of Sales, Warranty,
Fabric, Finishes, etc., please
download the *Conditions of Sales*.
pdf on the
Davis web site:
www.davisfurniture.com



FEATURES

Power Access Lid

All power access lids will be anodized aluminum or matte black




Casters

All training tables come standard with two locking and two non-locking universal casters. Universal casters are designed to work on all floor types. Must specify **TQ-BLCA** Black caster, **TQ-MGCA** Mid Grey Caster, or **TQ-CHCA** Chrome and Black Caster.

Ganging


Ganging devices are standard on all training tables




Legs

T-Legs – Chrome plated or powder coated aluminum

- **Edge Legs** - legs are 2 1/2" from the edge of the table. Provides increased user leg space for training settings
- **Inset Legs** - legs are inset 15" from the edge of the table. Allows users to sit along all four sides of the table.



Edge Base



Inset Base

C-Legs – Chrome plated or powder coated aluminum

- C-Leg creates a one-sided working table that allows for narrow widths, perfect for tight working spaces

Release Mechanism

The "anywhere release" spans the length of one side of the table. This design allows users to engage the flip top option from any point on the mechanism user side.

C-Leg Tables - gas cylinder and springs are included in the release mechanism

T-Leg Tables - uses a system of springs for the release mechanism

Modesty Panels

Veneer - 1/2" thick MDF core panel with 1mm solid wood edgeband

Laminate - 1/2" thick MDF core panel with 1mm ABS edgeband

Felt - 1/2" thick pressed Grey felt. Felt is 3D molded form fleece. Pressed felt has the characteristics to maintain its molded shape.

Tops & Edge Treatments

Training Tables

Veneer Tables - 3/4" thick MDF core with 1mm solid wood edgeband

Laminate Tables - 3/4" thick MDF core with 1mm ABS edgeband - *must specify*

Solid Color laminates - all have matching ABS edge bands.

Wood Grain laminates - **Natural Ash, Nut Brown Cherry, Finnish Oak, and Formal Walnut** have matching ABS edge bands. For all other wood grain laminates a solid color ABS edgeband must be selected.


FENIX® Tables - 3/4" thick MDF core with 1mm *ABS edge band to match top color*

Wire Management Trough



Pressed Grey felt that is 3D molded form fleece. Pressed felt has the characteristics to maintain its molded shape however is flexible enough for wire access when tables are in the horizontal position.

TECHNIQ Table Series

Nesting



Modesty Panel Examples



TECHNIQ Table Series



Rectangle Top with T-Leg Inset Base



Rectangle Top with T-Leg Edge Base



Semicircle Top with C-Leg Base



Trapezoid Top with C-Leg Base



TQ-CHCA
Chrome and Black Caster



TQ-MGCA
Mid Grey Caster



TQ-BLCA
Black Caster




T-Leg Edge Base nesting

Ash Veneer




30 Vanilla Ash



31 Natural Ash




32 Sand Ash



33 Toasted Ash


Oak Veneer



10 Alabaster
White Oak




11 Light Oak



12 Golden
Oak




13 Harvest
Oak



14 Slate Oak




15 Mineral Grey
Oak



16 Dark Oak


Walnut Veneer




20 Clear
Walnut




21 Light Grey
Walnut



22 Classic
Walnut




23 Mocha
Walnut



24 Midnight
Walnut

Modesty Panel Felt



Grey

FENIX® Innovative Materials



Bianco Kos Grigio Efeso Grigio Antrim Grigio Bromo Beige Arizona Grigio Londra Cacao Orinoco Rosso Jaipur



Blu Shaba Blu Fes Verde Kitami Verde Comodoro Nero Ingo

All Fenix have ABS Edgebands to match top.


Standard Laminates

Solids



Brite White* 459-58 Classic White* 9244-58 Folkstone* 927-58 Mouse* 928-58 Storm* 912-58 Platinum* 902-58 Citadel* 1097-58 Black* 909-58

Woodgrains



White Ash++ 8841-26 Buff Elm++ 5793-26 Ashwood Beige++ 5785-26 Silver Riftwood++ 6413-26 Natural Ash* 8843-26 Finnish Oak* 118-26 Formal Walnut* 5782-26 Nut Brown Cherry* 5790-26




Graphite Elm++ 5796-26

*All Laminates with * have ABS Edgebands to match top.*


All Laminates with ++ must have a solid color edgeband selected.

Powder Coats


Neutral Powder Coats




Pearl Powder Coats



Fenix Powder Coats - *color matched to FENIX®*




Color Trend Powder Coats




TECHNIQ Table Series


Conference Configuration
C-Leg Base - 30" x 66" Table




Seminar Configuration
C-Leg Base - 30" x 66" Table
30" x 60" Trapezoid Table




Training Configuration
C-Leg Base - 30" x 66" Table
30" x 60" Trapezoid Table




Round Configuration
C-Leg Base - 36" x 72" Semicircle Table



Meeting Configuration
T-Leg Inset Base - 30" x 60" Table



Race Track Configuration
C-Leg Base - 30" x 66" Table
30" x 30" Quarter Round Top



T-LEG BASE



TECHNIQ Table Series

Example: item number TQ-1260 + top material suffix -OA + metal suffix -CH = TQ-1260-OA-CH

List Price

Surface Material

Item	Description	d	w	h	-AA (veneer)		-OA (veneer)		-WW (veneer)		-LAM (laminate)		-FX (fenix lam.)		
					-CH	-PC	-CH	-PC	-CH	-PC	-CH	-PC	-CH	-PC	
T-Leg Edge Base Training Table	TQ-1260	30" x 60" Rectangle Top	30	60	29	3414	3619	3414	3619	3455	3659	3180	3385	3718	3923
	TQ-1266	30" x 66" Rectangle Top	30	66	29	3523	3725	3523	3725	3579	3780	3275	3477	3765	3967
	TQ-1272	30" x 72" Rectangle Top	30	72	29	3634	3836	3634	3836	3691	3893	3395	3598	3929	4132
	TQ-1360	36" x 60" Rectangle Top	36	60	29	3590	3795	3590	3795	3646	3851	3306	3511	3846	4050
	TQ-1366	36" x 66" Rectangle Top	36	66	29	3716	3919	3716	3919	3780	3982	3334	3536	3920	4122
	TQ-1372	36" x 72" Rectangle Top	36	72	29	3858	4060	3858	4060	3920	4121	3543	3744	4182	4383
TQ-1378	36" x 78" Rectangle Top	36	78	29	4003	4205	4003	4205	4071	4274	3641	3844	4330	4533	



If power is required see pages 15 - 16 to specify

Required to Specify

- Caster Option: TQ-BLCA Black Caster
 TQ-MGCA Mid Grey Caster
 TQ-CHCA Black and Chrome Caster

Metal Finish : Chrome, or see powder coat options on [page 7](#) - **MUST SPECIFY CHROME -CH OR POWDER COAT -PC FINISH ON BASE**



Table Finishes : See [pages 4 & 5](#) for top finish options.

Example: item number **TQ-2260** + top material suffix **-OA** + metal suffix **-CH** = **TQ-2260-OA-CH**

List Price

Surface Material

Item	Description	d	w	h	-AA (veneer)		-OA (veneer)		-WW (veneer)		-LAM (laminat)		-FX (fenix lam.)	
					-CH	-PC	-CH	-PC	-CH	-PC	-CH	-PC	-CH	-PC
T-Leg Inset Base Training Table	TQ-2260 30" x 60" Rectangle Top	30	60	29	3227	3432	3227	3432	3268	3474	2989	3195	3529	3734
	TQ-2266 30" x 66" Rectangle Top	30	66	29	3354	3556	3354	3556	3408	3610	3094	3297	3584	3786
	TQ-2272 30" x 72" Rectangle Top	30	72	29	3472	3675	3472	3675	3525	3728	3181	3385	3715	3919
	TQ-2360 36" x 60" Rectangle Top	36	60	29	3407	3610	3407	3610	3458	3661	3119	3322	3656	3859
	TQ-2366 36" x 66" Rectangle Top	36	66	29	3549	3751	3549	3751	3609	3812	3228	3430	3815	4017
	TQ-2372 36" x 72" Rectangle Top	36	72	29	3691	3894	3691	3894	3750	3954	3329	3533	3971	4174
	TQ-2378 36" x 78" Rectangle Top	36	78	29	3870	4076	3870	4076	3938	4144	3476	3681	4167	4373



If power is required see pages 15 - 16 to specify


Required to Specify

Caster Option: TQ-BLCA Black Caster
 TQ-MGCA Mid Grey Caster
 TQ-CHCA Black and Chrome Caster

Metal Finish : Chrome, or see powder coat options on **page 7 - MUST SPECIFY CHROME -CH OR POWDER COAT -PC FINISH ON BASE**

Table Finishes : See **pages 4 & 5** for top finish options.

Example: item number **TQ-3160** + top material suffix **-OA** + metal suffix **-CH** = **TQ-1360-OA-CH**

		List Price													
		Surface Material													
Item	Description	d	w	h	-AA (veneer)		-OA (veneer)		-WW (veneer)		-LAM (laminate)		-FX (fenix lam.)		
					-CH	-PC	-CH	-PC	-CH	-PC	-CH	-PC	-CH	-PC	
C-Leg Edge Base Training Table 	TQ-3160	24" x 60" Rectangle Top	24	60	29	3484	3647	3484	3647	3526	3689	3213	3376	3716	3880
	TQ-3166	24" x 66" Rectangle Top	24	66	29	3570	3733	3570	3733	3610	3774	3264	3427	3821	3985
	TQ-3172	24" x 72" Rectangle Top	24	72	29	3673	3835	3673	3835	3713	3875	3342	3504	3944	4106
	TQ-3260	30" x 60" Rectangle Top	30	60	29	3656	3819	3656	3819	3699	3863	3328	3492	3866	4029
	TQ-3266	30" x 66" Rectangle Top	30	66	29	3765	3927	3765	3927	3821	3983	3410	3572	3901	4063
	TQ-3272	30" x 72" Rectangle Top	30	72	29	3876	4041	3876	4041	3935	4099	3495	3659	4025	4189

If power is required see pages 15 - 16 to specify

Required to Specify

Caster Option: TQ-BLCA Black Caster
 TQ-MGCA Mid Grey Caster
 TQ-CHCA Black and Chrome Caster

Metal Finish : Chrome, or see powder coat options on **page 7 - MUST SPECIFY CHROME -CH OR POWDER COAT -PC FINISH ON BASE**

Table Finishes : See **pages 4 & 5** for top finish options.


C-LEG BASE

TECHNIQ Table Series

Example: item number **TQ-4260** + top material suffix **-OA** + metal suffix **-CH = TQ-4260-OA-CH**

		List Price												
		Surface Material												
Item	Description	d	w	h	-AA (veneer)		-OA (veneer)		-WW (veneer)		-LAM (laminate)		-FX (fenix lam.)	
					-CH	-PC	-CH	-PC	-CH	-PC	-CH	-PC	-CH	-PC
TQ-4260	30" x 60" Semicircle Top	30	60	29	3656	3819	3656	3819	3699	3863	3328	3492	3866	4029
TQ-4372	36" x 72" Semicircle Top	36	72	29	4100	4262	4100	4262	4163	4325	3625	3787	4270	4432


C-Leg Inset Base Training Table



If power is required see pages 15 - 16 to specify

Item	Description	d	w	h	-AA (veneer)		-OA (veneer)		-WW (veneer)		-LAM (laminate)		-FX (fenix lam.)	
					-CH	-PC	-CH	-PC	-CH	-PC	-CH	-PC	-CH	-PC
TQ-5060	30" x 60" Trapezoid Top	30	60	29	3656	3819	3656	3819	3699	3863	3328	3492	3866	4029
TQ-5672	36" x 72" Trapezoid Top	36	72	29	4100	4262	4100	4262	4163	4325	3625	3787	4270	4432

C-Leg Inset Base Training Table



If power is required see pages 15 - 16 to specify

Required to Specify



Caster Option: TQ-BLCA Black Caster
 TQ-MGCA Mid Grey Caster
 TQ-CHCA Black and Chrome Caster

Metal Finish : Chrome, or see powder coat options on **page 7 - MUST SPECIFY CHROME -CH OR POWDER COAT -PC FINISH ON BASE**

Table Finishes : See **pages 4 & 5** for top finish options.

Example: item number **TQ-6124** + top material suffix **-OA = TQ-6124-OA**

Item	Description	d	w	List Price					
				-AA (veneer)	-OA (veneer)	-WW (veneer)	-LAM (laminate)	-FX (fenix lam.)	
<i>Surface Material</i>									
Quarter Round Joining Tops Training Table	TQ-6124	24" x 24" Quarter Top	24	24	474	474	487	388	531
	TQ-6230	30" x 30" Quarter Top	30	30	635	635	657	492	711
	TQ-6336	36" x 36" Quarter Top	36	36	832	832	867	614	920



Joining Plates

When using a Quarter Round Joining Top, a flat plate and screw knobs are used to connect the Joining Top to the additional tables.

Required to Specify

Table Finishes : See **pages 4 & 5** for top finish options.




Example: item number **TQ-160** + material suffix **-OA** = **TQ-160-OA**

List Price


Modesty Panel Material

Item	Description	d	w	h	-AA (veneer)	-OA (veneer)	-WW (veneer)	-LAM (laminated)	-FL (felt)	-FX (fenix lam.)
TQ-160	All 60" Wide Edge Base Tables	1/2	54	8	490	490	497	484	405	604
TQ-166	All 66" Wide Edge Base Tables	1/2	60	8	518	518	528	499	465	641
TQ-172	All 72" Wide Edge Base Tables	1/2	66	8	548	548	558	524	435	671
TQ-178	All 78" Wide Edge Base Tables	1/2	72	8	579	579	597	553	465	735

**Edge Base Modesty Panels
C-Leg and T-Legs Versions**



**Inset Base Modesty Panels
T-Leg Tables**



Item	Description	d	w	h	-AA (veneer)	-OA (veneer)	-WW (veneer)	-LAM (laminated)	-FL (felt)	-FX (fenix lam.)
TQ-260	All 60" Wide Inset Base Tables	1/2	30	8	358	358	365	398	308	470
TQ-266	All 66" Wide Inset Base Tables	1/2	36	8	388	388	395	422	308	504
TQ-272	All 72" Wide Inset Base Tables	1/2	42	8	421	421	428	439	339	534
TQ-278	All 78" Wide Inset Base Tables	1/2	48	8	451	451	458	460	339	572

* Please note when ordering a modesty panel for **TQ-5672**, 36" x 72" Trapezoid Top, you must use **TQ-266**.

Required to Specify

Modesty Panel Finishes : See **page 5** for modesty panel finish options.


Electrical Overview

- In order to be UL Recognized (UL1286), all Starter cords must be fitted with 20amp plugs, in either straight or 90° end plugs.
- A maximum of 8 Duplex receptacles (16 outlets), allowed per base feed (circuit), which equates to 8 tables each having one Duplex receptacle.
- USB-A+C Dual Charging Units are not considered a receptacle and are not included in the total count of receptacles.
- The 4-Trac system is non-sequential.
- Corded infeeds are single circuit only. The maximum power draw is 20amps per single circuit.
- For customers that require a hardwired install, a 20amp hardwire infeed is available and must be installed by a licensed electrician.
- Hardwired infeeds can be installed at the wall or floor.
- Hardwired infeeds are available in a Flexible Metal Conduit.

New York City, San Francisco, and Chicago have specific requirements for the use of manufactured wiring systems. Please contact an electrician for local code requirements.

Usable Cord Lengths


The Usable Cord Length chart shows the length of usable cord from the base of the leg to the plug.













Usable Cord Length				
	Table Length	72" Power Infeed	96" Power Infeed	120" Power Infeed
T-Leg (Edge Base)	60"	29"	53"	77"
	66"	26"	50"	74"
	72"	23"	47"	71"
	78"	20"	44"	68"
T-leg (Inset Base)	60"	40"	64"	88"
	66"	37"	61"	85"
	72"	34"	58"	82"
	78"	31"	55"	79"
C-leg (Edge Base)	60"	29"	53"	77"
	66"	26"	50"	74"
	72"	23"	47"	71"
Trapazoid	60"	40"	64"	88"
	72"	37"	61"	85"
Semicircle	60"	40"	64"	88"
	72"	34"	58"	82"


- **Example:** if the table length is 60" and a 72" power infeed starter cord is ordered, the usable cord length from the leg to the outlet is 29".

Power Box Location



Item	Description	List Price
Power Box	DRCU-S Duplex Receptacle and 2 Charging USB-A+C outlets with Access Lid	791
 <p><i>Must specify Anodized Aluminum or Matte Black Access Lid</i></p>		

Item	Description	List Price	Plug View
Starter Cord			
	HWI-1 72" 20 Amp Hardwire Power Infeed	194	
	HWI-2 96" 20 Amp Hardwire Power Infeed	231	
	HWI-3 120" 20 Amp Hardwire Power Infeed	271	
	SPI15-1 72" Straight Power Infeed with Plug 15 Amp	259	 Plug View Not UL Recognized
	SPI15-2 96" Straight Power Infeed with Plug 15 Amp	277	
	SPI15-3 120" Straight Power Infeed with Plug 15 Amp	340	
	SPI20-1 72" Straight Power Infeed with Plug 20 Amp	330	 Plug View UL Recognized
	SPI20-2 96" Straight Power Infeed with Plug 20 Amp	428	
	SPI20-3 120" Straight Power Infeed with Plug 20 Amp	465	
	API15-1 72" 90° Angle Power Infeed with Plug 15 Amp	279	 Plug View Not UL Recognized
	API15-2 96" 90° Angle Power Infeed with Plug 15 Amp	308	
	API15-3 120" 90° Angle Power Infeed with Plug 15 Amp	553	
	API20-1 72" 90° Angle Power Infeed with Plug 20 Amp	330	 Plug View UL Recognized
	API20-2 96" 90° Angle Power Infeed with Plug 20 Amp	374	
	API20-3 120" 90° Angle Power Infeed with Plug 20 Amp	604	

Item	Description	List Price
Connector Cord		
	CONC50 50" Connector Cord	160
	CONC52 52" Connector Cord	164
	CONC56 56" Connector Cord	169
	CONC58 58" Connector Cord	174
	CONC62 62" Connector Cord	181
	CONC64 64" Connector Cord	184
	CONC68 68" Connector Cord	190
	CONC76 76" Connector Cord - <i>when using Joining tops</i>	204
	CONC80 80" Connector Cord - <i>when using Joining tops</i>	212
	CONC90 90" Connector Cord - <i>when using Joining tops</i>	227
	CONC96 96" Connector Cord - <i>when using Joining tops</i>	236

When specifying a Connector Cord use the chart provided.
 If Joining tops are included please contact factory for correct cord length.

- **Example:** if a 60" table is to be connected to a 66" table **CONC52** should be specified.

Connector Cord Length				
(in green below indicates like tables to like tables)				
Table Length	60"	66"	72"	78"
60"	CONC50	CONC52	CONC56	CONC58
66"	CONC52	CONC56	CONC58	CONC62
72"	CONC56	CONC58	CONC62	CONC64
78"	CONC58	CONC62	CONC64	CONC68