

DAVIS®

Sachet Price List

Designed by jehs+laub

Effective January 1, 2026

Updated September 24, 2026



SACHET Series

Specifications 2

Images 3

Veneer Finishes 4

Powder Coat Finishes..... 5

SA-100.....6

SA-10006

SA-10056

SA-102 7

SA-10207

SA-1025.....7

SA-1038

SA-10308

SA-1035.....8

SA-1037.....8

SA-105.....9

SA-10509

SA-1055.....9

SA-106.....10

SA-106010

SA-106510

SA-10711

SA-1070.....11

SA-1075.....11

BARSTOOLS

SA-2002..... 12

SA-2022..... 12

SA-2007..... 13

SA-2027 13

SA-2037 13



FEATURES

Base

- **Four-Leg Metal Base** - unified steel frame
 - **Wire Base** - unified steel frame
 - **Four-Leg Wood Base** - Oak and Walnut finishes
 - **Four Prong Caster Base** - aluminum / fixed
 - **Four Prong Glide Base** - aluminum /swivel
 - **Five Star Aluminum Caster Base with Mechanism** - swivel / tilt, height adjustable and back lock option
-

Casters

All Four Prong aluminum base casters are reinforced copolymer with safety brake feature that will not roll away until weight is in chair - this keeps chairs from slipping out from under user.

- **Four Prong Aluminum Base** - Black hard plastic casters with center hole is standard.

Optional casters -

SA-CHCA - Black hard plastic casters with chrome and center hole – **\$84** list upcharge

SA-SOCH - Grey soft casters with chrome and center hole – **\$108** list upcharge

SA-SOPL - Grey soft casters with black plastic and center hole – **\$25** list upcharge

- **Five Star Aluminum Caster Base** - Ships standard with black universal casters. Universal casters are designed to work on all floor types.
-

Glides

All glide base options come standard with plastic glides

Optional felt glides **SA-Felt** are available on all chairs

Mechanism - Five Star Base Only

Swivel/Tilt mechanism is offered in black powder coat only.

Seat & Arms

Molded polyurethane foam over steel frame

Upholstery

Davis Fabric and Leather Program COM/COL

If you are supplying the COM/COL, submit a sample before ordering for approval.

All graded in and COM/COL must be approved for use on Sachet by the Davis factory.

Welt

Self welting or optional contrasting welting available. Contrasting welt must be a solid color fabric

For information concerning Condition of Sales, Warranty, Fabric, Finishes, etc., please download the *Conditions of Sales.pdf* on the Davis web site: www.davisfurniture.com

BACK OPTIONS



Armless
Low Back



Arm
Low Back



Arm
Mid Back



Arm
High Back

BASE OPTIONS



Four-Leg



Five Star Base



Wire Base



Wood Base



Four Prong Caster Base




Four Prong Glide Base




CONTRASTING WELT




Oak

						
10 Alabaster White Oak	11 Light Oak	12 Golden Oak	13 Harvest Oak	14 Slate Oak	15 Mineral Grey Oak	16 Dark Oak

Walnut


				
20 Clear Walnut	21 Light Grey Walnut	22 Classic Walnut	23 Mocha Walnut	24 Midnight Walnut

Powder Coats**Neutral Powder Coats**

-01 Matte White



-02 Light Grey




-03 Mid Grey



-04 Steel

-05 Matte
Black**Pearl Powder Coats**

-20 Matte Silver

-21 Light
Anthracite


-22 Anthracite




-23 Champagne



-24 Light Bronze




-25 Bronze

Fenix Powder Coats - *color matched to FENIX®*-40 Grigio
Efeso-41 Grigio
Antrim-42 Grigio
Bromo-43 Beige
Arizona-44 Grigio
Londra

-47 Blu Shaba




-45 Blu Fes

-48 Verde
Kitami-46 Verde
Comodoro-49 Cacao
Orinoco-50 Rosso
Jaipur**Color Trend Powder Coats**

-73 Ivory



-60 Stone



-61 Light Tan



-62 Sand



-63 Ice



-64 Fog



-65 Teal



-66 Mustard



-67 Light Sage



-68 Moss



-69 Dark Green



-70 Rosa



-71 Terracotta




-72 Burgundy


Ordering Example: item number **SA-100** + finish option **-CH** = **SA-100-CH**

Description


Four-Leg Base



SA-100
Low Back
Armless



SA-1000
Low Back
Arm



SA-1005
Mid Back
Arm

Dimensions	w	d	h	w	d	h	w	d	h
Outside	22 1/2	24 1/2	32 5/8	26 3/4	24 7/8	32 5/8	26 3/4	27	38 1/4
Inside	13 3/4	19 5/8	14 5/8	13 3/4	19 5/8	14 5/8	13 3/4	19 5/8	19 7/8
Seat			18 3/4			18 3/4			18 3/4
Arm						26 1/8			26 1/8
Yardage / Sq. Ft.	1 3/4 yds. / 31 1/2 sq. ft. welt - 1 yd / 3 sq. ft.			2 1/2 yds. / 40 1/2 sq. ft. welt - 1 yd / 3 sq. ft.			2 1/2 yds. / 40 1/2 sq. ft. welt - 1 yd / 6 sq. ft.		
Shipping Weight	31 lbs.			32 lbs.			34 lbs.		

List Price
Grades

SA-100	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-CH Chrome	1558	1609	1660	1711	1762	1813	1864	1915	1966	2017	2068	2119	2170
-PC Powder Coat	1751	1802	1853	1904	1955	2006	2057	2108	2159	2210	2261	2312	2363
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240
SA-1000	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-CH Chrome	1779	1837	1895	1953	2011	2069	2127	2185	2243	2301	2359	2417	2475
-PC Powder Coat	1979	2037	2095	2153	2211	2269	2327	2385	2443	2501	2559	2617	2675
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240
SA-1005	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-CH Chrome	1855	1921	1987	2053	2119	2185	2251	2317	2383	2449	2515	2581	2647
-PC Powder Coat	2056	2122	2188	2254	2320	2386	2452	2518	2584	2650	2716	2782	2848
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240

Required to Specify

Fabrics or Leather : Ensure graded in material or COM/COL is approved for use on Sachet by contacting Davis

Metal Finish : Chrome, or powder coat. See powder coat options on [page 5](#).


Options *(specify only if preferred)*

Glides: SA-Felt – No charge at time of order


Ordering Example: item number **SA-102** + metal suffix **-CH** = **SA-102-CH**

Description


Wire Base



SA-102
Low Back
Armless



SA-1020
Low Back
Arm



SA-1025
Mid Back
Arm

Dimensions	w	d	h	w	d	h	w	d	h
Outside	22 1/2	24 1/2	32 5/8	26 3/4	27	32 5/8	26 3/4	27	38 1/4
Inside	13 1/4	19 1/4	14 5/8	13 3/4	19 5/8	14 5/8	13 3/4	19 5/8	19 7/8
Seat			18 3/4			18 3/4			18 3/4
Arm						26 1/8			26 1/8
Yardage / Sq. Ft.	1 3/4 yds. / 31 1/2 sq. ft. welt - 1 yd / 3 sq. ft.			2 1/2 yds. / 40 1/2 sq. ft. welt - 1 yd / 3 sq. ft.			2 1/2 yds. / 40 1/2 sq. ft. welt - 1 yd / 6 sq. ft.		
Shipping Weight	31 lbs.			31 lbs.			33 lbs.		

List Price
Grades

SA-102	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-CH Chrome	1526	1577	1628	1679	1730	1781	1832	1883	1934	1985	2036	2087	2138
-PC Powder Coat	1717	1768	1819	1870	1921	1972	2023	2074	2125	2176	2227	2278	2329
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240
SA-1020	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-CH Chrome	1790	1848	1906	1964	2022	2080	2138	2196	2254	2312	2370	2428	2486
-PC Powder Coat	1992	2050	2108	2166	2224	2282	2340	2398	2456	2514	2572	2630	2688
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240
SA-1025	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-CH Chrome	1866	1932	1998	2064	2130	2196	2262	2328	2394	2460	2526	2592	2658
-PC Powder Coat	2069	2135	2201	2267	2333	2399	2465	2531	2597	2663	2729	2795	2861
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240

Required to Specify

Fabrics or Leather : Ensure graded in material or COM/COL is approved for use on Sachet by contacting Davis

Metal Finish : Chrome, or powder coat. See powder coat options on [page 5](#).


Options *(specify only if preferred)*

Glides: SA-Felt – No charge at time of order


Ordering Example: item number **SA-103** + metal suffix **-PA** = **SA-103-PA**

Description


Five Star Caster Base




SA-103
Low Back
Armless



SA-1030
Low Back
Arm



SA-1035
Mid Back
Arm



SA-1037
High Back
Arm

Dimensions	w	d	h	w	d	h	w	d	h	w	d	h
Outside	22 1/2	24 1/2	32 5/8 - 36 3/8	26 3/4	24 5/8	32 5/8 - 36 3/8	26 3/4	26 3/8	37 5/8 - 41 3/8	27	28 3/8	48 5/8 - 52 3/8
Inside	13 1/4	19 1/4	14 5/8	13 3/4	19 5/8	14 5/8	13 3/4	19 5/8	19 7/8	13 3/4	19 5/8	19 7/8
Seat			18 1/8 - 21 7/8			18 1/8 - 21 7/8			18 1/8 - 21 7/8			18 1/8 - 21 7/8
Arm					25 3/4 - 29 1/2			25 3/4 - 29 1/2				25 3/4 - 29 1/2
Yardage / Sq. Ft.	1 3/4 yds. / 31 1/2 sq. ft. welt - 1 yd / 3 sq. ft.			2 1/2 yds. / 40 1/2 sq. ft. welt - 1 yd / 3 sq. ft.			2 1/2 yds. / 40 1/2 sq. ft. welt - 1 yd / 6 sq. ft.			2 3/4 yds. / 49 1/2 sq. ft. welt - 1 1/2 yd. / 12 sq. ft.		
Shipping Weight	31 lbs.			34 lbs.			36 lbs.			38 lbs.		

List Price
Grades

SA-103	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-PA Polished Alum.	2000	2051	2102	2153	2204	2255	2306	2357	2408	2459	2510	2561	2612
-PC Powder Coat	2192	2243	2294	2345	2396	2447	2498	2549	2600	2651	2702	2753	2804
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240
SA-1030	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-PA Polished Alum.	2259	2317	2375	2433	2491	2549	2607	2665	2723	2781	2839	2897	2955
-PC Powder Coat	2459	2517	2575	2633	2691	2749	2807	2865	2923	2981	3039	3097	3155
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240
SA-1035	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-PA Polished Alum.	2336	2402	2468	2534	2600	2666	2732	2798	2864	2930	2996	3062	3128
-PC Powder Coat	2533	2599	2665	2731	2797	2863	2929	2995	3061	3127	3193	3259	3325
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240
SA-1037	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-PA Polished Alum.	2750	2823	2896	2969	3042	3115	3188	3261	3334	3407	3480	3553	3626
-PC Powder Coat	2940	3013	3086	3159	3232	3305	3378	3451	3524	3597	3670	3743	3816
SA-Welt Contrasting Welt	90	112	134	156	178	200	222	244	266	288	310	332	354

Required to Specify


Fabrics or Leather : Ensure graded in material or COM/COL is approved for use on Sachet by contacting Davis

Metal Finish : Polished Aluminum, or powder coat. See powder coat options on **page 5**.


Ordering Example: item number **SA-105** + metal suffix **-PA** = **SA-105-PA**

Description


Four Prong Swivel Glide Base



SA-105
Low Back
Armless



SA-1050
Low Back
Arm



SA-1055
Mid Back
Arm

Dimensions	w	d	h	w	d	h	w	d	h
Outside	22 1/2	24 1/2	32 5/8	26 3/4	27	32 5/8	26 3/4	27	38 1/4
Inside	13 1/4	19 1/4	14 5/8	13 3/4	19 5/8	14 5/8	13 3/4	19 5/8	19 7/8
Seat			18 3/4			18 3/4			18 3/4
Arm						26 1/8			26 1/8
Yardage / Sq. Ft.	1 3/4 yds. / 31 1/2 sq. ft. welt - 1 yd / 3 sq. ft.			2 1/2 yds. / 40 1/2 sq. ft. welt - 1 yd / 3 sq. ft.			2 1/2 yds. / 40 1/2 sq. ft. welt - 1 yd / 6 sq. ft.		
Shipping Weight	31 lbs.			33 lbs.			35 lbs.		

List Price
Grades

SA-105	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-PA Polished Alum.	2345	2396	2447	2498	2549	2600	2651	2702	2753	2804	2855	2906	2957
-PC Powder Coat	2534	2585	2636	2687	2738	2789	2840	2891	2942	2993	3044	3095	3146
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240
SA-1050	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-PA Polished Alum.	2582	2640	2698	2756	2814	2872	2930	2988	3046	3104	3162	3220	3278
-PC Powder Coat	2784	2842	2900	2958	3016	3074	3132	3190	3248	3306	3364	3422	3480
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240
SA-1055	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-PA Polished Alum.	2656	2722	2788	2854	2920	2986	3052	3118	3184	3250	3316	3382	3448
-PC Powder Coat	2862	2928	2994	3060	3126	3192	3258	3324	3390	3456	3522	3588	3654
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240

Required to Specify

Fabrics or Leather : Ensure graded in material or COM/COL is approved for use on Sachet by contacting Davis


Metal Finish : Polished Aluminum, or powder coat. See powder coat options on [page 5](#).

Options *(specify only if preferred)*


Glides: SA-Felt – No charge at time of order

Description


Four Prong Caster Base



SA-106
Low Back
Armless



SA-1060
Low Back
Arm



SA-1065
Mid Back
Arm

Dimensions	w	d	h	w	d	h	w	d	h
Outside	22 1/2	24 1/2	32 5/8	26 3/4	27	32 5/8	26 3/4	27	38 1/4
Inside	13 1/4	19 1/4	14 5/8	13 3/4	19 5/8	14 5/8	13 3/4	19 5/8	19 7/8
Seat			18 3/4			18 3/4			18 3/4
Arm						26 1/8			26 1/8
Yardage / Sq. Ft.	1 3/4 yds. / 31 1/2 sq. ft. welt - 1 yd / 3 sq. ft.			2 1/2 yds. / 40 1/2 sq. ft. welt - 1 yd / 3 sq. ft.			2 1/2 yds. / 40 1/2 sq. ft. welt - 1 yd / 6 sq. ft.		
Shipping Weight	31 lbs.			33 lbs.			35 lbs.		

	List Price	Grades											
SA-106	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-PA Polished Alum.	2083	2134	2185	2236	2287	2338	2389	2440	2491	2542	2593	2644	2695
-PC Powder Coat	2276	2327	2378	2429	2480	2531	2582	2633	2684	2735	2786	2837	2888
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240
SA-1060	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-PA Polished Alum.	2322	2380	2438	2496	2554	2612	2670	2728	2786	2844	2902	2960	3018
-PC Powder Coat	2527	2585	2643	2701	2759	2817	2875	2933	2991	3049	3107	3165	3223
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240
SA-1065	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-PA Polished Alum.	2401	2467	2533	2599	2665	2731	2797	2863	2929	2995	3061	3127	3193
-PC Powder Coat	2602	2668	2734	2800	2866	2932	2998	3064	3130	3196	3262	3328	3394
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240

Required to Specify

Fabrics or Leather : Ensure graded in material or COM/COL is approved for use on Sachet by contacting Davis

Metal Finish : Polished Aluminum, or powder coat. See powder coat options on [page 5](#).

Options *(specify only if preferred)*

SA-CHCA - Black hard plastic casters with chrome and center hole – **\$84** list upcharge


SA-SOCH - Grey soft casters with chrome and center hole – **\$108** list upcharge

SA-SOPL - Grey soft casters with black plastic and center hole – **\$25** list upcharge


Ordering Example: item number **SA-107** + wood suffix **-OA** = **SA-107-OA**

Description


Wood Base



SA-107
Low Back
Armless



SA-1070
Low Back
Arm



SA-1075
Mid Back
Arm

Dimensions	w	d	h	w	d	h	w	d	h
Outside	22 1/2	24 1/2	32 5/8	26 3/4	24 1/8	32 5/8	26 3/4	27	37 1/4
Inside	13 1/4	19 1/4	14 5/8	13 3/4	19 5/8	14 5/8	13 3/4	19 5/8	19 7/8
Seat			18 3/4			18 3/4			18 3/4
Arm						26 1/8			26 1/8
Yardage / Sq. Ft.	1 3/4 yds. / 31 1/2 sq. ft. welt - 1 yd / 3 sq. ft.			2 1/2 yds. / 40 1/2 sq. ft. welt - 1 yd / 3 sq. ft.			2 1/2 yds. / 40 1/2 sq. ft. welt - 1 yd / 6 sq. ft.		
Shipping Weight	27 lbs.			27 lbs.			29 lbs.		

		List Price Grades											
SA-107	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-OA Oak	2097	2148	2199	2250	2301	2352	2403	2454	2505	2556	2607	2658	2709
-WW Walnut	2150	2201	2252	2303	2354	2405	2456	2507	2558	2609	2660	2711	2762
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240
SA-1070	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-OA Oak	2318	2376	2434	2492	2550	2608	2666	2724	2782	2840	2898	2956	3014
-WW Walnut	2374	2432	2490	2548	2606	2664	2722	2780	2838	2896	2954	3012	3070
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240
SA-1075	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-OA Oak	2397	2463	2529	2595	2661	2727	2793	2859	2925	2991	3057	3123	3189
-WW Walnut	2453	2519	2585	2651	2717	2783	2849	2915	2981	3047	3113	3179	3245
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240

Required to Specify

Fabrics or Leather : Ensure graded in material or COM/COL is approved for use on Sachet by contacting Davis


Leg Finishes : See **page 4** for leg finish options.Options *(specify only if preferred)*

Glides: SA-Felt – No charge at time of order


Ordering Example: item number **SA-2002** + metal suffix **-CH** = **SA-2002-CH**

Description

Sled Base



SA-2002
Bar Height
Armless



SA-2022
Counter Height
Armless

Dimensions	w	d	h	w	d	h
Outside	21	22	42 ³ / ₄	21	21 ¹ / ₄	38 ¹ / ₄
Inside	11 ¹ / ₂	17 ¹ / ₂	12 ³ / ₄	11 ¹ / ₂	17 ¹ / ₂	12 ³ / ₄
Seat			29 ³ / ₄			25 ¹ / ₄
Yardage / Sq. Ft.	2 yds. / 36 sq. ft. welt - 1 yd / 3 sq. ft.			2 yds. / 36 sq. ft. welt - 1 yd / 3 sq. ft.		
Shipping Weight	31 lbs.			31 lbs.		

List Price
Grades

SA-2002	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-CH Chrome	1277	1321	1365	1409	1453	1497	1541	1585	1629	1673	1717	1761	1805
-PC Powder Coat	1468	1512	1556	1600	1644	1688	1732	1776	1820	1864	1908	1952	1996
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240

SA-2022	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-CH Chrome	1277	1321	1365	1409	1453	1497	1541	1585	1629	1673	1717	1761	1805
-PC Powder Coat	1468	1512	1556	1600	1644	1688	1732	1776	1820	1864	1908	1952	1996
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240

Required to Specify

Fabrics or Leather : Ensure graded in material or COM/COL is approved for use on Sachet by contacting Davis

Metal Finish : Chrome, or powder coat. See powder coat options on **page 5**.


Options *(specify only if preferred)*

Glides: SA-Felt – No charge at time of order


Ordering Example: item number SA-2007 + wood suffix -OA = SA-2007-OA

Description


Wood Base



SA-2007
Bar Height
Armless



SA-2027
Counter Height
Armless



SA-2037
ADA Height
Armless

Dimensions	w	d	h	w	d	h	w	d	h
Outside	22 1/4	23 1/2	43 1/2	21	21 1/4	39 1/4	21	21 1/4	37 1/2
Inside	11 1/2	17 1/2	12 3/4	11 1/2	17 1/2	12 3/4	11 1/2	17 1/2	12 3/4
Seat	30			25 3/4			24		
Yardage / Sq. Ft.	2 yds. / 36 sq. ft. welt - 1 yd / 3 sq. ft.			2 yds. / 36 sq. ft. welt - 1 yd / 3 sq. ft.			2 yds. / 36 sq. ft. welt - 1 yd / 3 sq. ft.		
Shipping Weight	31 lbs.			31 lbs.			31 lbs.		

List Price
Grades

SA-2007	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-OA Oak	2281	2325	2369	2413	2457	2501	2545	2589	2633	2677	2721	2765	2809
-WW Walnut	2361	2405	2449	2493	2537	2581	2625	2669	2713	2757	2801	2845	2889
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240

SA-2027	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-OA Oak	2281	2325	2369	2413	2457	2501	2545	2589	2633	2677	2721	2765	2809
-WW Walnut	2361	2405	2449	2493	2537	2581	2625	2669	2713	2757	2801	2845	2889
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240

SA-2037	COM/COL	A	B	C	D	E	F	G	H	I	J	K	L
-OA Oak	2281	2325	2369	2413	2457	2501	2545	2589	2633	2677	2721	2765	2809
-WW Walnut	2361	2405	2449	2493	2537	2581	2625	2669	2713	2757	2801	2845	2889
SA-Welt Contrasting Welt	60	75	90	105	120	135	150	165	180	195	210	225	240

Required to Specify

Fabrics or Leather : Ensure graded in material or COM/COL is approved for use on Sachet by contacting Davis

Metal Finish : Chrome, or powder coat. See powder coat options on [page 5](#).

Leg Finishes : See [page 4](#) for leg finish options.

Options *(specify only if preferred)*

Glides: SA-Felt – No charge at time of order