DAVIS®

# JP Bench Price List

Designed by Jonathan Prestwich

Effective June 8, 2026

Updated November 4, 2026



DAVIS®

# JP Bench Series


Specifications . . . . . 2
Images . . . . . 3
Dimensions . . . . . 4
Veneer Finishes . . . . . 5
FENIX® / Standard Laminates . . . . 6
Powder Coat Finishes . . . . . 7
Uph. Requirement Chart . . . . . 8

*FREESTANDING UNITS*
JPB-5000 . . . . . 9
JPB-5001 . . . . . 9
JPB-5100 . . . . . 10
JPB-5200 . . . . . 10
JPB-5201 . . . . . 11
JPB-5202 . . . . . 11
JPB-5300 . . . . . 12
JPB-5302 . . . . . 12
JPB-5303 . . . . . 12

*TABLE / TABLET*
JPB-5400 . . . . . 13*
JPB-5500 . . . . . 13*

*POWER*
JPB-4006 . . . . . 14
JPB-4007 . . . . . 14


For information concerning Condition of Sales, Warranty, Fabric, Finishes, etc., please download the *Conditions of Sales.pdf* on the Davis web site: www.davisfurniture.com

BIFMA Compliant,® the commercial furniture industry's registry of standards-conforming products.

** Indicates versions excluded from the BIFMA Compliant program. Please contact DAVIS for more information.*

# JP Bench Series

Designed by Jonathan Prestwich

## FEATURES

**Legs and Frame**

Constructed of extruded and die cast aluminum components. Straight sections of the frame are produced from extruded aluminum profiles. Corner components are produced from die cast aluminum, engineered to join adjacent extrusions at each frame junction and support the steel leg.

Extruded and die cast members are mechanically joined to form a rigid fastened perimeter structure to support the seating components.

Available in all Davis powder coat finishes.

**Frame**

Powder coated aluminum

**Glides**

Bases come standard with adjustable black plastic glides

Optional felt adjustable glide are available - **JPB-Felt** - no upcharge if specified at time of order

**Ganging**

Ganging brackets provided when configuration requires. Ganging locations will be indicated on the drawings at time of quote and order.

**Seat Units**

Offered in three seating configurations: backless, with back, and with back and arm. All configurations share a common construction method and may be combined in continuous runs along a single frame.

***Seat and back components*** are built on engineered plywood frames, precision-cut and assembled to form the structural shell of each seating element. The seat frame incorporates a cut-out opening, across which sheet webbing is stretched and secured to create a resilient suspension system. The webbing provides uniform support across the seating surface and works in conjunction with the foam layers to establish the bench's comfort.

***Foam*** is a multi-density construction, combining firmer foam for structural support and softer foam for surface comfort. The foam layers are profiled and laminated to the plywood frame and webbing suspension to produce a consistent seating surface across the length of the bench, regardless of configuration.

***Back and arm components*** are constructed using the same engineered plywood frame method as the seat, with foam layered and profiled to the back and arm geometry to maintain continuity in appearance and comfort between elements.

All benches are fully upholstered at the factory and ship fully assembled.

**Tablet Arms**

Seating elements are notched to accept tablet support post which is welded to frame. Cannot be installed in the field.

**Pivoting Tablet** – Offered in veneer, and 12mm soild core FENIX® in Bianco Kos, Blu Fes, Blu Shaba, Grigio Efeso, and Nero Ingo.

**Table Top**

Offered in veneer, and 12mm soild core FENIX® in Bianco Kos, Blu Fes, Blu Shaba, Grigio Efeso, and Nero Ingo.

**Power**

Two power or one power, two charging USB units are available.

Power units come in black or white and are designed for under frame placement.

Power units are adjustable on frame. Contact factory to discuss initial placement

A "J" tray is mounted on the back rails and is used for horizontal wire management.

Power units can be linked together. Contact factory for additional information.

**Upholstery**

Upholstery detailing includes welting around the perimeter of the seat, and double-needle topstitching around the perimeters of the back and arms.

Additional double-needle topstitching across the seat visually delineates individual seating positions.

Available in approved fabrics and leathers from the Davis Fabric and Leather Program or in COM/COL. For approved materials, visit www.davisfurniture.com/fabric-approval

# JP Bench Series



**JPB-5000**
Stool



**JPB-5200**
Straight Backed Bench



**JPB-5202-R**
Right Single Arm / Corner



**JPB-5202-L**
Left Single Arm / Corner



**JPB-5100**
Straight Backless Bench



**JPB-5300**
120° Backless Bench



**JPB-5400**
Side Table / Corner




**JP-4007-B**
Power Unit

# JP Bench Series

## JPB-5200 - Straight Bench


| Dimensions | w | d | h |
|---|---|---|---|
| Outside | 48 | 23 1/2 | 30 1/2 |
| Seat Height | | 19 | 18 |





## JP Bench Tablet


| Dimensions | w | l | h |
|---|---|---|---|
| Outside | 18 3/4 | 10 3/4 | |
| Tablet Height | | | 26 1/2 |


* Dimension between the seat and top of tablet is 9 5/8″









## SEAMS





**For units ranging 48″ up to 66″ there will be one seam.**





**For units ranging 72″ up to 96″ there will be two seams.**

# JP Bench Series

## Ash Veneer


30 Vanilla Ash


31 Natural Ash


32 Sand Ash


33 Toasted Ash

## Oak Veneer


10 Alabaster White Oak


11 Light Oak


12 Golden Oak


13 Harvest Oak


14 Slate Oak


15 Mineral Grey Oak


16 Dark Oak

## Walnut Veneer


20 Clear Walnut


21 Light Grey Walnut


22 Classic Walnut


23 Mocha Walnut


24 Midnight Walnut

# JP Bench Series

## FENIX® Innovative Materials


Bianco Kos


Grigio Efeso


Blu Fes


Blu Shaba


Nero Ingo

## Powder Coats

### Neutral Powder Coats



-01 Matte White


-02 Light Grey


-03 Mid Grey


-74 Warm Grey


-04 Steel


-05 Matte Black

### Pearl Powder Coats


-20 Matte Silver


-21 Light Anthracite


-22 Anthracite


-23 Champagne


-24 Light Bronze


-25 Bronze

### Fenix Powder Coats - *color matched to FENIX®*


-40 Grigio Efeso


-41 Grigio Antrim


-42 Grigio Bromo


-43 Beige Arizona


-44 Grigio Londra


-47 Blu Shaba


-45 Blu Fes


-48 Verde Kitami


-46 Verde Comodoro


-49 Cacao Orinoco


-50 Rosso Jaipur

### Color Trend Powder Coats


-73 Ivory


-60 Stone


-61 Light Tan


-62 Sand


-63 Ice


-64 Fog


-65 Teal


-66 Mustard


-67 Light Sage


-68 Moss


-69 Dark Green







-70 Rosa


-71 Terracotta


-72 Burgundy

# JP Bench Series

The following chart provides the required yardages and square footage for each available bench length. These values are intended to assist with upholstery specification and material estimating across the full range of bench sizes.

| Item | Yardage / Square Feet | Bench Lengths 48″ | 54″ | 60″ | 66″ | 72″ | 78″ | 84″ | 90″ | 96″ |
|---|---|---|---|---|---|---|---|---|---|---|
| **JPB-5100**  | Yardage | 2 1/2 | 3 | 3 | 3 | 3 | 3 1/2 | 3 1/2 | 3 3/4 | 3 3/4 |
| | Square Feet | 45 | 54 | 54 | 54 | 54 | 63 | 63 | 67 1/2 | 67 1/2 |
| **JPB-5200**  | Yardage | 3 | 4 | 4 | 4 | 4 | 4 3/4 | 5 3/4 | 6 | 6 |
| | Square Feet | 54 | 72 | 72 | 72 | 72 | 85 1/2 | 103 1/2 | 108 | 108 |
| **JPB-5201**  | Yardage | 3 3/4 | 4 1/2 | 4 3/4 | 5 | 5 | 5 1/4 | 6 | 6 3/4 | 7 |
| | Square Feet | 67 1/2 | 81 | 85 1/2 | 90 | 90 | 94 1/2 | 108 | 121 1/2 | 126 |
| **JPB-5202-L / JPB-5202-R**   | Yardage | 3 1/2 | 4 1/4 | 4 1/2 | 4 3/4 | 4 3/4 | 5 | 6 | 6 1/2 | 6 1/2 |
| | Square Feet | 63 | 76 1/2 | 81 | 85 1/2 | 85 1/2 | 90 | 108 | 117 | 117 |

# JP Bench Series

**Example:** item number **JPB-5000** = **JPB-5000**

| Item | Description | Dimensions | inches w | d | h | Yardage / Square Feet | Shipping Weight |
|---|---|---|---|---|---|---|---|
| **JPB-5000** | Stool | Outside | 24 | 24 | 18 | 1 1/4 yds. / 22 1/2 sq. ft. | lbs. |



| | List Price Grades COM/COL | A | B | C | D | E | F | G | H | I | J | K | L |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **2458** | **2487** | **2516** | **2545** | **2574** | **2603** | **2632** | **2661** | **2690** | **2719** | **2748** | **2777** | **2806** |

| Item | Description | Dimensions | inches w | d | h | Yardage / Square Feet | Shipping Weight |
|---|---|---|---|---|---|---|---|
| **JPB-5001** | Single Seat | Outside | 30 3/4 | 25 | 30 1/2 | 1 1/4 yds. / 22 1/2 sq. ft. | lbs. |
| | | Inside | 19 | 18 3/4 | | | |
| | | Seat | | | 18 | | |



| | List Price Grades COM/COL | A | B | C | D | E | F | G | H | I | J | K | L |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **3004** | **3033** | **3062** | **3091** | **3120** | **3149** | **3178** | **3207** | **3236** | **3265** | **3294** | **3323** | **3352** |

## Required to Specify

**Fabrics or Leather :** Ensure graded in material or COM/COL is approved for use on JP Bench by contacting Davis.

**Metal Finishes :** See ***page 6*** for all standard powder coats


## Options *(specify only if preferred)*

**Glides: JP-Felt** - **no upcharge** - *must at time of order*

# JP Bench Series

**Example:** item number JPB-5100 **+** length -48 = JPB-5100-48


| Item | Description | Dimensions | inches w | d | h | Yardage / Square Feet | Shipping Weight |
|---|---|---|---|---|---|---|---|
| JPB-5100 | Backless Straight Bench | Outside | 48 | 19 | | See ***page 7*** for yds/sq. ft | lbs. |
| | | Seat | | | 18 | | |



**Note: Benches come in 6" increments**

| Width | List Price Grades COM/COL | A | B | C | D | E | F | G | H | I | J | K | L |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| -48 | 3075 | 3141 | 3207 | 3273 | 3339 | 3405 | 3471 | 3537 | 3603 | 3669 | 3735 | 3801 | 3867 |
| -54 | 3213 | 3293 | 3373 | 3453 | 3533 | 3613 | 3693 | 3773 | 3853 | 3933 | 4013 | 4093 | 4173 |
| -60 | 3323 | 3403 | 3483 | 3563 | 3643 | 3723 | 3803 | 3883 | 3963 | 4043 | 4123 | 4203 | 4283 |
| -66 | 3408 | 3488 | 3568 | 3648 | 3728 | 3808 | 3888 | 3968 | 4048 | 4128 | 4208 | 4288 | 4368 |
| -72 | 3542 | 3622 | 3702 | 3782 | 3862 | 3942 | 4022 | 4102 | 4182 | 4262 | 4342 | 4422 | 4502 |
| -78 | 3682 | 3777 | 3872 | 3967 | 4062 | 4157 | 4252 | 4347 | 4442 | 4537 | 4632 | 4727 | 4822 |
| -84 | 3788 | 3883 | 3978 | 4073 | 4168 | 4263 | 4358 | 4453 | 4548 | 4643 | 4738 | 4833 | 4928 |
| -90 | 3900 | 4002 | 4104 | 4206 | 4308 | 4410 | 4512 | 4614 | 4716 | 4818 | 4920 | 5022 | 5124 |
| -96 | 3989 | 4091 | 4193 | 4295 | 4397 | 4499 | 4601 | 4703 | 4805 | 4907 | 5009 | 5111 | 5213 |

| Item | Description | Dimensions | inches w | d | h | Yardage / Square Feet | Shipping Weight |
|---|---|---|---|---|---|---|---|
| JPB-5200 | Backed Straight Bench Armless | Outside | 48 | 24 | 30 1/2 | See ***page 7*** for yds/sq. ft | lbs. |
| | | Inside | | 19 | | | |
| | | Seat | | | 18 | | |



**Note: Benches come in 6" increments**

| Width | List Price Grades COM/COL | A | B | C | D | E | F | G | H | I | J | K | L |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| -48 | 3848 | 3928 | 4008 | 4088 | 4168 | 4248 | 4328 | 4408 | 4488 | 4568 | 4648 | 4728 | 4808 |
| -54 | 4033 | 4142 | 4251 | 4360 | 4469 | 4578 | 4687 | 4796 | 4905 | 5014 | 5123 | 5232 | 5341 |
| -60 | 4164 | 4273 | 4382 | 4491 | 4600 | 4709 | 4818 | 4927 | 5036 | 5145 | 5254 | 5363 | 5472 |
| -66 | 4298 | 4407 | 4516 | 4625 | 4734 | 4843 | 4952 | 5061 | 5170 | 5279 | 5388 | 5497 | 5606 |
| -72 | 4484 | 4593 | 4702 | 4811 | 4920 | 5029 | 5138 | 5247 | 5356 | 5465 | 5574 | 5683 | 5792 |
| -78 | 4664 | 4795 | 4926 | 5057 | 5188 | 5319 | 5450 | 5581 | 5712 | 5843 | 5974 | 6105 | 6236 |
| -84 | 4871 | 5031 | 5191 | 5351 | 5511 | 5671 | 5831 | 5991 | 6151 | 6311 | 6471 | 6631 | 6791 |
| -90 | 5009 | 5176 | 5343 | 5510 | 5677 | 5844 | 6011 | 6178 | 6345 | 6512 | 6679 | 6846 | 7013 |
| -96 | 5123 | 5290 | 5457 | 5624 | 5791 | 5958 | 6125 | 6292 | 6459 | 6626 | 6793 | 6960 | 7127 |

## Required to Specify

**Fabrics or Leather :** Ensure graded in material or COM/COL is approved for use on JP Bench by contacting Davis.

**Metal Finishes :** See ***page 6*** for all standard powder coats


## Options *(specify only if preferred)*

**Glides: JPB-Felt** - **no upcharge** - *must at time of order*

# JP Bench Series

**Example:** item number JPB-5201 + length -48 = JPB-5201-48

| Item | Description | Dimensions | inches l | d | h | Yardage / Square Feet | Shipping Weight |
|---|---|---|---|---|---|---|---|
| JPB-5201 | Backed Bench Double Arm | Outside | 48 | 24 | 30 1/2 | See ***page 7*** for yds/sq. ft | lbs. |
| | | Inside | | 19 | | | |
| | | Seat | | | 18 | | |




**Note: Benches come in 6" increments**

List Price Grades

| Width | COM/COL | A | B | C | D | E | F | G | H | I | J | K | L |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| -48 | 5035 | 5137 | 5239 | 5341 | 5443 | 5545 | 5647 | 5749 | 5851 | 5953 | 6055 | 6157 | 6259 |
| -54 | 5199 | 5323 | 5447 | 5571 | 5695 | 5819 | 5943 | 6067 | 6191 | 6315 | 6439 | 6563 | 6687 |
| -60 | 5351 | 5482 | 5613 | 5744 | 5875 | 6006 | 6137 | 6268 | 6399 | 6530 | 6661 | 6792 | 6923 |
| -66 | 5482 | 5620 | 5758 | 5896 | 6034 | 6172 | 6310 | 6448 | 6586 | 6724 | 6862 | 7000 | 7138 |
| -72 | 5641 | 5779 | 5917 | 6055 | 6193 | 6331 | 6469 | 6607 | 6745 | 6883 | 7021 | 7159 | 7297 |
| -78 | 5771 | 5916 | 6061 | 6206 | 6351 | 6496 | 6641 | 6786 | 6931 | 7076 | 7221 | 7366 | 7511 |
| -84 | 5957 | 6124 | 6291 | 6458 | 6625 | 6792 | 6959 | 7126 | 7293 | 7460 | 7627 | 7794 | 7961 |
| -90 | 6138 | 6327 | 6516 | 6705 | 6894 | 7083 | 7272 | 7461 | 7650 | 7839 | 8028 | 8217 | 8406 |
| -96 | 6274 | 6479 | 6666 | 6862 | 7058 | 7254 | 7450 | 7646 | 7842 | 8038 | 8234 | 8430 | 8626 |

| Item | Description | Dimensions | inches w | d | h | Yardage / Square Feet | Shipping Weight |
|---|---|---|---|---|---|---|---|
| JPB-5202-L | Backed Bench | Outside | | 24 | 30 1/2 | See ***page 7*** for yds/sq. ft | lbs. |
| JPB-5202-R | Single Arm / Corner | Inside | | 19 | | | |
| | | Seat | | | 18 | | |



**LEFT** **RIGHT**

**Note: Benches come in 6" increments**

List Price Grades

| Width | COM/COL | A | B | C | D | E | F | G | H | I | J | K | L |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| -48 | 4503 | 4598 | 4693 | 4788 | 4883 | 4978 | 5073 | 5168 | 5263 | 5358 | 5453 | 5548 | 5643 |
| -54 | 4673 | 4789 | 4905 | 5021 | 5137 | 5253 | 5369 | 5485 | 5601 | 5717 | 5833 | 5949 | 6065 |
| -60 | 4889 | 5013 | 5137 | 5261 | 5385 | 5509 | 5633 | 5757 | 5881 | 6005 | 6129 | 6253 | 6377 |
| -66 | 5029 | 5160 | 5291 | 5422 | 5553 | 5684 | 5815 | 5946 | 6077 | 6208 | 6339 | 6470 | 6601 |
| -72 | 5246 | 5377 | 5508 | 5639 | 5770 | 5901 | 6032 | 6163 | 6294 | 6425 | 6556 | 6687 | 6818 |
| -78 | 5417 | 5555 | 5693 | 5831 | 5969 | 6107 | 6245 | 6383 | 6521 | 6659 | 6797 | 6935 | 7073 |
| -84 | 5660 | 5827 | 5994 | 6161 | 6328 | 6495 | 6662 | 6829 | 6996 | 7163 | 7330 | 7497 | 7667 |
| -90 | 5862 | 6044 | 6226 | 6408 | 6590 | 6772 | 6954 | 7136 | 7318 | 7500 | 7682 | 7864 | 8046 |
| -96 | 6011 | 6193 | 6375 | 6557 | 6739 | 6921 | 7103 | 7285 | 7467 | 7649 | 7831 | 8013 | 8195 |

## Required to Specify

**Fabrics or Leather :** Ensure graded in material or COM/COL is approved for use on JP Bench by contacting Davis.

**Metal Finishes :** See ***page 6*** for all standard powder coats


## Options *(specify only if preferred)*

**Glides: JPB-Felt** - **no upcharge** - *must at time of order*

# JP Bench Series


**Example:** item number **JPB-5300** = **JPB-5300**

| Item | Description | Dimensions | inches w | d | h | Yardage / Square Feet | Shipping Weight |
|---|---|---|---|---|---|---|---|
| **JPB-5300** | 120° Backless Bench | Outside | 76 | 24 | 18 1/2 | 3 3/4 yds. / 67 1/2 sq. ft. | lbs. |
| | | Seat | | | 18 | | |




| List Price Grades COM/COL | A | B | C | D | E | F | G | H | I | J | K | L |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **4992** | **5094** | **5196** | **5298** | **5400** | **5502** | **5604** | **5706** | **5808** | **5910** | **6012** | **6114** | **6216** |

| Item | Description | Dimensions | inches w | d | h | Yardage / Square Feet | Shipping Weight |
|---|---|---|---|---|---|---|---|
| **JPB-5302** | Backed Bench 120° Inside Unit | Outside | 76 | 24 | 30 1/2 | 5 yds. / 90 sq. ft. | lbs. |
| | | Inside | | 19 | | | |
| | | Seat | | | 18 | | |



| List Price Grades COM/COL | A | B | C | D | E | F | G | H | I | J | K | L |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **5434** | **5572** | **5710** | **5848** | **5986** | **6124** | **6262** | **6400** | **6538** | **6676** | **6814** | **6952** | **7090** |

| Item | Description | Dimensions | inches w | d | h | Yardage / Square Feet | Shipping Weight |
|---|---|---|---|---|---|---|---|
| **JPB-5303** | Backed Bench 120° Outside Unit | Outside | 76 | 24 | 30 1/2 | 5 yds. / 90 sq. ft. | lbs. |
| | | Inside | | 19 | | | |
| | | Seat | | | 18 | | |



| List Price Grades COM/COL | A | B | C | D | E | F | G | H | I | J | K | L |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **5383** | **5521** | **5659** | **5797** | **5935** | **6073** | **6211** | **6349** | **6487** | **6625** | **6763** | **6901** | **7039** |

## Required to Specify

**Fabrics or Leather :** Ensure graded in material or COM/COL is approved for use on JP Bench by contacting Davis.

**Metal Finishes :** See ***page 6*** for all standard powder coats

## Options *(specify only if preferred)*


**Glides: JPB-Felt** - **no upcharge** - *must at time of order*

# JP Bench Series

**Example:** item number **JPB-5400** + top material suffix **-OA** = **JPB-5400-OA**


| Item | Description | Dimensions | inches w | d | h | Shipping Weight |
|---|---|---|---|---|---|---|
| **JPB-5400** | Freestanding Square Table / Modular Corner Table | Outside | 23 3/4 | 23 3/4 | 16 | lbs. |





| List Price Top Selection | -AA Ash *(Veneer)* | -OA Oak *(Veneer)* | -WW Walnut *(Veneer)* | -FX Fenix |
|---|---|---|---|---|
| | **2353** | **2353** | **2379** | **2331** |

| Item | Description | Dimensions | inches w | d | h |
|---|---|---|---|---|---|
| **JPB-5500** | Pivoting Tablet | Outside | 10 3/4 | 18 3/4 | |



***NOTE: Must specify the tablet location at the time of order.***

| List Price Top Selection | -AA Ash *(Veneer)* | -OA Oak *(Veneer)* | -WW Walnut *(Veneer)* | -FX Fenix |
|---|---|---|---|---|
| | **1021** | **1021** | **1031** | **1016** |

## Required to Specify

**Metal Finishes :** See ***page 6*** for all standard powder coats

**Top Finishes :** See **pages 4 & 5** for top options.


## Options *(specify only if preferred)*

**Glides: JPB-Felt** - **no upcharge** - *must at time of order*

# JP Bench Series

**Example:** item number JPB-5400 = JPB-5400

| Item | Description | Dimensions | inches w | d | h | Shipping Weight |
|---|---|---|---|---|---|---|
| **JP-4006-B**<br>**JP-4006-W** | Two Power | Outside | 5 1/4 | 5 | 3 | 2 lbs. |




**NOTE: JPB-4006-B** - front and case of unit is black / **JPB-4006-W** - front and case of unit is white

***End power cord with plug included is 108" in length***

List Price
**806**

| Item | Description | Dimensions | inches w | d | h | Shipping Weight |
|---|---|---|---|---|---|---|
| **JP-4007-B**<br>**JP-4007-W** | One Power/ USB-A+C Charging | Outside | 5 1/4 | 5 | 3 | 2 lbs. |



**NOTE: JPB-4007-B** - front and case of unit is black / **JPB-4007-W** - front and case of unit is white

***End power cord with plug included is 108" in length***

List Price
**976**