

CISCO AI-OPTIMIZED FABRIC MENTORED POV PLUS

Service Overview:

At Netnology, we specialize in Cisco High-Performance Al-Optimized Fabric enablement and implementation services to expedite the adoption of Al solutions. As part of this Mentored POV Plus service offer, our subject matter experts (SME) partner with your team to ensure a smooth deployment and provide knowledge transfer to equip your staff with the necessary skills to configure and manage the Cisco High-Performance Al-Optimized Fabric effectively.

Solution Overview:

In today's data centers, the implementation of Al/ML solutions is becoming increasingly common. Machine learning, a fundamental aspect of Al, enables systems to derive insights and make predictions based on data analysis. The advent of GPU-accelerated servers has greatly facilitated the creation and training of sophisticated deep learning models. Languages like Python and C/C++, along with frameworks such as PyTorch, TensorFlow, and JAX, natively support GPUs, streamlining the development of these applications. Neural networks often leverage extensive GPU clusters, typically configured with multiple GPUs per server, and are interconnected using dual 100Gbps network interfaces to ensure robust connectivity and meet stringent networking demands.

The Cisco Nexus 9000 series switches provide the necessary low latency, advanced congestion management, and telemetry capabilities to support the demanding requirements of Al/ML workloads. These switches, in conjunction with Cisco UCS X-Series Modular Systems and the C240 and C220 rack servers, which feature Al capable CPU and GPU, offer versatile options for deploying inference solutions both in centralized data centers and at the network edge. This integrated solution is perfectly suited for establishing a high-performance Al/ML network infrastructure.

Service Benefits:

Netnology has a team of world class engineers who specialize in AI Solution on Cisco workloads and are passionate about customer success. This Mentored POV Plus engagement will provide information on how to deploy, configure and integrate AI solution on Cisco Infrastructure.

Service Scope:

As part of the 5-day (up to 40 hours) engagement, Netnology will provide the following services:

- Al-Optimized Cisco High-Performance Fabric
 - Configure Compute infrastructure (Cisco UCS C Series Servers)
 - Initialize FI in IMM mode
 - Discover FI/Blades
 - IP Pool Policy
 - Basic Domain Profile Setup
 - Port Policy, VLANS/vSAN, Network Connectivity policy
 - Server Profile Templates / Server Profiles
 - o BIOS / Boot / LAN





- vNIC / vHBA
- Operating System Installation on Nodes
 - Determine the compatible OS for Al workload (Ubuntu, RedHat)
 - · Create an Image repository
 - Perform OS installation, including setting up disk partitions and configuring basic network settings.
 - Install and configure required drivers (e.g., GPU drivers)
 - Configure firewall rules for security
- Al Model Sizing
 - Assess and document infrastructure requirements for deploying Al workloads (e.g., LLaMA 2/3).
 - Define KV Cache needs based on model size, sequence length, and concurrency.
 - Determine CPU and RAM requirements for preprocessing, tokenization, and model execution.
 - Evaluate GPU requirements (type, count, and memory) for both training and inference.
 - Recommend cluster configurations and scaling strategies to meet throughput, latency, and efficiency targets.
- Al Workload Deployment (Mistral)
 - Obtain the Mistral model files and required dependencies from the official repository or source.
 - Create a virtual environment using venv or conda.
 - Install the necessary Python packages, such as transformers, torch, or other libraries
 - Create a code to load the Mistral model into memory.
- Configure Data Pipeline and Inference
 - Set up the data preprocessing pipeline, including tokenization, normalization, and batching.
 - Develop or configure an inference script
- Test and Validation
 - Solution validation by running sample inputs.
- Knowledge Transfer

Target Audience:

This service is designed for Network Architects, Network Engineers and Administrators configuring, deploying, and managing the AI Infrastructure.

Prerequisites:

- Basic knowledge of Cisco Nexus, Cisco UCS and Large Language Models (LLMs).
- Customers need to ensure that all equipment and devices are racked and stacked, cabled, and powered up prior to the kick-off.
- Customers also need to acquire the necessary software licenses for the deployment of the infrastructure.





Service Deliverables:

No	Deliverable	Service Details
1.	Project Kickoff	Project Overview
		Solution Overview
		Gather customer requirements
2.	Pre-Requisite	Review/Confirm Hardware Readiness (Server and Network)
	Validation	License Validation
		Network Readiness (Bandwidth, latency and redundancy)
		Intersight Readiness
3.	Configure Compute	Initializing FI in IMM mode
	Infrastructure	Discover FI/Chassis/Blades
		IP Pool Policy Pagin Pagin Postilla Catura
		Basic Domain Profile SetupPort Policy, VLANS/vSAN, Network Connectivity policy
		 Port Policy, VLANS/vSAN, Network Connectivity policy Server Profile Templates / Server Profiles
		BIOS / Boot / LAN
		o vNIC / vHBA
4.	Operating System	Determine the compatible OS for Al workload (Ubuntu,
	Installation on Nodes	RedHat)
		Create an Image repository.
		Perform OS installation, including setting up disk partitions and
		configuring basic network settings.Install and configure required drivers (e.g., GPU drivers).
		 Install and configure required drivers (e.g., GPU drivers). Configure firewall rules for security.
5.	Al Model Sizing	Assess and document infrastructure requirements for deploying
0.		Al workloads (e.g., LLaMA 2/3).
		 Define KV_Cache needs based on model size, sequence
		length, and concurrency.
		 Determine CPU and RAM requirements for preprocessing, tokenization, and model execution.
		Evaluate GPU requirements (type, count, and memory) for both
		training and inference.
		Recommend cluster configurations and scaling strategies to
		meet throughput, latency, and efficiency targets.
6.	Al Workload	Obtain the Mistral model files and required dependencies from
	Deployment (Mistral)	the official repository or source.Create a virtual environment using venv or conda.
		 Install the necessary Python packages, such as transformers,
		torch, or other libraries.
		Create a code to load the Mistral model into memory.
7.	Configure Data	Set up the data preprocessing pipeline, including tokenization,
	Pipeline and	normalization, and batching.
0	Inference	Develop or configure an inference script
8.	Test and Validation	Solution validation by running sample inputs.
9.	Knowledge Transfer	Explain how to configure and manage the deployed solution in
		the respective customers' environment.