

NOSZ – Natural Open Space Zone

The purpose of the Natural Open Space zone is to recognise and provide for open spaces that contain high natural, ecological, and landscape values. Natural Open Space is often located along *waterbodies* and the edge of the *coastal environment* and has a high degree of biodiversity requiring recognition, maintenance, and/or enhancement. It includes significant areas in rural environments that are held in public ownership and managed for conservation purposes, including the Remutaka, Tararua, and Aorangi Forest Parks and Lake Wairarapa.

A low level of development and built form is anticipated within this zone to retain the natural/biodiversity values within natural open space areas.

Some of the land in the Natural Open Space Zone is subject to Reserve Management Plans prepared under the Reserves Act 1977. While Reserve Management Plans determine what types of land uses are appropriate for public open spaces that are classified as reserves, the RMA is responsible for managing the effects on the environment of activities taking place on those reserves.

Some land is held or managed under the Conservation Act 1987 and may be subject to a Conservation Management Strategy or Conservation Management Plan. Section 4(3) of the RMA permits certain activities undertaken by the Crown on land held or managed under the Conservation Act 1987.

There may be a number of rules that apply to an activity, building, structure, or site. Resource consent may therefore be required under rules in this chapter as well as other chapters. Unless specifically stated in a rule, resource consent is required under each relevant rule. The steps to determine the status of an activity are set out in the General Approach section in the How the Plan Works chapter.

Objectives

NOSZ-01	Purpose of the Natural Open Space Zone
The natural environment in the Natural Open Space Zone is retained or enhanced and any activities, <i>buildings</i> , and other <i>structures</i> are compatible with the characteristics of the zone.	
NOSZ-02	Character and amenity values of the Natural Open Space Zone
The indigenous biodiversity, ecological, cultural, landscape, and/or historic heritage values of the Natural Open Space Zone are retained or enhanced. Undeveloped open or vegetated areas and expanses of land containing minimal buildings are the predominant characteristic of the Natural Open Space Zone.	

NOSZ-O3	Mana whenua values
Open spaces incorporate and reflect mana whenua values and provide opportunities for tangata whenua to use open spaces for recreational and cultural uses that enhance Māori wellbeing.	

Policies

NOSZ-P1	Compatible activities
Only allow activities, <i>buildings</i> , and <i>structures</i> which are compatible with the purpose, character, and amenity values of the Natural Open Space Zone and are consistent with any applicable Reserve Management Plan or Conservation Management Strategy or Plan, while ensuring their design, scale, and intensity reflects the purpose, character, and amenity values of the Zone.	
NOSZ-P2	Potentially compatible activities
Only allow activities that are compatible with the purpose, character, and amenity values of the Natural Open Space Zone, and manage these activities, considering whether they are: a. consistent with any applicable Conservation Management Strategy or Plan, Reserve Management Plan, or reserve status under the Reserves Act 1977; b. ancillary to and/or support other activities within the open space area; c. of a scale and location compatible with the purpose, character, and amenity values of the area; d. not constraining of the establishment and operation of other activities within the open space area, compromising safety, or restricting of public access to and across open space; e. of a form, scale, location, and nature that will not compromise established or planned open space activities in Reserve Management Plans or Conservation Management Strategies or Plans and result in any conflict; f. compatible with the natural, indigenous biodiversity, ecological, cultural, landscape, and/or historic heritage values of the area; and g. able to be serviced with adequate <i>infrastructure</i> and services.	
NOSZ-P3	Incompatible activities and development
Avoid use and development that is incompatible with the purpose, character, and amenity values of the Natural Open Space Zone or any applicable Reserve Management Plan or	

Conservation Management Strategy or Plan, unless there is a <i>functional or operational need</i> to establish on the site.	
NOSZ-P4	Maintaining character and amenity
Ensure effects generated by activities are of a type, scale, and level to maintain the character and amenity of the Natural Open Space Zone and surrounding Zone, including by: a. ensuring a predominance of openness and vegetation; b. providing separation distances and minimising the number, type, bulk, and location of <i>structures</i>; and c. limiting coverage of open space land by <i>structures</i>.	
NOSZ-P5	Relocatable buildings
Provide for the relocation of buildings while requiring the completion and renovation within a reasonable timeframe by: a. requiring pre-inspection reports to be prepared that identify any reinstatement work required to the exterior of the building following the building relocation; b. ensuring that relocatable buildings have the same use as what they were previously designed, built and used for; c. requiring a performance bond as a security that reinstatement works will be appropriately completed in a timely manner; and d. maintaining and enhancing the amenity values of areas by ensuring the adverse effects of relocatable buildings are avoided, remedied or mitigated.	

Rules

NOSZ-R1	<i>Buildings and structures, including construction, additions, and alterations</i>
	1. Activity status: Permitted Where: a. Compliance is achieved with: i. NOSZ-S1; ii. NOSZ-S2; iii. NOSZ-S3; iv. NOSZ-S4; v. NOSZ-S5; vi. NOSZ-S6; vii. NOSZ-S7; viii. NOSZ-S8; and

	ix. NOSZ-S10. Note: Refer to TEMP-R1 for permitted activity standards for activities ancillary to or incidental to construction and demolition.
	2. Activity status: Restricted discretionary Where: a. Compliance is not achieved with NOSZ-R1(1)(a)(i) - (viii). Matters of discretion: 1. The matters of discretion of any standard that is not met.
	3. Activity status: Discretionary Where: a. Compliance is not achieved with NOSZ-R1(1)(a)(ix).

NOSZ-R2	Demolition or removal of <i>buildings</i> and <i>structures</i>
	1. Activity status: Permitted Note: Refer to TEMP-R1 for permitted activity standards for activities ancillary to or incidental to construction and demolition.

NOSZ-R3	Relocatable buildings (excluding any building that is not to be used as a residential unit)
	1. Activity status: Permitted Where: a. Compliance is achieved with: i. NOSZ-S1; ii. NOSZ-S2; iii. NOSZ-S3; iv. NOSZ-S5; v. NOSZ-S6; vi. NOSZ-S7; vii. NOSZ-S8; viii. NOSZ-S9; and ix. NOSZ-S10.
	2. Activity status: Restricted discretionary Where: a. Compliance is not achieved with NOSZ-R3(1)(a)(i) - (viii). Matters of discretion:

		1. The matters set out in NOSZ-P5. 2. The matters of discretion of any standard that is not met.
		3. Activity status: Discretionary Where: a. Compliance is not achieved with NOSZ-R3(1)(a)(ix).

NOSZ-R4	<i>Recreation activities</i>
	1. Activity status: Permitted

NOSZ-R5	<i>Customary activities</i>
	1. Activity status: Permitted

NOSZ-R6	<i>Park management activities</i>
	1. Activity status: Permitted

NOSZ-R7	<i>Conservation activities</i>
	1. Activity status: Permitted

NOSZ-R8	<i>Grazing</i>
	1. Activity status: Permitted

NOSZ-R9	<i>Camping ground</i>
	1. Activity status: Permitted Where: a. The activity is limited to the use of existing tramping huts, the use of existing buildings on the site, and the use of tents, caravans, or motorhomes; and b. The site is operated by Council, the Department of Conservation, or by a licensed operator under the Camping Ground Regulations 1985.

	2. Activity status: Discretionary Where: a. Compliance is not achieved with NOSZ-R9(1).
--	---

NOSZ-R10	<i>Residential activity ancillary to park management activities, conservation activities, or camping ground</i>
	1. Activity status: Permitted Where: a. There is only one <i>residential unit</i> per site; and b. The occupier of the <i>residential unit</i> lives and works on site.
	2. Activity status: Discretionary Where: a. Compliance is not achieved with NOSZ-R10(1).

NOSZ-R11	<i>Emergency service facility</i>
	1. Activity status: Restricted discretionary. Matters of discretion: 1. Whether the activity has an operational or functional need to locate in the Natural Open Space Zone. 2. Whether the activity is compatible with other activities on the site and the natural character of the surrounding area. 3. The intensity and scale of the activity and adverse effects on the amenity of neighbouring sites and the surrounding area, including: i. Natural, ecological, and landscape values; ii. Privacy effects; iii. Operational noise; iv. Hours of operation; v. Landscaping; and vi. Cumulative effects. 4. Effects on the safe, effective, and efficient functioning of the transport network, site access, parking, servicing, and traffic generation, including safety for pedestrians, cyclists, and other road users. 5. Infrastructure requirements.

	6. The effect of non-compliance with the relevant standard and the matters of discretion of any standard that is not met.
--	---

NOSZ-R12	Any activity not otherwise listed in this chapter
	1. Activity status: Discretionary

NOSZ-R13	<i>Motorised outdoor recreation activity</i>
	1. Activity status: Non-complying

NOSZ-R14	<i>Industrial activities</i>
	1. Activity status: Non-complying

NOSZ-R15	<i>Residential activities</i> not otherwise listed in this chapter
	1. Activity status: Non-complying

Standards

NOSZ-S1	Maximum <i>height</i>
1. No <i>building</i> or <i>structure</i> shall exceed a <i>height</i> of 5m above <i>ground level</i>.	Matters of discretion: 1. The location, design, and appearance of the <i>building</i> or <i>structure</i>. 2. Effects on open space character of the zone. 3. Effects on streetscape and amenity values of nearby properties, including visual dominance, shading, and loss of privacy for adjoining sites. 4. Bulk and dominance of the <i>building</i> or <i>structure</i>. 5. Compatibility with the anticipated scale, proportion, and context of <i>buildings</i> and activities in the surrounding area. 6. Whether an increase in <i>building height</i> results from <i>site</i> constraints or a response to <i>natural hazard</i> mitigation.
NOSZ-S2	Maximum <i>height in relation to boundary of zone</i>
1. All <i>buildings</i> and <i>structures</i> must be contained beneath a line of 45° measured into the site from any point 3m vertically above <i>ground level</i> along any Rural or Residential zone boundary.	Matters of discretion: 1. The location, design, and appearance of the <i>building</i> or <i>structure</i>. 2. Effects on streetscape and amenity values of nearby properties, including visual dominance, shading, and loss of privacy for adjoining sites. 3. Bulk and dominance of the <i>building</i> or <i>structure</i>. 4. Compatibility with the anticipated scale, proportion, and context of buildings and activities in the surrounding area. 5. Whether an increase in building <i>height</i> results from site constraints or a response to <i>natural hazard</i> mitigation.

NOSZ-S3	Minimum setbacks	
1. <i>Buildings or structures</i> must not be located within: a. 5m of any boundary adjoining another zone; b. 5m of any <i>surface waterbody</i>; or c. 25m of any <i>significant waterbody</i>. d. 4m from any boundary with a rail designation. 2. Exceptions to boundary setbacks: a. Unroofed swimming pools no higher than 1m above <i>ground level</i>. b. Rainwater tanks not exceeding a height above ground level of 1.8m. 3. This standard NOSZ-S3 does not apply to: a. Bridges and river crossings. b. Fences.	Matters of discretion: 1. The location, design, and appearance of the <i>building or structure</i>. 2. Effects on streetscape and the character of the area. 3. Effects on the amenity values of adjoining sites, including visual dominance or loss of outlook or privacy. 4. The ability to mitigate the adverse effect through the use of screening, planting, and alternative design and/or location. 5. Any benefits, including the extent to which the reduced setback will result in a more efficient, practical, and/or better use of the balance of the site. 6. Whether there are topographical or other site constraints that make compliance with the permitted standard impractical. 7. For the <i>waterbody</i> setbacks, the effects on the values of the <i>waterbody</i>. 8. For rail designation boundary setbacks: a. The location of the building or structure. b. Any methods of providing for building maintenance within the site boundaries. c. The outcome of consultation with KiwiRail.	
NOSZ-S4	Maximum fence <i>height</i>	
1. No fence, wall, or screen on any boundary with a Residential, Māori Purpose, Future Urban, Open Space and Recreation, or Rural Zone shall exceed a <i>height</i> above <i>ground level</i> of 1.8m.	Matters of discretion: 1. The location, design, and appearance of the building or structure. 2. Visual dominance, shading, and loss of privacy for adjacent sites.	

	3. Bulk and dominance of the building or structure. 4. Compatibility with the anticipated scale, proportion, and context of buildings and activities in the surrounding area. 5. The extent to which the additional height is necessary due to the physical constraints of the site or to mitigate noise (including road noise) if the site is located adjacent to a noise-emitting source. 6. Whether adequate mitigation of adverse effects can be achieved through planting, screening, landscaping, and/or alternative design.
NOSZ-S5	On-site services
1. Where a connection to the Council's reticulated water supply system or reticulated wastewater system is not available, all water supply and wastewater treatment and disposal systems must be contained within the site that the supply or system serves and be connected to on-site wastewater systems, or an approved alternative means to dispose of sewage in a sanitary manner in accordance with Section 5.2.6 of the Wellington Water Regional Standard for Water Services December 2021. 2. Any wastewater that is to be disposed to ground from any onsite servicing must be to land that is not subject to instability or inundation or used for the disposal of stormwater. 3. All new buildings must comply with the New Zealand Fire Service Firefighting Water Supplies Code of Practice SNZ PAS 4509:2008.	Matters of discretion: 1. The suitability of any alternative servicing and infrastructure options. 2. The relevant standards of Council water bylaws, <i>Council Engineering Standard 2023</i> and/or Wellington Water standards as applicable.

NOSZ-S6	Water supply	
1. Where a connection to the Council's reticulated water supply system is available, all buildings and activities must be provided with a connection to Council's reticulated water supply systems, which shall be in accordance with <i>Council Engineering Development Standard 2023</i>.	Matters of discretion: 1. The suitability of any alternative servicing and infrastructure options. 2. The relevant standards of Council water bylaws, <i>Council Engineering Development Standard 2023</i> and/or Wellington Water standards as applicable.	
NOSZ-S7	Wastewater disposal	
1. Where a connection to the Council's reticulated wastewater system is available, all buildings and activities must be provided with a connection to Council's reticulated wastewater systems, which shall be in accordance with <i>Council Development Engineering Standard 2023</i>.	Matters of discretion: 1. The suitability of any alternative servicing and infrastructure options. 2. The relevant standards of Council's water bylaws, <i>Council Engineering Development Standard 2023</i>, and/or Wellington Water standards as applicable.	
NOSZ-S8	Stormwater management	
1. All buildings and activities must provide the means for treatment, catchment, and disposal of stormwater from all impervious or potentially impervious surfaces, including, but not limited, to structures, compacted soils and sealed surfaces, which shall be in accordance with <i>Council Engineering Development Standard 2023</i>. 2. Where a connection to Council's stormwater management systems is available, all allotments must be provided with a connection at the allotment boundary, which shall be in accordance with <i>Council Engineering Development Standard 2023</i>. 3. Where the means of stormwater disposal is to ground, that area must be able and suitable to accommodate the stormwater	Matters of discretion: 1. The suitability of any alternative servicing and infrastructure options. 2. The relevant standards of Council's water bylaws, <i>Council Engineering Development Standard 2023</i>, and/or Wellington Water standards as applicable.	

discharge, and shall not be subject to instability, slippage, or inundation, or used for the disposal of wastewater.	
NOSZ-S9	Relocatable Buildings
1. Building Inspection Report - Prior to the building being relocated onto a site, a building consent(s) shall be obtained that covers all of the matters listed below; and - A building inspection report prepared by a Council Building Officer or other Licensed Building Practitioner shall accompany the building consent application. The report is to identify all reinstatement work required to the exterior of the building and an estimate of the costs for the external refurbishment works after relocation; and - The building shall be placed on permanent foundations approved by the building consent, no later than two months from the date the building is moved to the site; and - All other work required to reinstate the exterior of any relocatable building, including painting if required, shall be completed within twelve months of the building being delivered to the site. Reinstatement work is to include connections to all infrastructure services and closing in and ventilation of the foundations; and - The owner of the site on which the relocatable building is placed shall certify that the reinstatement work will be completed within the twelve-month period. The site owner shall be responsible for ensuring this work is completed.	Matters of discretion: - Whether the building is structurally sound, the condition of the building and the works needed to bring the exterior of the building up to an external visual appearance that is tidy, of appropriate standard, and compatible with other buildings in the vicinity. - The requirement for any screening and landscape treatment. - The bulk, design and location of the building in relation to the requirements of the zone. - The need for structural repairs and reinstatement of the building and the length of time for completion of that work. - The imposition of a performance bond to ensure compliance with the consent conditions.

2. The transportation route and any traffic management plans shall be provided to the Council no later than 10 working days before relocating the building. 3. Previous Use a. Any relocatable building intended for use as a residential unit or for visitor accommodation must have previously been designed, built and used as a residential unit or for visitor accommodation. 4. Where the cost of the reinstatement works identified in accordance with Performance Standard NOSZ-S9(1)(b) is greater than \$10,000 (excluding GST), a Performance Bond is required that meets the following: a. A refundable performance bond of 125% of the cost of external reinstatement works identified in the Building Inspection Report under Performance Standard NOSZ-S9(1)(b) in cash to be lodged with the Council along with application for building consent as a guarantee that external reinstatement works are completed. b. The bond shall be lodged in terms of the form of Deed annexed as Appendix 6 to the District Plan. c. Subject to the provisions of the Deed, the bond will be refunded after the Council has inspected and confirmed compliance with external reinstatement requirements. Note: The Council will in good faith consider the partial release of the bond to the extent that reinstatement works are completed (i.e. on a proportional basis).	
NOSZ-S10	Maximum gross floor area

1. No individual <i>building</i> or <i>structure</i> shall exceed a <i>gross floor area</i> of 50m ² .	No matters of discretion.
---	---------------------------