

## SCHEDULE 9 – Outstanding Natural Character

### South Wairarapa District

ONC Number	Description	Values		
		Abiotic	Biotic	Experimental
ONC1	Ngapotiki/Cape Palliser	Very High	High	Very High
		<ul style="list-style-type: none"> <li>Ngapotiki fan is a regionally significant alluvial fan</li> <li>Intact sandstone cliffs, and exposed rock faces</li> <li>Rocky reefs occur throughout the nearshore</li> </ul>	<ul style="list-style-type: none"> <li>Areas of remnant and regenerating native coastal vegetation forming intact sequence from coastal edge</li> <li>Ngapotiki fan stone field has successional colonisation of a diversity of native species that are in good condition</li> <li>New Zealand fur seals (<i>Arctocephalus forsteri</i>) are present in this area</li> <li>Part of the Aorangi Forest Park and Stonewall Scenic Reserve</li> </ul>	<ul style="list-style-type: none"> <li>Highly remote section of the Wairarapa coast largely only accessibly by foot or four-wheel drive vehicle</li> <li>Expansive views of the Pacific and Southern Ocean</li> <li>Exposure to harsh storm conditions</li> </ul>
ONC2	Mukamuka Coast	Very High	High	Very High
		<ul style="list-style-type: none"> <li>Intact coastal hills with little erosion or</li> </ul>	<ul style="list-style-type: none"> <li>One of the last examples within the Wellington Region of a largely unmodified</li> </ul>	<ul style="list-style-type: none"> <li>Remote section of the Wairarapa Coastal Environment</li> </ul>

ONC Number	Description	Values		
		Abiotic	Biotic	Experimental
		human modification <ul style="list-style-type: none"> <li>Regionally significant Mukamuka pillow breccia present</li> <li>Wairarapa Canyon head is the closest incursion of deep water into the coastal setting (2 km off Windy Point) for the wider Wellington-Wairarapa region.</li> </ul>	vegetation sequence from mountains to coast, with shallow rocky reefs (to ca 10 m depth) providing little modified habitats for typical Cook Strait assemblages. <ul style="list-style-type: none"> <li>Includes a closed canopy native forest, however lower slopes in places have been cleared for exotic grassland</li> <li>Mukamuka Stream is classified as a Significant Indigenous Ecosystem, providing habitat for native freshwater fish species.</li> </ul>	with little modification <ul style="list-style-type: none"> <li>Exposure to Palliser Bay and Cooks Strait which offers sweeping coastline, expansive views and harsh weather conditions</li> <li>Part of the Remutaka Cycle Trail</li> </ul>