

Brow Lift Post-Operative Instructions

Sutures

If the brow lift is performed in conjunction with an upper blepharoplasty, then there will be no additional sutures. If it is performed through the eyebrow, then a single dissolvable suture is used to close the skin.

Dressings

Dressings are not required.

Medication

During your surgery, I will usually use a local anaesthetic, but you may need additional analgesia in the form of Tylenol and Ibuprofen. You should not need antibiotics as there is a low risk of infection.

Scar advice

Once the dressings are removed, I recommend that you massage the incisions, using small circular motions at least twice a day for 5 minutes. You can use any moisturising cream of your choice and apply firm pressure until it blanches.

The scars will also benefit from silicone scar gel (ScarAway® or Kelo-Cote®) twice a day, which will soften and fade them, as well as applying sunblock for 12 months to provide sun protection.

The ScarAway® can be purchased from Healthcare Pharmacy at Governors Square in Grand Cayman.

Follow up

Before you are discharged from Hospital, you will be given a follow up appointment to see the nurse one week post-operatively.

I normally see you in the clinic 2 weeks following your procedure, depending on the type of surgery.

You should also be given contact numbers in the event of any problems. If you have any questions or concerns about your recovery, please do not hesitate to phone or email me and I will endeavour to respond to you the same day.



Brow Lift Post-Operative Instructions

If it is more urgent then please contact the Clinic/Hospital. In the unlikely event of an emergency, you must visit your closest Emergency Department.



I hope you find this information useful. If you have any questions or require a little more information, then please do not hesitate to contact me.

Anne Dancey

Dr Anne Dancey

Plastic and Reconstructive Surgeon FRCS(Plast), MBChB(Hons), MmedSci(Hons) and MCh(PASP)