



## SPECIFICATION S390

### PRINCIPAL DIMENSIONS according to ISO 8666

Length Overall (Lmax)	11.99 m	39' 4"
Length Overall (Lmax) - ext. platf.	12.50 m	41' 0"
Length of Hull (LH)	11.00 m	36' 1"
Beam (BH)	3.85 m	12' 8"
Draught (Tmax)	1.19 m	3' 11" **
Air height	3.80 m	12' 6"
Fuel capacity	900 l	198 UK gal
Water capacity	220 l	48 UK gal
Displacement	10.52 t	10.35 UK t **
CE Category - max. pers.	B - 10	C - 14

### ENGINE STANDARD

2 x Volvo Penta D4 320 HP stern drive	27 knots*
---------------------------------------	-----------

### ENGINE OPTION

2 x Volvo Penta D6 380 HP stern drive	34 knots*
---------------------------------------	-----------



\*All performance figures are given in good faith and are intended as an indication. These figures cannot be guaranteed as top speed in particular is affected by the cleanliness of the hull, conditions of the propellers, weight carried and air/sea temperature. Performance is related also to the optional accessories selected. SEALINE reserves the right to change specifications in line with the company policy of improvement through research and development. Standard Propeller tested in Greifswald according to Volvo conditions. All measurements/figures approximate. Errors and omissions excepted. Specification and material can be changed without notice. Please check with your dealer for a full list of inclusions. \*\*To be confirmed after seatrial. Valid from 2025.08.01



MAIN DECK  
Standard




MAIN DECK  
Option  
with soft-top



MAIN DECK  
Option  
with barbecue at stern,  
long platform and fixed  
cockpit table



MAIN DECK  
Option  
with cockpit table to  
be transformed into  
sunpad and extended  
bathing platform



LOWER DECK  
Standard



LOWER DECK  
Option  
galley with gas stove  
and gas oven



LOWER DECK  
Option  
galley with electric  
cooking top and  
microwave



LOWER DECK  
Option  
storage room with  
cupboards

## HULL

- GRP hull, ISO NPG gelcoat, colour: STAR WHITE, 1st layer Vinyl ester resin, sandwich construction, composite structural bulkheads
- Waterline, isophthalic gelcoat, colour: BLACK
- Aft pillar vinyl wrapped in GREY with SEALINE logo
- Hull windows (saloon, master cabin, guest cabin and toilet)
- 4 openable portholes (saloon port side, master cabin port side, guest cabin port side and toilet starboard side)

## DECK & COCKPIT

- GRP deck, molded antiskid surface, ISO NPG gelcoat, colour: STAR WHITE, 1st layer vinyl ester resin, sandwich construction, anchor locker, self draining, anchor arm stainless steel
- Cockpit seating "L"-shaped bench with fixed backrest with storage underneath and teak bar. Galley element on port side with 2-burner gas stove, fridge (90 l), worktop in BISTRO material and small storage underneath and galley element on starboard side with sink, hot and cold water, worktop in BISTRO material and storage underneath
- SEALINE steering wheel and throttles
- Full windscreen with pantograph wipers and screen wash
- GRP roof at steering position with 2 manual hatches
- SEALINE convertible fabric roof system in cockpit, manual
- Open triangular side windows in cockpit
- Bathing platform in fiberglass, bathing ladder with handrail and bathing shower with hot and cold water and opening stainless steel gate
- Manual engine hatch
- Stainless steel pulpit, 4 stainless steel mooring cleats, stainless steel handrails
- Pilot seat and 2 copilot seats, fixed
- Bench at bow, GRP surface

- Fender strip, rubber, colour: BLACK

## PROPULSION

- Engine room, sound insulated, fans with fire extinguisher system, automatic and manual, Batteries-Engines: 2 x 90 Ah / 12 V, Battery charger (only for engine batteries)
- 2 Volvo Penta D4-320 (320 hp) - DUOPROP STERN DRIVE with propeller H4, 2 Volvo engine instrumentation 2.5" displays
- Fuel tank, capacity: 900 litres
- Fuel Filter

## ELECTRICAL EQUIPMENT

- 12 V and 230 V electric system with 230 V shore power connection and switches, sockets in saloon (1), master cabin (2), guest cabin (1), storage lower deck (2), toilet (1), engine room (1), 12V on dashboard (1)
- Battery set, capacity: 1x 260 Ah, Service battery charger
- Country Version: EU / AUS
- Manual toilet
- Light in cabins, saloon and storage lower deck with dimmer. Dimmable indirect lights and reading lights in cabins. Lights in toilet, cockpit and engine room
- Front screen demister
- Holding tank (170 l)
- Water tank (400 l) with gauge, fresh water pump and boiler (40 l)
- Bilge pumps: automatic electric (2) and manual emergency bilge pump in cockpit (1)

## NAVIGATION & INSTRUMENTS

- Standard dashboard with engine room fire extinguisher system
- Compass
- Navigation lights

## LAYOUT & INTERIOR

- A1: Master cabin with double berth, 1 small and 1 big wardrobe, stowage and fully equipped big head with separated shower stall.
- B1: Saloon with L-shaped sofa, stowage and hanging locker
- C1: Guest cabin with twin berths, 2 wardrobes and 1 additional single berth (1.80 m)
- Saloon table with fixed leg

## UPHOLSTERY & WOOD

- Upholstery scheme CASABLANCA, colour: PEARL WHITE (according to colour card)
- Exterior seating material and upholstery helmsman seat in SARDINIA, colour: GULL WING (according to colour card)
- Standard mattresses in all cabins. Bed frames and bedheads in all cabins in soft material, colour: TBC\*\*\*\*\*
- Interior furniture in high quality marine plywood: MADISON WOOD (according to colour card)
- Floorboard in saloon and cabins - AUSTRALIAN ACACIA (according to colour card)

## TRANSPORT

- Identified locations for hand held fire extinguishers - (hand held fire extinguishers are not supplied), SEALINE Owner's Manual in SEALINE document bag