



# TUNLAND V

V7-C (4x2/4x4) | V9-S (4x4)



\*Overseas models shown

## WEIGHT RATINGS

GVM: Up to 3,320kg  
Payload: Up to 1,115kg

## ENGINE PERFORMANCE

Power: 120kW (161 hp) @ 3600rpm  
Torque: 450Nm @ 1500 to 2400rpm

## TRANSMISSION

ZF 8-sp Automatic  
Transmission

## BODY TYPE

Dual Cab (4x2)  
Dual Cab (4x4)

- = Standard
- = Optional
- = Unavailable



Tunland V7-C 4x2



Tunland V7-C 4x4



Tunland V9-S 4x4

| ENGINE            |                                                |   |   |   |
|-------------------|------------------------------------------------|---|---|---|
| Type              | 2.0L 4-cylinder Diesel + VGT Turbo, 48V Assist | ● | ● | ● |
| Model             | Aucan 4F20TC17                                 | ● | ● | ● |
| Bore x Stroke     | 81 x 95.5mm                                    | ● | ● | ● |
| Capacity          | 1968cc                                         | ● | ● | ● |
| Compression Ratio | 16.2 : 1                                       | ● | ● | ● |
| Fuel System       | Direct Injection                               | ● | ● | ● |

| FUEL & EMISSIONS                                              |         |         |         |
|---------------------------------------------------------------|---------|---------|---------|
| Fuel Tank Capacity (L)                                        | 76      | 76      | 76      |
| AdBlue® Tank Capacity (L)                                     | 12      | 12      | 12      |
| Combined Fuel Consumption (L/100km) <sup>1</sup>              | 8.1     | 8.1     | 8.1     |
| Combined CO <sub>2</sub> Emissions (NEDC) (g/km) <sup>2</sup> | 211     | 211     | 211     |
| Emission Standard                                             | Euro 6e | Euro 6e | Euro 6e |

- Figure based on combined average city and highway cycle test under Australian Design Rule (ADR) 81/02. Range figure is based on laboratory test results only using standardised testing conditions which measure fuel consumption, energy consumption, and carbon emission (as applicable). Real world results may vary based on individual driving circumstances e.g., traffic conditions, driving style, vehicle modifications, fuel quality, climatic conditions, etc. Quoted figures may not reflect real world fuel consumption, energy consumption, and carbon emission.
- Figure based on NEDC (New European Driving Cycle) static laboratory combined average city and highway cycle test mandated by ADR 81/02. Range figure are laboratory test results only based on standardised testing conditions which measure, energy consumption and range. Actual real world range results will likely be less and to the extent that they are less will depend on a combination of factors including but not limited to load, traffic conditions, driving style, type of journey, vehicle configuration, battery age and condition, use of vehicle features (such as heating and air conditioning), as well as operating, environmental and climate conditions.

- = Standard
- = Optional
- = Unavailable


**Tunland V7-C 4x2**
**Tunland V7-C 4x4**
**Tunland V9-S 4x4**

| TRANSMISSION |                      |       |       |       |
|--------------|----------------------|-------|-------|-------|
| Make & Type  | ZF 8-Speed Automatic | ●     | ●     | ●     |
| Gear Ratios  | 1 <sup>st</sup>      | 5.000 | 5.000 | 5.000 |
|              | 2 <sup>nd</sup>      | 3.200 | 3.200 | 3.200 |
|              | 3 <sup>rd</sup>      | 2.143 | 2.143 | 2.143 |
|              | 4 <sup>th</sup>      | 1.720 | 1.720 | 1.720 |
|              | 5 <sup>th</sup>      | 1.314 | 1.314 | 1.314 |
|              | 6 <sup>th</sup>      | 1.000 | 1.000 | 1.000 |
|              | 7 <sup>th</sup>      | 0.822 | 0.822 | 0.822 |
|              | 8 <sup>th</sup>      | 0.640 | 0.640 | 0.640 |
|              | Reverse              | 3.456 | 3.456 | 3.456 |

| PERFORMANCE <sup>1</sup> |                         |   |   |   |
|--------------------------|-------------------------|---|---|---|
| Maximum Power            | 120kW (161hp) @ 3600rpm | ● | ● | ● |
| Maximum Torque           | 450Nm @ 1500 - 2400rpm  | ● | ● | ● |

| STEERING               |                         |   |   |   |
|------------------------|-------------------------|---|---|---|
| Steering Type          | Electric Power Steering | ● | ● | ● |
| Minimum Turning Circle | 13.5m                   | ● | ● | ● |

| BRAKES                       |                              |   |   |   |
|------------------------------|------------------------------|---|---|---|
| Front & Rear Brakes          | Ventilated Discs             | ● | ● | ● |
| Front & Rear Brake Callipers | Dual Pistons / Single Piston | ● | ● | ● |

| SUSPENSION |                                              |   |   |   |
|------------|----------------------------------------------|---|---|---|
| Front Type | Double Wishbone Type Suspension              | ● | ● | ● |
| Rear Type  | Leaf Spring Rigid Axle Suspension            | ● | ● | — |
|            | Coil Spring Multi-Link Rigid Axle Suspension | — | — | ● |

| WHEELS & TYRES |                                                 |                |                |                |
|----------------|-------------------------------------------------|----------------|----------------|----------------|
| Wheel Rims     | Gloss Black 18" Alloy                           | Standard       | Standard       | Premium        |
| Tyres          | Width, Profile, Size, Load Index & Speed Rating | 265/70R18 116T | 265/70R18 116T | 265/70R18 116T |
| Spare Wheel    | Full Size 18" Steel                             | ●              | ●              | ●              |
| Rim Off-set    | 39.5 mm                                         | ●              | ●              | ●              |

| WEIGHTS                       |  |      |      |      |
|-------------------------------|--|------|------|------|
| Gross Vehicle Mass (kg)       |  | 3305 | 3335 | 3310 |
| Gross Combined Mass (kg)      |  | 6805 | 6835 | 6810 |
| Tare Weight (kg) <sup>2</sup> |  | 2134 | 2229 | 2259 |
| Kerb Weight (kg) <sup>2</sup> |  | 2190 | 2285 | 2315 |
| Maximum Payload (kg)          |  | 1115 | 1050 | 995  |

1. Vehicles tested in accordance with ADR 81/02. Actual fuel consumption and CO<sub>2</sub> emissions depend on factors.

2. Tare Weight is for the vehicle unoccupied with 10 litres fuel and all standard fluids. Kerb Weight is for the vehicle unoccupied with a full tank of fuel and all fluids. Weights may change with the addition of equipment. An individual vehicle must be weighed to establish the exact kerb weight and payload applicable to that vehicle. It is the responsibility of the driver to ensure the vehicle is operated within the legal limits.

- = Standard
- = Optional
- = Unavailable


**Tunland V7-C 4x2**

**Tunland V7-C 4x4**

**Tunland V9-S 4x4**

| DIMENSIONS                                 |                                     |           |           |           |
|--------------------------------------------|-------------------------------------|-----------|-----------|-----------|
| Overall Length (mm)                        |                                     | 5617      | 5617      | 5617      |
| Overall Width (mm)                         |                                     | 2000      | 2000      | 2090      |
| Overall Height (mm)                        |                                     | 1910      | 1910      | 1955      |
| Wheelbase (mm)                             |                                     | 3355      | 3355      | 3355      |
| Minimum Ground Clearance (mm) <sup>1</sup> |                                     | 240       | 240       | 240       |
| Ramp Over Angle                            |                                     | 21°       | 21°       | 21°       |
| Approach / Departure Angle                 |                                     | 28° / 26° | 28° / 26° | 28° / 26° |
| Wading Depth (mm)                          |                                     | 700       | 700       | 700       |
| Tub Dimensions (mm)                        | Internal Length                     | 1577      | 1577      | 1577      |
|                                            | Internal Width                      | 1650      | 1650      | 1650      |
|                                            | Internal Height                     | 530       | 530       | 530       |
|                                            | Internal Gap (between Wheel Arches) | 1250      | 1250      | 1250      |

| TOWING <sup>2</sup>                   |      |      |      |
|---------------------------------------|------|------|------|
| Maximum Braked Towing Capacity (kg)   | 3500 | 3500 | 3500 |
| Maximum Unbraked Towing Capacity (kg) | 750  | 750  | 750  |
| Maximum Tow Ball Down Weight (kg)     | 300  | 300  | 300  |

| TRAY              |                                |   |   |   |
|-------------------|--------------------------------|---|---|---|
| Cargo Anchors     | Inner Rope Hooks (x 4)         | ● | ● | ● |
| Sports Bar        | Matte Black                    | — | — | ● |
| Tailgate Features | Tailgate Assist                | ● | ● | ● |
|                   | Decorative Board               | ● | ● | ● |
|                   | Tailgate Step                  | ● | ● | ● |
|                   | Chrome Tray Handle             | ● | ● | ● |
|                   | Key Locking                    | ● | ● | ● |
|                   | FOTON Lettering – Crystal Grey | ● | ● | ● |
| Tub Liner         | Spray On Type                  | ● | ● | ● |

1. Minimum ground clearance is based on at Kerb Weight (i.e. unoccupied, unladen and full of fuel).

2. Towing capacity is dependent on regulatory requirements, towbar design, and the limitations of towing equipment. Optional towbar accessory must be fitted. Refer to the Owner's Manual for full towing instructions. For further details, please consult your authorised Foton Dealer.

- = Standard
- = Optional
- = Unavailable


**Tunland V7-C 4x2**
**Tunland V7-C 4x4**
**Tunland V9-S 4x4**
**VEHICLE STABILITY & BRAKE CONTROL**

|                                    |       |   |   |   |
|------------------------------------|-------|---|---|---|
| Electronic Stability Control       | (ESC) | ● | ● | ● |
| Anti-Lock Braking System           | (ABS) | ● | ● | ● |
| Electronic Brakeforce Distribution | (EBD) | ● | ● | ● |
| Emergency Signal System            | (ESS) | ● | ● | ● |
| Hydraulic Brake Assist             | (HBA) | ● | ● | ● |
| Hill Descent Control               | (HDC) | ● | ● | ● |
| Hill Hold Control                  | (HHC) | ● | ● | ● |
| Traction Control System            | (TCS) | ● | ● | ● |
| Vehicle Dynamics Control           | (VDC) | ● | ● | ● |
| Auto Vehicle Hold                  | (AVH) | ● | ● | ● |
| Electronic Parking Brake           | (EPB) | ● | ● | ● |

**ACTIVE SAFETY & DRIVER ASSISTANCE**

|                                                                       |        |   |   |   |
|-----------------------------------------------------------------------|--------|---|---|---|
| Adaptive Cruise Control                                               | (ACC)  | ● | ● | ● |
| Autonomous Emergency Braking (with Pedestrian & Cyclist Alert)        | (AEB)  | ● | ● | ● |
| Front Collision Warning                                               | (FCW)  | ● | ● | ● |
| Emergency Lane Keep                                                   | (ELK)  | ● | ● | ● |
| Lane Departure Warning                                                | (LDW)  | ● | ● | ● |
| Lane Keep Assist                                                      | (LKA)  | ● | ● | ● |
| Lane Centering Control                                                | (LCC)  | ● | ● | ● |
| Pedestrian Collision Warning                                          | (PCW)  | ● | ● | ● |
| Traffic Sign Recognition                                              | (TSR)  | ● | ● | ● |
| Blind Spot Detection                                                  | (BSD)  | ● | ● | ● |
| Door Open Warning                                                     | (DOW)  | ● | ● | ● |
| Rear Cross Traffic Alert                                              | (RCTA) | ● | ● | ● |
| Driver Monitoring System (Distraction & Fatigue Warning) <sup>1</sup> | (DMS)  | ● | ● | ● |
| Parking Sensors (4 x Front / 4 x Rear)                                |        | ● | ● | ● |

**OCCUPANT & CHILD PROTECTION**

|                                                                       |   |   |   |
|-----------------------------------------------------------------------|---|---|---|
| SRS Airbags (Dual Front + Sides + Curtains + Knee + Centre)           | ● | ● | ● |
| 3-Point ELR Seatbelts with Pretensioners & Force Limiters (All Seats) | ● | ● | ● |
| Seat Belt Reminder – Front & Rear Seats                               | ● | ● | ● |
| Height Adjustable Driver & Front Passenger Headrests                  | ● | ● | ● |
| Rear Seat Headrests with 3 Position Adjustment <sup>2</sup>           | ● | ● | ● |
| Child Seat Tether Anchor Points (x2)                                  | ● | ● | ● |
| ISOFIX Compliant Child Restraints (x2)                                | ● | ● | ● |
| Rear Door Child Lock                                                  | ● | ● | ● |
| Door Locks (Speed Sensing / Crash Auto Unlocking)                     | ● | ● | ● |
| Fuel Cut Function                                                     | ● | ● | ● |

1. DMS performance and capability is dependent on environmental and technical conditions. Refer to the vehicle Operation Manual for full details.

2. Adjustable rear headrests available on the left and right outboard seats only.

- = Standard
- = Optional
- = Unavailable


**Tunland V7-C 4x2**
**Tunland V7-C 4x4**
**Tunland V9-S 4x4**
**DRIVETRAIN & INTELLIGENT VEHICLE CONTROL**

|                                              |                         |   |   |   |
|----------------------------------------------|-------------------------|---|---|---|
| Drive Line                                   | 4x2 (2WD)               | ● | — | — |
|                                              | Part Time 4x4 (4WD)     | — | ● | ● |
| 4WD Drive Modes                              | Auto / 2H / 4H / 4L     | — | ● | ● |
| Transfer Case                                | BorgWarner              | ● | ● | ● |
| Differential Lock <sup>1</sup>               | Front                   | — | — | ● |
|                                              | Rear                    | — | ● | ● |
| Drive Mode Select                            | Eco / Standard / Sport  | ● | ● | ● |
|                                              | Sand / Mud / Snow       | — | ● | ● |
| Electronic Power Steering Modes              | Sport / Comfort / Light | ● | ● | ● |
| Tyre Pressure Monitoring System <sup>2</sup> | Pressure & Temperature  | ● | ● | ● |

**EXTERIOR LIGHTING**

|                                                          |   |   |   |
|----------------------------------------------------------|---|---|---|
| Dusk Sensing LED Headlights                              | ● | ● | ● |
| LED Daytime Running Lights (DRL)                         | ● | ● | ● |
| Electric Height Adjustable Headlight                     | ● | ● | ● |
| 'Follow Me Home' Headlight Function                      | ● | ● | ● |
| Halogen Front Fog Lights (with Cornering Light Function) | ● | ● | ● |
| LED Rear Fog Lights                                      | ● | ● | ● |
| LED Combination Rear Lights                              | ● | ● | ● |
| LED High Position Brake Lights                           | ● | ● | ● |
| Headlight Reminder Alert                                 | ● | ● | ● |

**STORAGE**

|                                    |   |   |   |
|------------------------------------|---|---|---|
| Glovebox                           | ● | ● | ● |
| Centre Console Cupholder (x2)      | ● | ● | ● |
| Rear Seat Armrest Cupholder (x2)   | ● | ● | ● |
| Under Centre Console Storage Area  | ● | ● | ● |
| Centre Armrest Storage Box         | ● | ● | ● |
| Door Pockets & Drink Bottle Holder | ● | ● | ● |
| Sunglasses Holder                  | ● | ● | ● |
| Behind Rear Seat Storage           | ● | ● | ● |
| Front Seat Back Pockets            | ● | ● | ● |

1. Diff lock automatically disconnects when vehicle is travelling more than 38km/hr.

2. TPMS warning light will activate when tyre pressure drops to 180 kPa (26 PSI).

- = Standard
- = Optional
- = Unavailable


**Tunland V7-C 4x2**
**Tunland V7-C 4x4**
**Tunland V9-S 4x4**

| EXTERIOR FEATURES   |                                             |   |   |   |
|---------------------|---------------------------------------------|---|---|---|
| Front Grille        | Black Coloured Finish                       | ● | ● | — |
|                     | Chrome Plated Finish                        | — | — | ● |
| Side Steps          | Standard                                    | ● | ● | — |
|                     | Premium                                     | — | — | ● |
| Wheel Arch Cladding | Black Plastic                               | — | — | ● |
| Door Mirrors        | Power Adjustable                            | ● | ● | ● |
|                     | Heated                                      | — | — | ● |
|                     | LED Indicators                              | ● | ● | ● |
|                     | Position Memory                             | — | — | ● |
|                     | Power Foldable                              | — | — | ● |
| Roof                | Roof Rails                                  | — | — | ● |
|                     | Panoramic Sunroof                           | — | — | ● |
|                     | Power Adjustable Sunshade                   | — | — | ● |
| Glass               | Green Glass in Front Doors                  | ● | ● | ● |
|                     | Green Glass in Rear Doors and Rear Screen   | ● | ● | — |
|                     | Privacy Glass in Rear Doors and Rear Screen | — | — | ● |
| Mudguards           | Front & Rear                                | ● | ● | ● |
| Alloy Wheels        | Gloss Black 18" Standard                    | ● | ● | — |
|                     | Gloss Black 18" Premium                     | — | — | ● |

| INTERIOR FEATURES    |                                        |   |   |   |
|----------------------|----------------------------------------|---|---|---|
| Interior Lighting    | 256 Colour Ambient Lighting            | ● | ● | ● |
|                      | LED Front Reading Light                | ● | ● | ● |
|                      | LED Rear Roof Light                    | — | — | ● |
|                      | Halogen Rear Roof Light                | ● | ● | — |
| Air-Conditioning     | Climate Control                        | ● | ● | — |
|                      | Dual Zone Climate Control              | — | — | ● |
|                      | Air Purification System (PM2.5 Filter) | ● | ● | ● |
|                      | Rear Air Vents                         | ● | ● | ● |
| Windshield Demisters | Front & Rear                           | ● | ● | ● |
| Security System      | BCM Anti-Theft Security System         | ● | ● | ● |
| Steering Wheel       | 4-way Manual Adjustable                | ● | ● | ● |
| Screen Display       | 12.3" Digital Instrument Cluster       | ● | ● | ● |
|                      | 14.6" Infotainment Screen              | ● | ● | ● |
|                      | USB & Bluetooth Connectivity           | ● | ● | ● |
|                      | Wireless Apple Carplay <sup>1</sup>    | ● | ● | ● |
|                      | AM / FM Radio                          | ● | ● | ● |
| Audio System         | 4 Speakers                             | ● | ● | — |
|                      | 6 Speakers                             | — | — | ● |

1. Compatible Apple® device required.

- = Standard
- = Optional
- = Unavailable


**Tunland V7-C 4x2**
**Tunland V7-C 4x4**
**Tunland V9-S 4x4**

| CONVENIENCE                                                               |   |   |   |
|---------------------------------------------------------------------------|---|---|---|
| 220V / 300W Power Socket (x1)                                             | ● | ● | ● |
| 12V / 120W Power Outlet (x1)                                              | ● | ● | ● |
| USB-A Ports (x4)                                                          | ● | ● | ● |
| Rain-Sensing Front Windshield Wipers                                      | ● | ● | ● |
| Power Windows (Driver with Auto Up/Down and Jam Protect)                  | ● | ● | ● |
| Power Windows (All with Auto Up/Down and Jam Protect)                     | — | — | ● |
| Rear Seat Centre Armrest (2 Cup Holders)                                  | ● | ● | ● |
| Automatic Anti-Glare Rearview Mirror                                      | — | — | ● |
| Remote Central Locking                                                    | ● | ● | ● |
| Smart Key Start & Entry                                                   | ● | ● | ● |
| Illuminated Sun Visors with Vanity Mirrors (Driver and Front Passenger)   | ● | ● | ● |
| Interior Handles (x7) (Excluding Drivers)                                 | ● | ● | ● |
| Panoramic 360 Degree View Camera with Integrated Dash Camera <sup>1</sup> | ● | ● | ● |
| 18W Wireless Charging Pad (x1) <sup>2</sup>                               | ● | ● | ● |
| Active Regeneration Switch (DPF)                                          | ● | ● | ● |
| Facial Recognition (x3 Profiles)                                          | ● | ● | ● |
| "Hi Foton" Voice Recognition                                              | ● | ● | ● |

| SEATING                       |                                         |   |   |   |
|-------------------------------|-----------------------------------------|---|---|---|
| Interior Trims                | Synthetic Leather Seat Trim             | ● | ● | ● |
|                               | Black Seat Trim                         | ● | ● | ● |
|                               | Brown Seat Trim <sup>3</sup>            | ○ | ○ | ○ |
| Driver's Seat Features        | Courtesy Seat Function                  | — | — | ● |
|                               | 6-way Powered + 4-way Lumbar Adjustment | ● | ● | ● |
|                               | 3 Stage Heating Function                | ● | ● | ● |
|                               | 3 Stage Ventilation Function            | — | — | ● |
|                               | Memory Function                         | — | — | ● |
| Front Passenger Seat Features | 4-way Powered Adjustment                | ● | ● | ● |
|                               | 3 Stage Heating Function                | ● | ● | ● |
|                               | 3 Stage Ventilation Function            | — | — | ● |
| Second Row Seat Features      | Fold Up (60/40 Split)                   | ● | ● | ● |
|                               | Fold Down                               | ● | ● | ● |
|                               | 3 Stage Heating Function                | — | — | ● |

1. Micro SD card required for function to work. Supports up to 512GB.

2. Wireless charging requires a Qi-enabled and compliant device.

3. Optional seat trim available for order. Additional surcharge applies.

INTERIOR IMAGES <sup>1</sup>



1. Overseas model shown with optional brown synthetic leather trim.

FRONT MASKS



Tunland V7



Tunland V9

TUB DIMENSIONS



**EXTERIOR COLOURS** (Tunland V7 & V9 models shown)

**SUMMIT WHITE**

**GALAXY SILVER**

**PHANTOM BLACK**

**INFERNO RED**

**TAHITIAN BLUE**

**CHARGER PURPLE**

**AURORA GREEN**

**TITANIUM GREY**

Foton New Zealand provides this brochure as a general guide to product specifications. It does not constitute an offer for sale of any specific vehicle, nor should it be relied upon as a definitive guide to current specifications. While all information is believed to be accurate at the time of publication, ongoing product development may result in changes that are not immediately reflected here. Accordingly, Foton New Zealand reserves the right to modify specifications without prior notice. For the most up-to-date information, please consult your authorised Foton Dealer. Please note that dealers operate independently and are not agents of Foton New Zealand. They are not authorised to make any representations or commitments on behalf of Foton New Zealand, whether express or implied. © Anglesea Vehicle Distributors Ltd (trading as Foton New Zealand).