



MA6-100 / 125 / 150 / 175 / 200 / 225 / 250 / 275 / 300

MANTEL-60 / linear

LINEAR LIGHT

Combining simplicity with elegance, this piece boasts clean, uncluttered lines and a slender form, making it a versatile addition to any space. It offers both up and down lighting options and is crafted from your choice of American Oak or Tasmanian Oak, each highlighting its natural beauty and unique character.


MADE IN MELBOURNE, AUSTRALIA

FINISHES		
TIMBER BODY	AMERICAN OAK	
	Natural Oil Blackend	
LUGS	BRASS	STEEL
	Aged Pitch	Brushed Blackened

SPECIFICATIONS			
LEAD-TIME	6 - 8 Weeks	LAMP	CRI 95, Intergrated LED (24V)
FINISH	Hardwax Oil	POWER/TEMP	20 W/m, 2700k, 3000k (Standard), 4000k
LUGS	Brass, Steel	OUTPUT	1400 lm/m
CANOPY	Black or White. (95mm dia x 6mm H)	AVG LIFETIME	50,000 hours
FLEX	2m, Black or White. (2 core) (Longer available on request)	CONTROL	Remote Driver: Non-Dimmable, Phase Dimmable, Dali Dimmable
SIZES (mm)	1000, 1250, 1500, 1750, 2000, 2250, 2500, 2750, 3000		
INSTALLATION	Pendants must be installed and wired by a qualified electrician.	CARE	Ensure the electricity supply is switched off before cleaning. Remove dust with a soft dry cloth. Do not use solvents or abrasive materials when cleaning.
WARRANTY	3 Years Manufactures Warranty		

MANTEL-60 / linear

MA6-100, MA6-125, MA6-150



Dims: 1000 mm L, 60mm H, 61mm D
Weight: 3kg



Dims: 1250 mm L, 60mm H, 61mm D
Weight: 3.5kg



Dims: 1500 mm L, 60mm H, 61mm D
Weight: 4kg




MANTEL-60 / linear


MA6-175, MA6-200, MA6-225



Dims: 1750 mm L, 60mm H, 61mm D
Weight: 4.5kg




Dims: 2000 mm L, 60mm H, 61mm D
Weight: 5kg




Dims: 2250 mm L, 60mm H, 61mm D
Weight: 5.5kg

MANTEL-60 / linear


MA6-250, MA6-275, MA6-300



Dims: 2500 mm L, 60mm H, 61mm D
Weight: 6kg



Dims: 2750 mm L, 60mm H, 61mm D
Weight: 6.5kg



Dims: 3000 mm L, 60mm H, 61mm D
Weight: 7kg