


HIGHLINE

RP-E-1502




Rakumba

WWW.RAKUMBA.COM
SALES@RAKUMBA.COM

ALL RIGHTS RESERVED © RAKUMBA, 2022
COVER PHOTO BY HAYDN CATTACH

Rakumba







HIGHLINE

RP-E-1502

Minimalist and elegant, Highline is a true modern classic of linear lighting, prized for a sense of restrained luxury that allows the surrounding architecture to shine. With carefully considered detailing, Highline showcases honest, precious materiality and exemplary workmanship.

Within its incredibly slim profile, Highline incorporates both upward and downward lighting of impressive potency. The luminaire features oiled walnut details and waxed brass living finishes that age gracefully and patina over time. White or black editions are available for a monochromatic aesthetic.




MATERIAL & FINISHES




SATIN BRASS & WALNUT



PATINA BRASS & WALNUT



BLACK & BLACK



BLACK & WALNUT



WHITE & WHITE



WHITE & WALNUT



OPTIONS

DIMENSION:

1400
1800
2400

FINISH:

SATIN WAXED BRASS & WALNUT
PATINA WAXED BRASS & WALNUT
SATIN CLEAR PROTECT BRASS & WALNUT**
PATINA CLEAR PROTECT BRASS & WALNUT**
BLACK & WALNUT
BLACK & BLACK
WHITE & WALNUT
WHITE & WHITE

SUSPENSION LENGTH:

2M*
5M
CUSTOM (MAX 10M)

DIMMING:

NON-DIM*
PHASE CUT/TRIAC
DALI/SWITCH DIM

COLOUR TEMP:

2700K
3000K*
4000K

FLEX:

ULTRAFINE BLACK BRAIDED*
ULTRAFINE WHITE BRAIDED

SEAMLESS CANOPY:

BLACK*
WHITE
SILVER
BRASS

*STANDARD

**Terms and Conditions: Rakumba’s clear protection coating significantly increases resistance to oxidation and surface changes over time.

Longevity is not guaranteed for a fixed time period or for all environments; this will vary depending on location, site conditions, cleaning, exposure to caustic substances etc. We recommend treating the surface with care to preserve it as long as possible.


Once damaged, the clear protection coating may be restored – please contact Rakumba for more information.

DATA

RP-E-1502 P	HIGHLINE 1400MM	HIGHLINE 1800MM	HIGHLINE 2400MM
LIGHTSOURCE	INTEGRATED LED		
POWER	37W	45W	55W
LUMENS (SOURCE)	Downlighting: 2350lm Uplighting: 2350lm	Downlighting: 3150lm Uplighting: 3150lm	Downlighting: 4350lm Uplighting: 4350lm
LUMENS (DELIVERED)	1510lm	1890lm	2620lm
COLOUR TEMPERATURE	3000K		
CRI	CRI90		
PRIMARY VOLTAGE (TO DRIVER)	240VAC		
SECONDARY VOLTAGE (TO FITTING)	24VDC		
PRODUCT WEIGHT	1.2kg	1.6kg	2kg
PACKED WEIGHT	5kg	6kg	7kg
PACKED DIMENSIONS	158 x ø11 cm	198 x ø11 cm	258 x ø11 cm
DRIVER LOCATION: PHASE CUT/TRIAC OPTION	REMOTE		
DRIVER LOCATION: DALI / SWITCH-DIM OPTION	REMOTE		
IP RATING	IP20		
L70	60,000 HOURS		
APPROVALS	AUSTRALIA, NEW ZEALAND, EUROPE		

DIMENSIONS

ALL DIMENSIONS IN MILLIMETERS





ARCHIER

Archier creates design experiences that contribute to a better quality of life. Their work encompasses residential, commercial and government architecture; public and private landscape projects; as well as the design and manufacture of furniture, lighting and construction products.

The studio's directors have over 25 years of combined experience, drawn together to create an inclusive practice that is outcome orientated.