

POP

RP-E-2401



**Rakumba**

WWW.RAKUMBA.COM  
SALES@RAKUMBA.COM

ALL RIGHTS RESERVED © RAKUMBA, 2025

**Rakumba**








## POP

RP-E-2401

The Pop collection's undulating curves and meticulous detailing exude a distinctive and iconic presence – where style meets playfulness without feeling too serious.

An avant-garde lighting collection, Pop embodies the fusion of architectural precision with organic fluidity, born from the imagination of acclaimed Barcelona-based design studio, Nahrang. Pop's gracefully sinuous arms extend into space-defining linear or curved formations, or elegantly loop back upon themselves creating engaging sculptural arrangements. Seamlessly blending artistry with functionality, multiple freely rotating light modules throughout the sculpture offer versatile options for directional up & down lighting or a diffused ambient glow.



The captivating collection comprises sculptural floor and table lamps, a wall sconce, chandeliers and a configurable pendant system. Available in luxurious polished brass, black, or a customisable assortment of colourways.



*"The design of a lamp goes beyond form or use,  
it goes directly to emotion."*

***Nahtrang***

# MODELS



PENDANT (MULTIPLE CONFIGURATIONS AVAILABLE, PAGE 14)



PENDANT LOOP (MULTIPLE CONFIGURATIONS AVAILABLE, PAGE 16)



CHANDELIER (MULTIPLE CONFIGURATIONS AVAILABLE, PAGE 16)



WALL



FLOOR LARGE



FLOOR



TABLE

# MATERIALS & FINISHES



POLISHED BRASS



SATIN BLACK



CUSTOM POWDERCOAT

# ILLUMINATION




DIFFUSED




UP & DOWN

# SYSTEM

## MODULES FOR CUSTOM CONFIGURATIONS



## SWIVEL FUNCTIONALITY



# CONFIGURATIONS


ALL DIMENSIONS IN MILLIMETERS

## PENDANT

Depth: 70mm, Suspension distance between canopies: 490mm


### PENDANT C

1 x Module Narrow  
1 x Module Link  
1 x Module Wide




### PENDANT D

2 x Module Narrow  
2 x Module Link  
1 x Module Wide




### PENDANT G

4 x Module Narrow  
6 x Module Link  
3 x Module Wide




### PENDANT H

5 x Module Narrow  
8 x Module Link  
4 x Module Wide




### PENDANT E

2 x Module Narrow  
3 x Module Link  
2 x Module Wide




### PENDANT F

3 x Module Narrow  
4 x Module Link  
2 x Module Wide




### PENDANT I

3 x Module Narrow  
4 x Module Link  
2 x Module Wide



### PENDANT J

5 x Module Narrow  
8 x Module Link  
4 x Module Wide





# CONFIGURATIONS

ALL DIMENSIONS IN MILLIMETERS


PENDANT LOOP ————— WALL ————— TABLE —————

PENDANT LOOP A  
2 x Module Narrow  
2 x Module Link





MAX 275

Suspension Distance:




PENDANT LOOP B  
2 x Module Narrow  
4 x Module Link  
2 x Module Wide




MAX 800


Suspension Distance:




WALL ————— TABLE —————



385




Min Depth: 40mm  
Max Depth: 230mm



420


Depth: 90mm

FLOOR ————— FLOOR LARGE —————



450

Depth: 90mm




715

Depth: 90mm


CHANDELIER —————

CHANDELIER 5-ARM



Ø950

CHANDELIER 7-ARM



Ø950



# OPTIONS

## PENDANT/PENDANT LOOP/CHANDELIER

|        |                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MODEL: | <div><div><input type="radio"/></div><div><input type="radio"/></div><div><input type="radio"/></div><div><input type="radio"/></div><div><input type="radio"/></div><div><input type="radio"/></div><div><input type="radio"/></div><div><input type="radio"/></div></div> <div><div>PENDANT C</div><div>PENDANT D</div><div>PENDANT E</div><div>PENDANT F</div><div>PENDANT G</div><div>PENDANT H</div><div>PENDANT I</div><div>PENDANT J</div></div> |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

☐

☐

☐

☐

PENDANT LOOP A

PENDANT LOOP B

CHANDELIER 5-ARM

CHANDELIER 7-ARM

CUSTOM

\*DEFAULT

## FLOOR/TABLE

|               |                                                                                                                                                                                                                 |
|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MODEL:        | <div><div><input type="radio"/></div><div><input type="radio"/></div><div><input type="radio"/></div></div> <div><div>FLOOR</div><div>FLOOR LARGE</div><div>TABLE</div></div>                                   |
| ILLUMINATION: | <div><div><input type="radio"/></div><div><input type="radio"/></div></div> <div><div>DIFFUSED</div><div>UP &amp; DOWN*</div></div>                                                                             |
| FINISH:       | <div><div><input type="radio"/></div><div><input type="radio"/></div><div><input type="radio"/></div></div> <div><div>SATIN BLACK*</div><div>POLISHED BRASS<sup>1</sup></div><div>CUSTOM POWDERCOAT</div></div> |

\*DEFAULT

## WALL

|               |                                                                                                                                                                                                                                                                                                                                                                        |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ILLUMINATION: | <div><div><input type="radio"/></div><div><input type="radio"/></div></div> <div><div>DIFFUSED</div><div>UP &amp; DOWN*</div></div>                                                                                                                                                                                                                                    |
| FINISH:       | <div><div><input type="radio"/></div><div><input type="radio"/></div><div><input type="radio"/></div></div> <div><div>SATIN BLACK*</div><div>POLISHED BRASS<sup>1</sup></div><div>CUSTOM POWDERCOAT</div></div>                                                                                                                                                        |
| DIMMING:      | <div><div><input type="radio"/></div><div><input type="radio"/></div><div><input type="radio"/></div><div><input type="radio"/></div><div><input type="radio"/></div></div> <div><div>NON-DIMMING (INTEGRATED)</div><div>PHASE CUT/TRIAC (INTEGRATED)*</div><div>1-10V (INTEGRATED)</div><div>DALI/SWITCH-DIM (REMOTE)</div><div>CASAMBI WIRELESS (REMOTE)</div></div> |

\*DEFAULT

<sup>1</sup>Polished Brass (All Models):

Rakumba's clear protection coating significantly increases resistance to oxidation and surface changes over time.

Longevity is not guaranteed for a fixed time period or for all environments; this will vary depending on location, site conditions, cleaning, exposure to caustic substances etc. We recommend treating the surface with care to preserve it as long as possible.

Once damaged, the clear protection coating may be restored – please contact Rakumba for more information.

DATA

| RP-E-2401                      | WALL                                                           | TABLE          | FLOOR  | FLOOR LARGE |
|--------------------------------|----------------------------------------------------------------|----------------|--------|-------------|
| LIGHTSOURCE                    | INTEGRATED LED                                                 |                |        |             |
| POWER - UP & DOWN              | 8W                                                             | 8W             | 12W    | 16W         |
| LUMENS (SOURCE) - UP & DOWN    | 960lm                                                          | 960lm          | 1440lm | 1920lm      |
| POWER - DIFFUSED               | 3W                                                             | 3W             | 4.5W   | 6W          |
| LUMENS (SOURCE) - DIFFUSED     | 280lm                                                          | 280lm          | 420lm  | 560lm       |
| COLOUR TEMPERATURE             | 2700K                                                          |                |        |             |
| CRI                            | CRI90                                                          |                |        |             |
| PRIMARY VOLTAGE (TO DRIVER)    | 220-240VAC                                                     |                |        |             |
| SECONDARY VOLTAGE (TO FITTING) | 24VDC CONSTANT VOLTAGE                                         |                |        |             |
| DRIVER LOCATION                | INTEGRATED DRIVER (PHASE CUT / 1-10V), REMOTE (DALI / CASAMBI) | CORDSET DRIVER |        |             |
| IP RATING                      | IP20                                                           |                |        |             |
| APPROVALS                      | AUSTRALIA, EUROPE (PENDING)                                    |                |        |             |

| RP-E-2401                      | PENDANT C                   | PENDANT D | PENDANT E | PENDANT F | PENDANT G | PENDANT H | PENDANT I | PENDANT J | PENDANT LOOP A | PENDANT LOOP B | CHANDELIER 5-ARM | CHANDELIER 7-ARM |
|--------------------------------|-----------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------------|----------------|------------------|------------------|
| LIGHTSOURCE                    | INTEGRATED LED              |           |           |           |           |           |           |           |                |                |                  |                  |
| POWER - UP & DOWN              | 16W                         | 24W       | 32W       | 40W       | 56W       | 72W       | 40W       | 72W       | 16W            | 32W            | 40W              | 56W              |
| LUMENS (SOURCE) - UP & DOWN    | 1920lm                      | 2880lm    | 960lm     | 4800lm    | 6720lm    | 8640lm    | 4800lm    | 8640lm    | 1920lm         | 960lm          | 4800lm           | 6720lm           |
| POWER - DIFFUSED               | 6W                          | 9W        | 12W       | 15W       | 21W       | 27W       | 15W       | 27W       | 6W             | 12W            | 15W              | 21W              |
| LUMENS (SOURCE) - DIFFUSED     | 560lm                       | 840lm     | 1120lm    | 1400lm    | 1960lm    | 2520lm    | 1400lm    | 2520lm    | 560lm          | 1120lm         | 1400lm           | 1960lm           |
| COLOUR TEMPERATURE             | 2700K                       |           |           |           |           |           |           |           |                |                |                  |                  |
| CRI                            | CRI90                       |           |           |           |           |           |           |           |                |                |                  |                  |
| PRIMARY VOLTAGE (TO DRIVER)    | 220-240VAC                  |           |           |           |           |           |           |           |                |                |                  |                  |
| SECONDARY VOLTAGE (TO FITTING) | 24VDC CONSTANT VOLTAGE      |           |           |           |           |           |           |           |                |                |                  |                  |
| DRIVER LOCATION                | REMOTE DRIVER               |           |           |           |           |           |           |           |                |                |                  |                  |
| IP RATING                      | IP20                        |           |           |           |           |           |           |           |                |                |                  |                  |
| APPROVALS                      | AUSTRALIA, EUROPE (PENDING) |           |           |           |           |           |           |           |                |                |                  |                  |





## Nahtrang

Nahtrang Studio, founded in 2004 by Ester Pujol and Daniel Vila in Barcelona, embodies the city's industrial and cultural essence. Their work showcases a minimalist approach characterized by simplified forms and iconic visual balance.

Specializing in lighting design, the studio continuously explores the potential of illumination and diverse material applications. Their innovative creations have garnered recognition from prestigious awards including the IF Awards, NYCxDesign, BOY Awards (NY), and Premis Delta, among others.