

RP-E-1301


Scope Series




Scope Series

SELECTION 1 - TUBE DIMENSIONS


60140*




60230




60340




60580




100140*




100230



100340



100580



*INTEGRATED DRIVERS NOT AVAILABLE FOR THIS LENGTH
DIMENSIONS IN MILLIMETRES | TUBE LENGTHS ARE CUSTOMISABLE ON REQUEST

SELECTION 2 - MOUNTING STYLE



P (pendant)



S (surface)



WD (wall double)

WS (wall single - up or down)

Scope Series



SELECTION 3 - OPTIC / TIP STYLE



SELECTION 4 - COLOUR




CUSTOM POWDERCOATING AVAILABLE ON REQUEST

SELECTION 5 - FLEX



ADDITIONAL COLOURS ON REQUEST

SELECTION 6 - REFLECTOR COLOUR



ADDITIONAL ANODISING COLOURS ON REQUEST

PRODUCT TECHNICAL SPECIFICATION

NAME: SCOPE
 STYLE: PENDANT
 SURFACE: WALL MOUNT (UP & DOWN, UP ONLY, DOWN ONLY)
 MATERIALS & FINISH: POWDERCOATED ALUMINIUM, ETCHED AND ANODISED ALUMINIUM, GALVANISED STEEL, FROSTED ACRYLIC (PMMA), AMERICAN OAK (100MM ONLY)

LIGHT SOURCE: 1 X INTEGRATED TRIDONIC LED MODULE PER TIP // 35V // 240V CONVERTER (INTEGRATED OR REMOTE) // 6.3W // 700lm // 3000K // CRI 80
 BEAM ANGLE: 65 DEGREES (REFLECTOR TIP), >180 DEGREES (DIFFUSER TIP)
 DIMMING: STANDARD - PHASE CUT AND 1-10V* CAPABLE
 OPTIONAL - DALI**
 SUSPENSION: DECORATIVE CLOTH FLEX (2m FROM CANOPY TO TIP)

* 1-10V DIMMING REQUIRES 5 CORE CLEAR FLEX IF CONVERTER IS INTEGRATED
 ** DALI DIMMING CONVERTERS ARE REMOTE ONLY

Rakumba has been producing custom-made feature lighting for the Australian design industry since 1968. Collaborating with designers across a wide range of sectors from commercial to residential, we take pride in our bespoke service, attention to design detailing and ability to deliver on any scale of project.