



VFD96 / 126 / 156 / 186 / 216 / 246

UV Fold/ v

LINEAR LIGHT

Aptly named after its distinct folded form, the UV Fold linear comes in the choice of either a U or V profile. During the design process each fixing detail was scrutinised and refined, leaving us with an elegantly resolved form – the perfect surface to showcase our curated range of textured powder coat finishes. The clean aesthetic is designed to seamlessly accommodate a wide range of styles and settings.

MADE IN MELBOURNE, AUSTRALIA

FINISHES


POWDER COAT	Silver Grey	Rough Black	Deep Green	Bronze	Iron Grey
	Rough White	Brick Speckle	Deep Blue	Sandstone	

SPECIFICATIONS


LEAD-TIME	Enquire at info@southdrawn.com.au	LAMP	CRI 95, Intergrated LED (24V)
FINISH	Aluminium, Powder Coated	POWER/TEMP	20 W/m, 3000k 2700k, 3000k (Standard), 4000k
CANOPY	Black or White. (80mm dia x 38mm H)	OUTPUT	1400 lm/m
FLEX	2m, Black or White. (2 core) (Longer available on request)	AVG LIFETIME	50,000 hours
SIZES (mm)	960, 1260, 1560, 1860, 2160, 2460	CONTROL	Remote Driver: Non-Dimmable, Phase Dimmable, Dali Dimmable
INSTALLATION	Pendants must be installed and wired by a qualified electrician.	CARE	Ensure the electricity supply is switched off before cleaning. Remove dust with a soft dry cloth. Do not use solvents or abrasive materials when cleaning.
WARRANTY	3 Year Manufactures Warranty		

UV FOLD / v


VFD96, VFD126, VFD156



Dims: 960 mm L, 68mm H, 100mm D
Weight: 2kg




Dims: 1260 mm L, 68mm H, 100mm D
Weight: 2.5kg




Dims: 1560 mm L, 68mm H, 100mm D
Weight: 3kg

UV FOLD/ v


VFD186, VFD216, VFD246



Dims: 1860 mm L, 68mm H, 100mm D
Weight: 3.5kg



Dims: 2160 mm L, 68mm H, 100mm D
Weight: 4kg



Dims: 2460 mm L, 68mm H, 100mm D
Weight: 5kg