

## Jeeter

Order No.: ONYJTR0804-0008052  
1050 Lower South St  
New York, 10567  
lpalazzo@jeeter.com  
4424037621

## Sample: SNYJTR0804-PEIP-0017532

Strain: Maui Wowie, Unit Weight: 2.0000g  
Batch#: DFNY-MAUWOW-072825, Batch Size: 116  
Date Sampled: 08/05/2025 09:19  
Sample Received: 08/05/2025 09:22  
Report Created: 08/07/2025 18:13  
Sampling SOP 204

## Infused Jeeter XL 2G Preroll Maui Wowie

Plant, Enhanced/Infused Preroll



## Results

**418.52 mg/unit**  
THCa

**393.98 mg/unit**  
D9-THC

**ND**  
Total CBD

**761.02 mg/unit**  
Total THC


**851.87 mg/unit**  
Total Cannabinoids

**2.082%**  
Total Terpenes

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Moisture</b> Pass	<b>Microbials</b> Pass
<b>Water Activity</b> Pass	<b>Foreign Matter</b> Not Tested	<b>Homogeneity</b> Not Tested
<b>Terpenes</b> Pass	<b>Residual Solvents</b> Pass	<b>Mycotoxins</b> Pass
<b>Heavy Metals</b> Pass	<b>Pesticides</b> Pass	

## Dominant Terpenes



## Jeeter

Order No.: ONYJTR0804-0008052  
 1050 Lower South St  
 New York, 10567  
 lpalazzo@jeeter.com  
 4424037621

## Sample: SNYJTR0804-PEIP-0017532

Strain: Maui Wowie, Unit Weight: 2.0000g  
 Batch#: DFNY-MAUWOW-072825, Batch Size: 116  
 Date Sampled: 08/05/2025 09:19  
 Sample Received: 08/05/2025 09:22  
 Report Created: 08/07/2025 18:13  
 Sampling SOP 204

## Infused Jeeter XL 2G Preroll Maui Wowie

Plant, Enhanced/Infused Preroll



## Cannabinoids

Tested

SOP: SOP 801-NY

Instrument: Agilent Infinity II - 2779

Date/Time Tested: 08/05/2025 12:45

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	1,094.42	ND	ND	ND
CBDa	1,094.42	< LOQ	< LOQ	< LOQ
CBGa	1,094.42	<b>0.64</b>	<b>6.41</b>	<b>12.82</b>
CBG	1,094.42	<b>0.66</b>	<b>6.62</b>	<b>13.24</b>
CBD	1,084.18	< LOQ	< LOQ	< LOQ
THCV	1,084.18	<b>0.20</b>	<b>1.98</b>	<b>3.95</b>
CBN	1,115.92	<b>0.17</b>	<b>1.65</b>	<b>3.30</b>
D9-THC	1,115.92	<b>19.70</b>	<b>196.99</b>	<b>393.98</b>
D8-THC	1,115.92	ND	ND	ND
(6aR,9S)-d10-THC	1,084.18	< LOQ	< LOQ	< LOQ
(6aR,9R)-d10-THC	1,115.92	ND	ND	ND
CBC	1,115.92	<b>0.30</b>	<b>3.03</b>	<b>6.06</b>
THCa	1,084.18	<b>20.93</b>	<b>209.26</b>	<b>418.52</b>
Total CBD		ND	ND	ND
Total THC		<b>38.05</b>	<b>380.51</b>	<b>761.02</b>
Total Cannabinoids		<b>42.59</b>	<b>425.94</b>	<b>851.87</b>

### Notes:

Total THC = THCa \* 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC  
 Total CBD = CBDa \* 0.877 + CBD  
 Total Cannabinoids = Sum of all cannabinoids  
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Moisture

Pass

SOP: SOP 205-NY

Instrument: Shimadzu Moisture Meter - 2560

Date/Time Tested: 08/05/2025 13:37

Analyte	Limit (%)	%	Status
Moisture	15	<b>9.0</b>	Passed



# Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

## Jeeter

Order No.: ONYJTR0804-0008052  
1050 Lower South St  
New York, 10567  
lpalazzo@jeeter.com  
4424037621

## Sample: SNYJTR0804-PEIP-0017532

Strain: Maui Wowie, Unit Weight: 2.0000g  
Batch#: DFNy-MAUWOW-072825, Batch Size: 116  
Date Sampled: 08/05/2025 09:19  
Sample Received: 08/05/2025 09:22  
Report Created: 08/07/2025 18:13  
Sampling SOP 204

## Infused Jeeter XL 2G Preroll Maui Wowie

Plant, Enhanced/Infused Preroll



## Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: BioRad CFX qPCR - 3195 / 35C Incubator - 1032/ 28C

Incubator - 1034

Date/Time Tested: 08/05/2025 17:08

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100		ND	Tested
E. Coli		0	ND	Passed
Yeast & Mold	100		ND	Tested
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

### Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Water Activity

SOP: SOP 206-NY

Date/Time Tested: 08/05/2025 13:44

Pass

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	0.53	Passed



*Kimberly Krisolofsky*

Kimberly Krisolofsky  
Lead Technical Director

## Jeeter

Order No.: ONYJTR0804-0008052  
1050 Lower South St  
New York, 10567  
lpalazzo@jeeter.com  
4424037621

## Sample: SNYJTR0804-PEIP-0017532

Strain: Maui Wowie, Unit Weight: 2.0000g  
Batch#: DFNY-MAUWOW-072825, Batch Size: 116  
Date Sampled: 08/05/2025 09:19  
Sample Received: 08/05/2025 09:22  
Report Created: 08/07/2025 18:13  
Sampling SOP 204

## Infused Jeeter XL 2G Preroll Maui Wowie

Plant, Enhanced/Infused Preroll



## Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 08/05/2025 14:19

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	<b>2.0817</b>	Passed	a-Phellandrene	160		ND	Tested
Limonene	160		<b>0.7188</b>	Tested	d-3-Carene	160		ND	Tested
b-Caryophyllene	160		<b>0.4102</b>	Tested	a-Terpinene	160		ND	Tested
Linalool	160		<b>0.2684</b>	Tested	p-Cymene	160		ND	Tested
a-Humulene	160		<b>0.1118</b>	Tested	Eucalyptol	160		ND	Tested
a-Bisabolol	160		<b>0.0904</b>	Tested	Terpinolene	160		< LOQ	Tested
b-Myrcene	160		<b>0.0801</b>	Tested	Sabinene Hydrate	160		ND	Tested
Terpineol	160		<b>0.0551</b>	Tested	Fenchone	160		ND	Tested
cis-Nerolidol	160		<b>0.0496</b>	Tested	Isopulegol	160		ND	Tested
Guaiol	160		<b>0.0414</b>	Tested	Camphor	160		ND	Tested
Geraniol	160		<b>0.0409</b>	Tested	Isoborneol	160		ND	Tested
trans-b-Farnesene	160		<b>0.0398</b>	Tested	DL-Menthol	160		ND	Tested
trans-Nerolidol	160		<b>0.0366</b>	Tested	Borneol	160		< LOQ	Tested
b-Pinene	160		<b>0.0362</b>	Tested	Nerol	160		ND	Tested
Fenchol	160		<b>0.0334</b>	Tested	Pulegone	160		ND	Tested
Caryophyllene Oxide	160		<b>0.0264</b>	Tested	Geranyl Acetate	160		ND	Tested
g-Terpinene	160		<b>0.0229</b>	Tested	a-Cedrene	160		ND	Tested
a-Pinene	160		<b>0.0196</b>	Tested	Valencene	160		ND	Tested
Camphene	160		ND	Tested	Cedrol	160		ND	Tested
Sabinene	160		ND	Tested	trans-b-Ocimene	160		ND	Tested

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Jeeter

Order No.: ONYJTR0804-0008052  
 1050 Lower South St  
 New York, 10567  
 lpalazzo@jeeter.com  
 4424037621

## Sample: SNYJTR0804-PEIP-0017532

Strain: Maui Wowie, Unit Weight: 2.0000g  
 Batch#: DFNY-MAUWOW-072825, Batch Size: 116  
 Date Sampled: 08/05/2025 09:19  
 Sample Received: 08/05/2025 09:22  
 Report Created: 08/07/2025 18:13  
 Sampling SOP 204

## Infused Jeeter XL 2G Preroll Maui Wowie

Plant, Enhanced/Infused Preroll



## Residual Solvents

SOP: SOP 612-NY

Date/Time Tested: 08/06/2025 15:14

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	38	5,000	180.9	Passed
Acetonitrile	15	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	38	5,000	< LOQ	Passed
Chloroform	2	60	ND	Passed
Ethanol	187	5,000	369.0	Passed
Ethyl Acetate	187	5,000	< LOQ	Passed
Ethyl Ether	19	5,000	ND	Passed
DMSO	94	5,000	ND	Passed
Heptane	19	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	187	5,000	< LOQ	Passed
Methanol	113	3,000	245.3	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	56	5,000	ND	Passed
Propane	19	5,000	ND	Passed
Toluene	3	890	ND	Passed
Trichloroethane	47	1,500	ND	Passed
Xylenes	247	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	19	1,000	ND	Passed

### Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

## Jeeter

Order No.: ONYJTR0804-0008052  
 1050 Lower South St  
 New York, 10567  
 lpalazzo@jeeter.com  
 4424037621

## Sample: SNYJTR0804-PEIP-0017532

Strain: Maui Wowie, Unit Weight: 2.0000g  
 Batch#: DFNJ-MAUWOW-072825, Batch Size: 116  
 Date Sampled: 08/05/2025 09:19  
 Sample Received: 08/05/2025 09:22  
 Report Created: 08/07/2025 18:13  
 Sampling SOP 204

## Infused Jeeter XL 2G Preroll Maui Wowie

Plant, Enhanced/Infused Preroll



## Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LCMS 2546 - 2546

Date/Time Tested: 08/05/2025 14:40

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.8		ND	Tested
B2	4.8		ND	Tested
G1	4.8		ND	Tested
G2	4.8		ND	Tested
Ochratoxin A	4.8	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 08/06/2025 09:12

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.174	2.000	ND	Passed
Arsenic	0.174	0.200	ND	Passed
Cadmium	0.174	0.200	ND	Passed
Chromium	0.174	110.000	< LOQ	Passed
Copper	0.208	30.000	3.751	Passed
Mercury	0.042	0.100	< LOQ	Passed
Nickel	0.208	5.000	< LOQ	Passed
Lead	0.174	0.500	ND	Passed

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Jeeter

Order No.: ONYJTR0804-0008052  
 1050 Lower South St  
 New York, 10567  
 lpalazzo@jeeter.com  
 4424037621

## Sample: SNYJTR0804-PEIP-0017532

Strain: Maui Wowie, Unit Weight: 2.0000g  
 Batch#: DFNY-MAUWOW-072825, Batch Size: 116  
 Date Sampled: 08/05/2025 09:19  
 Sample Received: 08/05/2025 09:22  
 Report Created: 08/07/2025 18:13  
 Sampling SOP 204

## Infused Jeeter XL 2G Preroll Maui Wowie

Plant, Enhanced/Infused Preroll



## Pesticides

SOP: SOP 814-NY

Instrument: Agilent LCMS 2546 - 2546 / Agilent GCMS 2541 - 2541

Date/Time Tested: 08/05/2025 10:55

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.48	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed



# Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

## Jeeter

Order No.: ONYJTR0804-0008052  
1050 Lower South St  
New York, 10567  
lpalazzo@jeeter.com  
4424037621

## Sample: SNYJTR0804-PEIP-0017532

Strain: Maui Wowie, Unit Weight: 2.0000g  
Batch#: DFNY-MAUWOW-072825, Batch Size: 116  
Date Sampled: 08/05/2025 09:19  
Sample Received: 08/05/2025 09:22  
Report Created: 08/07/2025 18:13  
Sampling SOP 204

## Infused Jeeter XL 2G Preroll Maui Wowie

Plant, Enhanced/Infused Preroll



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Kimberly Krisolofsky  
Lead Technical Director