

DF New York One, Inc. - Jeeter

Order No.: ONYJTR0804-0008052

1050 Lower South St

New York, 10567

lpalazzo@jeeter.com

4424037621

Sample: SNYJTR0804-PEIP-0017531

Strain: Maui Wowie, Unit Weight: 1.0000g

Batch#: DFNY-MAUWOW-072825, Batch Size: 1800 Units, LOT ID:

111000000000116

Date Sampled: 08/05/2025 09:23

Sample Received: 08/05/2025 09:23

Report Created: 09/20/2025 15:30

Sampling SOP 204

Infused Jeeter 1G Preroll Maui Wowie

Plant, Enhanced/Infused Preroll



Results

221.28 mg/unit
THCa

204.08 mg/unit
D9-THC

ND
Total CBD

398.14 mg/unit
Total THC


441.11 mg/unit
Total Cannabinoids

2.491%
Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Pass	Microbials Pass
Water Activity Pass	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



DF New York One, Inc. - Jeeter

Order No.: ONYJTR0804-0008052
1050 Lower South St
New York, 10567
lpalazzo@jeeter.com
4424037621

Sample: SNYJTR0804-PEIP-0017531

Strain: Maui Wowie, Unit Weight: 1.0000g
Batch#: DFNY-MAUWOW-072825, Batch Size: 1800 Units, LOT ID:
111000000000116
Date Sampled: 08/05/2025 09:23
Sample Received: 08/05/2025 09:23
Report Created: 09/20/2025 15:30
Sampling SOP 204

Infused Jeeter 1G Preroll Maui Wowie

Plant, Enhanced/Infused Preroll



Cannabinoids

SOP: SOP 801-NY

Instrument: Agilent Infinity II - 2779

Date/Time Tested: 08/05/2025
12:45

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	1,947.90	ND	ND	ND
CBDa	1,947.90	< LOQ	< LOQ	< LOQ
CBGa	1,947.90	0.62	6.19	6.19
CBG	1,947.90	0.65	6.47	6.47
CBD	2,576.02	ND	ND	ND
THCV	2,576.02	< LOQ	< LOQ	< LOQ
CBN	2,047.04	< LOQ	< LOQ	< LOQ
D9-THC	2,047.04	20.41	204.08	204.08
D8-THC	2,047.04	ND	ND	ND
(6aR,9S)-d10-THC	2,576.02	ND	ND	ND
(6aR,9R)-d10-THC	2,047.04	ND	ND	ND
CBC	2,047.04	0.31	3.09	3.09
THCa	2,576.02	22.13	221.28	221.28
Total CBD		ND	ND	ND
Total THC		39.81	398.14	398.14
Total Cannabinoids		44.11	441.11	441.11

Report notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBDT
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Tested

Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: BioRad CFX qPCR - 3195 / 35C Incubator - 1032 / 28C Incubator - 1034

Date/Time Tested: 08/05/2025
17:08

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100		ND	Tested
E. Coli		0	ND	Passed
Yeast & Mold	100		ND	Tested
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Water Activity

SOP: SOP 206-NY

Date/Time Tested: 08/05/2025
13:44

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	0.62	Passed

Moisture

SOP: SOP 205-NY

Instrument: Shimadzu Moisture Meter - 2560

Date/Time Tested: 08/05/2025
13:37

Analyte	Limit (%)	%	Status
Moisture	15	11.8	Passed

Pass

Pass



* Note: Rev01: Added UID



Kimberly Krisolofsky
Lead Technical Director

DF New York One, Inc. - Jeeter

Order No.: ONYJTR0804-0008052

1050 Lower South St

New York, 10567

lpalazzo@jeeter.com

4424037621

Sample: SNYJTR0804-PEIP-0017531

Strain: Maui Wowie, Unit Weight: 1.0000g

Batch#: DFNY-MAUWOW-072825, Batch Size: 1800 Units, LOT ID:

111000000000116

Date Sampled: 08/05/2025 09:23

Sample Received: 08/05/2025 09:23

Report Created: 09/20/2025 15:30

Sampling SOP 204

Infused Jeeter 1G Preroll Maui Wowie

Plant, Enhanced/Infused Preroll



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 08/05/2025 14:19

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	2.4912	Passed	a-Phellandrene	164		ND	Tested
Limonene	164		1.0318	Tested	d-3-Carene	164		< LOQ	Tested
b-Caryophyllene	164		0.3837	Tested	a-Terpinene	164		ND	Tested
Linalool	164		0.2778	Tested	p-Cymene	164		ND	Tested
b-Myrcene	164		0.1319	Tested	Eucalyptol	164		ND	Tested
a-Bisabolol	164		0.1218	Tested	Terpinolene	164		< LOQ	Tested
a-Humulene	164		0.1006	Tested	Sabinene Hydrate	164		ND	Tested
Terpineol	164		0.0563	Tested	Fenchone	164		ND	Tested
b-Pinene	164		0.0552	Tested	Isopulegol	164		ND	Tested
Geraniol	164		0.0457	Tested	Camphor	164		ND	Tested
Fenchol	164		0.0431	Tested	Isoborneol	164		ND	Tested
Caryophyllene Oxide	164		0.0404	Tested	DL-Menthol	164		ND	Tested
cis-Nerolidol	164		0.0374	Tested	Borneol	164		< LOQ	Tested
Guaiol	164		0.0363	Tested	Nerol	164		ND	Tested
trans-b-Farnesene	164		0.0348	Tested	Pulegone	164		ND	Tested
trans-Nerolidol	164		0.0334	Tested	Geranyl Acetate	164		ND	Tested
g-Terpinene	164		0.0319	Tested	a-Cedrene	164		ND	Tested
a-Pinene	164		0.0292	Tested	Valencene	164		ND	Tested
Camphene	164		ND	Tested	Cedrol	164		ND	Tested
Sabinene	164		ND	Tested	trans-b-Ocimene	164		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



* Note: Rev01: Added UID

DF New York One, Inc. - Jeeter

Order No.: ONYJTR0804-0008052

1050 Lower South St

New York, 10567

lpalazzo@jeeter.com

4424037621

Sample: SNYJTR0804-PEIP-0017531

Strain: Maui Wowie, Unit Weight: 1.0000g

Batch#: DFNY-MAUWOW-072825, Batch Size: 1800 Units, LOT ID:

111000000000116

Date Sampled: 08/05/2025 09:23

Sample Received: 08/05/2025 09:23

Report Created: 09/20/2025 15:30

Sampling SOP 204

Infused Jeeter 1G Preroll Maui Wowie

Plant, Enhanced/Infused Preroll



Residual Solvents

SOP: SOP 612-NY

Instrument: MS - 2544 / HS - 2542 / Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 08/06/2025 15:14

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	38	5,000	217.0	Passed
Acetonitrile	15	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	38	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	192	5,000	448.8	Passed
Ethyl Acetate	192	5,000	< LOQ	Passed
Ethyl Ether	19	5,000	ND	Passed
DMSO	96	5,000	ND	Passed
Heptane	19	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	192	5,000	< LOQ	Passed
Methanol	115	3,000	213.9	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	58	5,000	ND	Passed
Propane	19	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	48	1,500	ND	Passed
Xylenes	254	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	19	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

DF New York One, Inc. - Jeeter

Order No.: ONYJTR0804-0008052

1050 Lower South St

New York, 10567

lpalazzo@jeeter.com

4424037621

Sample: SNYJTR0804-PEIP-0017531

Strain: Maui Wowie, Unit Weight: 1.0000g

Batch#: DFNY-MAUWOW-072825, Batch Size: 1800 Units, LOT ID:

111000000000116

Date Sampled: 08/05/2025 09:23

Sample Received: 08/05/2025 09:23

Report Created: 09/20/2025 15:30

Sampling SOP 204

Infused Jeeter 1G Preroll Maui Wowie

Plant, Enhanced/Infused Preroll



Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LCMS 2546 - 2546

Date/Time Tested: 08/05/2025 14:40

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.8		ND	Tested
B2	4.8		ND	Tested
G1	4.8		ND	Tested
G2	4.8		ND	Tested
Ochratoxin A	4.8	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 08/06/2025 09:12

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.176	2.000	ND	Passed
Arsenic	0.176	0.200	ND	Passed
Cadmium	0.176	0.200	ND	Passed
Chromium	0.176	110.000	< LOQ	Passed
Copper	0.211	30.000	3.568	Passed
Mercury	0.042	0.100	< LOQ	Passed
Nickel	0.211	5.000	ND	Passed
Lead	0.176	0.500	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Certificate of Analysis

Amended

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

DF New York One, Inc. - Jeeter

Order No.: ONYJTR0804-0008052

1050 Lower South St

New York, 10567

lpalazzo@jeeter.com

4424037621

Sample: SNYJTR0804-PEIP-0017531

Strain: Maui Wowie, Unit Weight: 1.0000g

Batch#: DFNY-MAUWOW-072825, Batch Size: 1800 Units, LOT ID:
111000000000116

Date Sampled: 08/05/2025 09:23

Sample Received: 08/05/2025 09:23

Report Created: 09/20/2025 15:30

Sampling SOP 204

Infused Jeeter 1G Preroll Maui Wowie

Plant, Enhanced/Infused Preroll



Pesticides

SOP: SOP 814-NY

Instrument: Agilent LCMS 2546 - 2546 / Agilent GCMS 2541 - 2541

Date/Time Tested: 08/05/2025 10:55

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.48	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed



* Note: Rev01: Added UID

Kimberly Krisolofsky

Kimberly Krisolofsky
Lead Technical Director



Certificate of Analysis

Amended

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

DF New York One, Inc. - Jeeter

Order No.: ONYJTR0804-0008052

1050 Lower South St

New York, 10567

lpalazzo@jeeter.com

4424037621

Sample: SNYJTR0804-PEIP-0017531

Strain: Maui Wowie, Unit Weight: 1.0000g

Batch#: DFNY-MAUWOW-072825, Batch Size: 1800 Units, LOT ID:

111000000000116

Date Sampled: 08/05/2025 09:23

Sample Received: 08/05/2025 09:23

Report Created: 09/20/2025 15:30

Sampling SOP 204

Infused Jeeter 1G Preroll Maui Wowie

Plant, Enhanced/Infused Preroll



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



* Note: Rev01: Added UID

Kimberly Krisolofsky
Lead Technical Director