

DF New York One, Inc. - Jeeter

Order No.: ONYJTR1017-0009703

1050 Lower South St

New York, 10567

lpalazzo@jeeter.com

4424037621

OCM-PROC-24-000153

Sample: SNYJTR1017-PEIP-0020168

Strain: Maui Wowie, Unit Weight: 2.0000g

Batch#: DFNY-MAUWOW-101325, Batch Size: 523 Units, LOT ID:

111000000000290

Date Sampled: 10/17/2025 00:00

Sample Received: 10/17/2025 15:04

Report Created: 11/21/2025 11:30

Sampling SOP 204

Infused Jeeter XL 2G Preroll Maui Wowie

Plant, Enhanced/Infused Preroll



Results

385.90 mg/unit

THCa

370.92 mg/unit

D9-THC

ND

Total CBD

709.36 mg/unit

Total THC

781.78 mg/unit

Total Cannabinoids


2.051%

Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Pass	Microbials Pass
Water Activity Pass	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



DF New York One, Inc. - Jeeter

Order No.: ONYJTR1017-0009703
1050 Lower South St
New York, 10567
lpalazzo@jeeter.com
4424037621
OCM-PROC-24-000153

Sample: SNYJTR1017-PEIP-0020168

Strain: Maui Wowie, Unit Weight: 2.0000g
Batch#: DFN-Y-MAUWOW-101325, Batch Size: 523 Units, LOT ID:
111000000000290
Date Sampled: 10/17/2025 00:00
Sample Received: 10/17/2025 15:04
Report Created: 11/21/2025 11:30
Sampling SOP 204

Infused Jeeter XL 2G Preroll Maui Wowie

Plant, Enhanced/Infused Preroll



Cannabinoids

SOP: SOP 801-NY

Instrument: Shimadzu HPLC 1614

- 1614 / Shimadzu HPLC 2001 -

2001 / Agilent HPLC 2518 - 2518

Date/Time Tested: 10/21/2025

14:01

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	1,123.74	ND	ND	ND
CBDa	1,123.74	ND	ND	ND
CBGa	1,123.74	0.76	7.62	15.24
CBG	1,123.74	0.33	3.33	6.66
CBD	1,123.74	< LOQ	< LOQ	< LOQ
THCV	1,123.74	< LOQ	< LOQ	< LOQ
CBN	1,100.18	0.15	1.53	3.06
D9-THC	1,051.76	18.55	185.46	370.92
D8-THC	1,051.76	ND	ND	ND
(6aR,9S)-d10-THC	1,100.18	ND	ND	ND
(6aR,9R)-d10-THC	1,123.74	< LOQ	< LOQ	< LOQ
CBC	1,100.18	< LOQ	< LOQ	< LOQ
THCa	1,123.74	19.30	192.95	385.90
Total CBD		ND	ND	ND
Total THC		35.47	354.68	709.36
Total Cannabinoids		39.09	390.89	781.78

Report notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Tested

Moisture

SOP: SOP 205-NY

Instrument: Shimadzu Moisture

Meter - 2560

Date/Time Tested: 10/21/2025

11:19

Analyte	Limit (%)	%	Status
Moisture	15	6.8	Passed

Pass

Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: BioRad CFX qPCR -

3195 / 35C Incubator - 1032 / 28C

Incubator - 1034

Date/Time Tested: 10/20/2025

15:42

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100		303	Tested
E. Coli		0	ND	Passed
Yeast & Mold	100		ND	Tested
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Pass

Water Activity

SOP: SOP 206-NY

Date/Time Tested: 10/21/2025

11:12

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	0.53	Passed

Pass

DF New York One, Inc. - Jeeter

Order No.: ONYJTR1017-0009703

1050 Lower South St

New York, 10567

lpalazzo@jeeter.com

4424037621

OCM-PROC-24-000153

Sample: SNYJTR1017-PEIP-0020168

Strain: Maui Wowie, Unit Weight: 2.0000g

Batch#: DFNY-MAUWOW-101325, Batch Size: 523 Units, LOT ID:

111000000000290

Date Sampled: 10/17/2025 00:00

Sample Received: 10/17/2025 15:04

Report Created: 11/21/2025 11:30

Sampling SOP 204

Infused Jeeter XL 2G Preroll Maui Wowie

Plant, Enhanced/Infused Preroll



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 10/21/2025 14:53

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	2.0508	Passed	Sabinene	76		0.0096	Tested
Limonene	76		0.6970	Tested	Borneol	76		0.0089	Tested
b-Caryophyllene	76		0.3051	Tested	Pulegone	76		0.0089	Tested
Linalool	76		0.2592	Tested	Camphene	76		ND	Tested
Terpinolene	76		0.1187	Tested	a-Phellandrene	76		ND	Tested
b-Myrcene	76		0.0872	Tested	d-3-Carene	76		ND	Tested
a-Humulene	76		0.0765	Tested	a-Terpinene	76		< LOQ	Tested
trans-b-Farnesene	76		0.0706	Tested	p-Cymene	76		ND	Tested
Terpineol	76		0.0618	Tested	Eucalyptol	76		< LOQ	Tested
a-Bisabolol	76		0.0573	Tested	Sabinene Hydrate	76		ND	Tested
b-Pinene	76		0.0430	Tested	Fenchone	76		ND	Tested
Geraniol	76		0.0388	Tested	Isopulegol	76		ND	Tested
Fenchol	76		0.0364	Tested	Camphor	76		ND	Tested
trans-Nerolidol	76		0.0319	Tested	Isoborneol	76		ND	Tested
Guaiol	76		0.0315	Tested	DL-Menthol	76		ND	Tested
g-Terpinene	76		0.0291	Tested	Nerol	76		ND	Tested
trans-b-Ocimene	76		0.0234	Tested	Geranyl Acetate	76		ND	Tested
a-Pinene	76		0.0224	Tested	a-Cedrene	76		ND	Tested
Caryophyllene Oxide	76		0.0212	Tested	Valencene	76		ND	Tested
cis-Nerolidol	76		0.0124	Tested	Cedrol	76		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

DF New York One, Inc. - Jeeter

Order No.: ONYJTR1017-0009703

1050 Lower South St

New York, 10567

lpalazzo@jeeter.com

4424037621

OCM-PROC-24-000153

Sample: SNYJTR1017-PEIP-0020168

Strain: Maui Wowie, Unit Weight: 2.0000g

Batch#: DFNY-MAUWOW-101325, Batch Size: 523 Units, LOT ID:

111000000000290

Date Sampled: 10/17/2025 00:00

Sample Received: 10/17/2025 15:04

Report Created: 11/21/2025 11:30

Sampling SOP 204

Infused Jeeter XL 2G Preroll Maui Wowie

Plant, Enhanced/Infused Preroll



Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 1333 - 1333

Date/Time Tested: 10/21/2025 17:28

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	ND	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	< LOQ	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	< LOQ	Passed
Methanol	1,500	3,000	< LOQ	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Assay Note:

Amended REV01: Corrected LOQ for Acetonitrile. EIR-HNY-25033

DF New York One, Inc. - Jeeter

Order No.: ONYJTR1017-0009703

1050 Lower South St

New York, 10567

lpalazzo@jeeter.com

4424037621

OCM-PROC-24-000153

Sample: SNYJTR1017-PEIP-0020168

Strain: Maui Wowie, Unit Weight: 2.0000g

Batch#: DFN-Y-MAUWOW-101325, Batch Size: 523 Units, LOT ID:

111000000000290

Date Sampled: 10/17/2025 00:00

Sample Received: 10/17/2025 15:04

Report Created: 11/21/2025 11:30

Sampling SOP 204

Infused Jeeter XL 2G Preroll Maui Wowie

Plant, Enhanced/Infused Preroll



Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LCMS 2546 - 2546

Date/Time Tested: 10/22/2025 18:21

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.6		ND	Tested
B2	4.6		ND	Tested
G1	4.6		ND	Tested
G2	4.6		ND	Tested
Ochratoxin A	4.6	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 10/21/2025 10:35

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.182	2.000	ND	Passed
Arsenic	0.182	0.200	ND	Passed
Cadmium	0.182	0.200	ND	Passed
Chromium	0.182	110.000	< LOQ	Passed
Copper	0.218	30.000	4.245	Passed
Mercury	0.044	0.100	ND	Passed
Nickel	0.218	5.000	< LOQ	Passed
Lead	0.182	0.500	< LOQ	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

DF New York One, Inc. - Jeeter

Order No.: ONYJTR1017-0009703
 1050 Lower South St
 New York, 10567
 lpalazzo@jeeter.com
 4424037621
 OCM-PROC-24-000153

Sample: SNYJTR1017-PEIP-0020168

Strain: Maui Wowie, Unit Weight: 2.0000g
 Batch#: DFNY-MAUWOW-101325, Batch Size: 523 Units, LOT ID:
 111000000000290
 Date Sampled: 10/17/2025 00:00
 Sample Received: 10/17/2025 15:04
 Report Created: 11/21/2025 11:30
 Sampling SOP 204

Infused Jeeter XL 2G Preroll Maui Wowie
 Plant, Enhanced/Infused Preroll



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546

Date/Time Tested: 10/19/2025 12:48

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.36	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.47	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed

DF New York One, Inc. - Jeeter

Order No.: ONYJTR1017-0009703
 1050 Lower South St
 New York, 10567
 lpalazzo@jeeter.com
 4424037621
 OCM-PROC-24-000153

Sample: SNYJTR1017-PEIP-0020168

Strain: Maui Wowie, Unit Weight: 2.0000g
 Batch#: DFNY-MAUWOW-101325, Batch Size: 523 Units, LOT ID:
 111000000000290
 Date Sampled: 10/17/2025 00:00
 Sample Received: 10/17/2025 15:04
 Report Created: 11/21/2025 11:30
 Sampling SOP 204

Infused Jeeter XL 2G Preroll Maui Wowie
 Plant, Enhanced/Infused Preroll



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.09	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.