



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0547.2059
 Batch #: DFLR-OGKUSH-030226



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22481

(Jeeter) AIO OG KUSH LIVE RESIN 1G VAPE

Batch #: DFLR-OGKUSH-030226

Strain: Og Kush

Parent Batch #:

Production Method: Butane

Harvest Date: 01/22/2026

Received: 03/12/2026

Sample ID: 2603SMAZ0547.2059

Amount Received: 11.8 g

Sample Type: Vape

Sample Collected: 03/12/2026 10:39:00

Manufacture Date: 03/02/2026

Published: 03/17/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)
Tested

Microbial Contaminants
Pass

Residual Solvents
Pass

Pesticides, Fungicides,
 and Growth Regulators
Pass

Mycotoxins
Pass

Heavy Metals
Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3)
Tested

Moisture Analysis (Q3)
Not Tested

Water Activity (Q3)
Not Tested

Filth & Foreign (Q3)
Not Tested

Homogeneity (Q3)
Not Tested

Additional Microbial
 Contaminants (Q3)
Not Tested

80.1246%
 Total THC

0.1656%
 Total CBD

0.3689%
 CBN

0.4588%
 CBG

84.9799%
 Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0547.2059
 Batch #: DFLR-OGKUSH-030226



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22481

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 03/13/2026
 SOP: 418.AZ
 Batch Number: 5499
 Test ID: 124136

Sample Analysis

Date: 03/16/2026
 SOP: 417.AZ - HPLC
 Sample Weight: 0.0430 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3000	0.9090	1	ND	ND	
CBD	0.3000	0.9090	1	<LOQ	<LOQ	
CBDA	0.3000	0.9090	1	0.1888	1.8880	
CBDV	0.3000	0.9090	1	ND	ND	
CBG	0.3000	0.9090	1	0.4588	4.5880	
CBGA	0.3000	0.9090	1	0.7640	7.6400	
CBN	0.3000	0.9090	1	0.3689	3.6890	
d8-THC	0.3000	0.9090	1	ND	ND	
d9-THC	0.3000	0.9090	1	60.3466	603.4660	
THCA	0.3000	0.9090	1	22.5519	225.5190	
THCV	0.3000	0.9090	1	0.3008	3.0080	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	80.1246	801.2460	
Total CBD	0.1656	1.6560	
Total Cannabinoids	84.9799	849.7990	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0547.2059
 Batch #: DFLR-OGKUSH-030226



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22481

Terpene Total

GC-FID **Tested (7.6958%)**


Sample Prep

Batch Date: 03/13/2026
 SOP: 419
 Batch Number: 5497

Sample Analysis

Date: 03/17/2026
 SOP: 419 - GC-FID
 Sample Weight: 0.404 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0030	1	0.0120	Q3	gamma-Terpinene	0.0010 / 0.0030	1	0.0053	Q3
alpha-Cedrene	0.0010 / 0.0030	1	ND	Q3	Geraniol	0.0010 / 0.0030	1	ND	Q3
alpha-Humulene	0.0010 / 0.0030	1	0.5978	Q3	Geranyl acetate	0.0010 / 0.0030	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0030	1	<LOQ	Q3	Guaiol	0.0010 / 0.0030	1	0.0235	Q3
alpha-Pinene	0.0010 / 0.0030	1	0.2200	Q3	Hexahydrothymol	0.0010 / 0.0030	1	0.0073	Q3
alpha-Terpinene	0.0010 / 0.0030	1	0.0054	Q3	Isoborneol	0.0010 / 0.0030	1	ND	Q3
beta-Myrcene	0.0010 / 0.0030	1	1.0660	Q3	Isopulegol	0.0010 / 0.0030	1	ND	Q3
beta-Pinene	0.0010 / 0.0030	1	0.2809	Q3	Limonene	0.0010 / 0.0030	1	2.0978	Q3
Borneol	0.0010 / 0.0030	1	0.0088	Q3	Linalool	0.0010 / 0.0030	1	0.3616	Q3
Camphene	0.0010 / 0.0030	1	0.0764	Q3	Nerol	0.0010 / 0.0030	1	ND	Q3
Camphor	0.0010 / 0.0030	1	ND	Q3	Pulegone (+)	0.0010 / 0.0030	1	ND	Q3
3-Carene	0.0010 / 0.0030	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0030	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0030	1	0.0149	Q3	Terpineol	0.0010 / 0.0030	1	0.0169	Q3
Cedrol	0.0010 / 0.0030	1	0.0061	Q3	Terpinolene	0.0010 / 0.0030	1	0.0398	Q3
cis-Nerolidol	0.0010 / 0.0030	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0030	1	2.6584	Q3
cis-Ocimene	0.0010 / 0.0030	1	0.0040	Q3	trans-Nerolidol	0.0010 / 0.0030	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0030	1	0.1177	Q3	trans-Ocimene	0.0010 / 0.0030	1	0.0695	Q3
Eucalyptol	0.0010 / 0.0030	1	ND	Q3	Valencene	0.0010 / 0.0030	1	ND	Q3
Fenchone	0.0010 / 0.0030	1	0.0058	Q3					



Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0547.2059
 Batch #: DFLR-OGKUSH-030226



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22481

Microbial Analysis
Pass

Sample Prep

Batch Date: 03/13/2026
 SOP: 412.AZ
 Batch Number: 5504
 Test ID: 124198

Sample Analysis

Date: 03/16/2026
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.036 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 03/13/2026
 SOP: 406.AZ
 Batch Number: 5507
 Test ID: 124204

Sample Analysis

Date: 03/16/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.002 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 03/13/2026
 SOP: 406.AZ
 Batch Number: 5507
 Test ID: 124206

Sample Analysis

Date: 03/16/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.002 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0547.2059
 Batch #: DFLR-OGKUSH-030226



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22481

Residual Solvents

HS-GC-MS **Pass**

Sample Prep

Batch Date: 03/13/2026
 SOP: 405.AZ
 Batch Number: 5492
 Test ID: 124137

Sample Analysis

Date: 03/16/2026
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.0540 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	124 / 370	1	1000	ND		Heptane	617 / 1852	1	5000	ND	
Acetonitrile	51 / 152	1	410	ND		Hexanes	36 / 107	1	290	ND	
Benzene	0.24 / 0.74	1	2	ND		Isopropyl acetate	617 / 1852	1	5000	ND	
Butanes	154 / 463	1	5000	<LOQ		Methanol	370 / 1111	1	3000	ND	
Chloroform	7 / 22	1	60	ND		Pentanes	154 / 463	1	5000	ND	
Dichloromethane	74 / 222	1	600	ND		2-Propanol (IPA)	617 / 1852	1	5000	ND	
Ethanol	617 / 1852	1	5000	ND		Toluene	110 / 330	1	890	ND	
Ethyl acetate	617 / 1852	1	5000	ND		Xylenes	269 / 804	1	2170	ND	
Ethyl ether	617 / 1852	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0547.2059
 Batch #: DFLR-OGKUSH-030226



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22481

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 03/13/2026
 SOP: 428.AZ
 Batch Number: 5494
 Test ID: 124138

Sample Analysis
 Date: 03/13/2026
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.210 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.057	0.191	10	0.4	ND	
Cadmium	0.057	0.191	10	0.4	ND	
Lead	0.057	0.476	10	1	<LOQ	
Mercury	0.057	0.095	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 03/13/2026
 SOP: 432.AZ
 Batch Number: 5496
 Test ID: 124141

Sample Analysis
 Date: 03/16/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.557 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.59	8.98	1	20	ND	
Aflatoxin B1	3.59	8.98	1		ND	
Aflatoxin B2	3.59	8.98	1		ND	I1
Aflatoxin G1	3.59	8.98	1		ND	
Aflatoxin G2	3.59	4.49	1		ND	
Ochratoxin A	8.98	8.98	1	20	ND	I1, R1

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0547.2059
 Batch #: DFLR-OGKUSH-030226



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22481

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 03/13/2026
 SOP: 432.AZ
 Batch Number: 5496
 Test ID: 124140

Sample Analysis

Date: 03/16/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.557 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.075 / 0.224	1	0.5	ND		Hexythiazox	0.150 / 0.449	1	1	ND	
Acephate	0.060 / 0.180	1	0.4	ND		Imazalil	0.030 / 0.090	1	0.2	ND	
Acetamiprid	0.030 / 0.090	1	0.2	ND		Imidacloprid	0.060 / 0.180	1	0.4	ND	
Aldicarb	0.060 / 0.180	1	0.4	ND		Kresoxim-methyl	0.060 / 0.180	1	0.4	ND	
Azoxystrobin	0.030 / 0.090	1	0.2	ND		Malathion	0.030 / 0.090	1	0.2	ND	
Bifenazate	0.030 / 0.090	1	0.2	ND	V1	Metaxyl	0.030 / 0.090	1	0.2	ND	
Bifenthrin	0.030 / 0.090	1	0.2	ND		Methiocarb	0.030 / 0.090	1	0.2	ND	
Boscalid	0.060 / 0.180	1	0.4	ND		Methomyl	0.060 / 0.180	1	0.4	ND	
Carbaryl	0.030 / 0.090	1	0.2	ND		Myclobutanil	0.030 / 0.090	1	0.2	ND	
Carbofuran	0.030 / 0.090	1	0.2	ND		Naled	0.075 / 0.224	1	0.5	ND	
Chlorantraniliprole	0.030 / 0.090	1	0.2	ND		Oxamyl	0.150 / 0.449	1	1	ND	
Chlorfenapyr	0.150 / 0.449	1	1	ND	I1	Pacllobutrazol	0.060 / 0.180	1	0.4	ND	
Chlorpyrifos	0.030 / 0.090	1	0.2	ND		Permethrins	0.030 / 0.090	1	0.2	ND	
Clofentezine	0.030 / 0.090	1	0.2	ND		Phosmet	0.030 / 0.090	1	0.2	ND	
Cyfluthrin	0.150 / 0.449	1	1	ND		Piperonyl Butoxide	0.299 / 0.898	1	2	ND	
Cypermethrin	0.150 / 0.449	1	1	ND		Prallethrin	0.030 / 0.090	1	0.2	ND	
Daminozide	0.150 / 0.449	1	1	ND		Propiconazole	0.060 / 0.180	1	0.4	ND	
Diazinon	0.030 / 0.090	1	0.2	ND		Propoxur	0.030 / 0.090	1	0.2	ND	
Dichlorvos	0.015 / 0.045	1	0.1	ND		Pyrethrins	0.125 / 0.376	1	1	ND	
Dimethoate	0.030 / 0.090	1	0.2	ND		Pyridaben	0.030 / 0.090	1	0.2	ND	
Ethoprophos	0.030 / 0.090	1	0.2	ND		Spinosad	0.030 / 0.090	1	0.2	ND	
Etofenprox	0.060 / 0.180	1	0.4	ND		Spiromesifen	0.030 / 0.090	1	0.2	ND	
Etoxazole	0.030 / 0.090	1	0.2	ND		Spirotetramat	0.030 / 0.090	1	0.2	ND	
Fenoxycarb	0.030 / 0.090	1	0.2	ND		Spiroxamine	0.060 / 0.180	1	0.4	ND	
Fenpyroximate	0.060 / 0.180	1	0.4	ND		Tebuconazole	0.060 / 0.180	1	0.4	ND	
Fipronil	0.060 / 0.180	1	0.4	ND	I1, L1 V1	Thiacloprid	0.030 / 0.090	1	0.2	ND	
Fonicamid	0.150 / 0.449	1	1	ND		Thiamethoxam	0.030 / 0.090	1	0.2	ND	
Fludioxonil	0.060 / 0.180	1	0.4	ND		Trifloxystrobin	0.030 / 0.090	1	0.2	ND	

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0547.2059
 Batch #: DFLR-OGKUSH-030226



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22481

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Jeeter
 2626 South Roosevelt Street
 Tempe, AZ 85282
 License #: 00000066DCBO00410690
 Sample ID: 2603SMAZ0547.2059
 Batch #: DFLR-OGKUSH-030226



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 22481

Notes: Method of Extraction: Butane



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>