

SPRING & SUMMER 2025

KING RULES THE METAL SHOP



LEVAC

Health & Safety • Training • Consulting
Industrial • Construction • Safety
Supplies & Equipment

Kingston, ON.
25 Railway St. K7K 2L7
613-546-6663
Toll Free 1-800-267-0920

Brockville, ON.
330 Laurier Blvd. K6V 7L9
613-345-1991
Toll Free 1 877 270 0317

levacsupply.com

PRICES IN EFFECT UNTIL JUNE 30TH, 2025

DVR WITH ADAPTIVE CONTROL™ SOFTWARE

nova VIKING
BY/PA: **KING INDUSTRIAL dvr™**

16" NOVA VIKING BENCHTOP DVR DRILL PRESS

- 83702
- Powerful direct drive 1 HP high torque motor with no pulleys or belts
 - Spindle taper MT #2
 - Comes with 5/8" drill chuck & key, firmware USB cable



NEW

\$1549.99

STATIONARY 6.5 PEAK HP 60 GALLON AIR COMPRESSOR

- KC-6160V2
- 150 PSI max pressure
 - 13.4 CFM @ 40 PSI
 - 11.2 CFM @ 90 PSI

2 cylinder cast iron single stage oil lubricated pump

\$1099.

Thermally protected Marathon® 6.5 peak HP motor with reset



7" X 12" METAL CUTTING BANDSAW

- KC-712BC
- 11.5 Amp. motor • Coolant system
 - Adjustable ball bearing guides
 - 4 speeds (85-130-180-235 FPM)

\$1899.



The Most Innovative Drill Presses

Safety Guard with Limit Switch



83750
Fits #83702 & #83705
\$399.

16" NOVA VIKING DVR DRILL PRESS

- 83705
- Powerful direct drive 1 HP high torque motor with no pulleys or belts
 - Spindle taper MT #2
 - Comes with 5/8" drill chuck & key, firmware USB cable

\$1699.

Safety Guard with Limit Switch



58501
Fits #58006
\$399.

18" NOVA VOYAGER DVR DRILL PRESS

- 58006
- Powerful direct drive 1.75 HP high torque motor with no pulleys or belts
 - Spindle taper MT #2
 - Comes with 5/8" drill chuck & key, firmware USB cable

\$2399.

MILLING DRILLING MACHINE with SAFETY GUARD & LIMIT SWITCH

- PDM-30
- 16 1/2" swing
 - 1 1/4" Drilling capacity
 - 3" Face mill capacity
 - 5" stroke
 - Spindle taper R8

OPTIONAL
TABLE
POWERFEED
ATTACHMENT
PFM-32
For # PDM-30
\$679.



11 Amp. (220V)

\$2999.

5 PC. ACCESSORY BONUS PACKAGE FREE
INCLUDED WITH THE PURCHASE OF A PDM-30 MILLING DRILLING MACHINE
Includes: angle drill press vise, drill chuck with key, drill chuck arbor, carbide tipped face mill and face mill arbor

MILLING DRILLING MACHINE STAND
SS-45 **\$399.99**

PREMIUM HYBRID POLYMER GARDEN HOSES

- K-5058GH 5/8" x 50 ft. **\$45.**
K-10058GH 5/8" x 100 ft. **\$77.**

Extreme All-Weather Flexibility Kink resistant 150 PSI (Working) / 450 PSI (Burst)



Drill Presses with Digital Readout

12" BENCH VARIABLE SPEED DRILL PRESS

- KC-12HS-VS
- Powerful 1/2 HP, 5 Amp motor.
 - Variable speeds (580 - 3200 RPM)
 - Comes with 5/8" drill chuck, chuck key, onboard chuck key storage and adjustment hex. keys



Mechanical variable speed system

\$499.99

Mechanical variable speed system

15" FLOOR VARIABLE SPEED DRILL PRESS

- KC-15HS-VS
- Powerful 3/4 HP, 8.6 Amp. motor
 - 4" stroke capacity allows drilling workpieces up to 4" thick
 - Variable speeds 2 (280 - 1100/ 900-3300) RPM
 - Comes with 5/8" drill chuck, chuck key, onboard chuck key storage and adjustment hex. keys



\$699.99

10" BENCH GRINDER

- KC-1090N
- Powerful 1-1/2 HP, 13 Amp, 1,750 RPM low speed motor
 - Comes with medium 60 Grit and coarse 36 Grit 10" x 1" grinding wheels

\$349.99



POWERFUL 13 AMP. MOTOR

NEW

3200 PSI GASOLINE HIGH PRESSURE WASHER

- KPW-3200
- 3200 PSI, 2.5 GPM maximum water flow
 - Low oil shut-off system
 - Comes with stainless steel wand, 30' high pressure hose, garden hose inlet with screen filter, 12" wheels for portability and 5 quick connect nozzles (0°, 15°, 25°, 40° and detergent)

Powerful 7 HP, 4 stroke air cooled OHV engine

\$379.99



H.S.S. & BI-METAL BLADES ("SKIP TOOTH")						
Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-712-10	93"	3/4"	H.S.S.	10	.032"	\$29.99
KBB-712-14	93"	3/4"	H.S.S.	14	.032"	\$29.99
KBB-712-18	93"	3/4"	H.S.S.	18	.032"	\$29.99
KBB-712-BM-610	93"	3/4"	Bi-Metal	6-10	.032"	\$89.99
KBB-712-BM-1014	93"	3/4"	Bi-Metal	10-14	.032"	\$89.99

HYBRID POLYMER INDUSTRIAL AIR HOSES		
K-2514H	25x1/4"	\$21.99
K-2538H	25x3/8"	\$29.99
K-5014H	50x1/4"	\$33.99
K-5038H	50x3/8"	\$44.99
K-10014H	100x1/4"	\$54.99
K-10038H	100x3/8"	\$65.99

RETRACTABLE AIR HOSE 50 FT. x 3/8" REEL WITH HYBRID POLYMER AIR HOSE
K-5038FRL
• All-Weather Flexibility (-40°C to 65°C)
• Comes with wall mounting hardware
\$109.99

MANUAL AIR HOSE REEL WITH HYBRID POLYMER AIR HOSE
K-10014FRL
• 360° swivel base
• All-Weather Flexibility (-40°C to 65°C)
\$109.99

300 PSI MAXIMUM PRESSURE

HEPA CARTRIDGE FILTERS

HEPA (high-efficiency particulate air) filters are designed to capture all particles that are 0.3 microns or smaller

KVAC-1145

FITS: 8520LP, 8530LPN, 8531LP-B, 8540LST

KVAC-1150

Fits: 8560LST



\$39. EA.

8520LP

- Powerful 3.5 Peak HP motor
- 5 US Gallon (20L)
- Comes complete with 6 ft. x 1-1/4" thread-on hose, 3 pc. plastic extension wand, 20L dust bag, foam filter, reusable filter, 10" floor sweep and crevice tool



\$69.99

Tank water drain

8530LPN

- Powerful 4 Peak HP motor
- 8 US Gallon (30L)
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. plastic extension wand, 30L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool



\$89.99

8540LSTN

- Powerful 5 Peak HP motor
- 10 US Gallon (40L)
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. extension wand, 40L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool



\$179.99

Tank water drain

8560LST

- Powerful 6.5 Peak HP motor
- 16 US Gallon (60L)
- Convenient 18 ft. power cord
- Comes complete with 8 ft. x 2-1/2" flex hose, 2 pc. 2-1/2" extension wand, handle with air control, cartridge filter, foam filter, 14" floor sweep with squeegee insert, gulper tool, crevice tool and hanging accessory storage bag



\$299.99

5.5 PEAK HP 20 GALLON AIR COMPRESSOR

KC-2051H2

- 150 PSI max pressure
- 7.6 CFM @ 40 PSI
- 6.0 CFM @ 90 PSI

2 cylinder cast iron single stage oil lubricated pump

\$749.

ASME safety valve



AIR COMPRESSORS & ACCESSORIES



SPRAY GUN KITS

8180



\$39.99

8182



\$49.99

8185



\$69.99

8190 HVLP



\$79.99

8195



\$99.99

5.5 PEAK HP 24 GALLON AIR COMPRESSOR

KC-3124V2

- 150 PSI max pressure
- 7.6 CFM @ 40 PSI
- 6.0 CFM @ 90 PSI

2 cylinder cast iron single stage oil lubricated pump



\$875.

ASME safety valve

HIGH OUTPUT 6.5 PEAK HP 60 GALLON AIR COMPRESSOR

KC-5160V2

- 150 PSI max pressure
- 22.6 CFM @ 40 PSI
- 18.5 CFM @ 100 PSI

3 cylinder cast iron single stage oil lubricated pump



\$1499.

ASME safety valve

TIRE INFLATION GUN WITH PRESSURE GAUGE K-1630



\$23.99

COMPRESSOR OIL BOTTLE KW-077 (850ml)



\$9.99

INDUSTRIAL 2-STAGE AIR COMPRESSORS

2-STAGE 5 RUNNING HP 80 GALLON AIR COMPRESSOR

KC-5280V3-MS

- 200 PSI max pressure
- 19 CFM @ 175 PSI

2 cylinder cast iron 2-stage oil lubricated pump



\$3499.

Comes with magnetic starter

ASME safety valve

2-STAGE 7.5 RUNNING HP 80 GALLON AIR COMPRESSOR

KC-7280V3-MS

- 200 PSI max pressure
- 24 CFM @ 175 PSI

2 cylinder cast iron 2-stage oil lubricated pump



\$3999.

Comes with magnetic starter

ASME safety valve

2" X 42" BELT & 8" DISC SANDER

KC-770FX

- Powerful 1 HP, 6.2 Amp direct drive motor
- Both a 1" and a 2" sanding belt can be installed
- Comes with 1" x 42" sanding belt, 2" x 42" sanding belt, 1" & 2" belt platens, 2 x 8" adhesive sanding discs, miter gauge and adjustment hex. keys

NEW & IMPROVED WITH SAFETY GUARDS



\$499. 1 HP Motor

2" x 42" PURE ZIRCONIA SANDING BELTS

Model	Belt Size	Grit	Unit	Price
SB-242-60Z	2"x42"	60	1	\$9.99
SB-242-80Z	2"x42"	80	1	\$9.99
SB-242-100Z	2"x42"	100	1	\$9.99
SB-242-120Z	2"x42"	120	1	\$9.99

PURE ZIRCONIA 8" SANDING DISCS

Model	Disc Size	Grit	Unit	Price
SB-8-60Z	8"	60	1	\$9.99
SB-8-80Z	8"	80	1	\$9.99
SB-8-100Z	8"	100	1	\$9.99
SB-8-120Z	8"	120	1	\$9.99

10" WET/DRY SHARPENER KIT

KC-4900S

- 1.6 Amp. motor quietly rotates at 115 RPM for maximum precision during sharpening
- Comes with angle guide honing compound and a square edge jig for sharpening a variety of blades and wood chisels



\$229.99

OPTIONAL

4 pc. Accessory Kit

KM-130

(Short knife jig, long knife jig, scissors jig & axe jig)



\$69.99

8" LOW SPEED LONG SHAFT BUFFER

KC-899LSB

- Powerful 1/2 HP motor
- Arbor shaft diameter: 5/8"
- Motor no load speed: 1,750 RPM
- Comes with two 8" x 1/2" spiral sewn cloth buffing wheels



\$159.99

2PC. 8" X 1/2" BUFFING WHEEL KIT KM-131

\$39.99

BENCH GRINDER STAND

SS-150N

- Made of cast-iron & alloy steel
- Height of 31-1/2" from the floor
- Water reservoir for quenching workpieces



\$79.99

BENCH GRINDERS 6"

KC-690LN

• 3450 RPM

Built-in LED lights

\$75.

\$139.

8" LOW SPEED BENCH GRINDER WITH LIGHT

KC-895LS

Comes complete with diamond wheel dressing tool, tool rests, eye shields, course 60 grit and fine 120 Grit 8" x 1" white aluminum oxide grinding wheels

\$159.99



3" X 79" METAL BELT SANDER


Comes with Canadian made 80 Grit pure zirconia sanding belt



KC-379MS

- Sanding belt rotates on 7-1/2" vented drive wheel and solid rubber rear wheel for maximum tracking and sanding control
- Head pivots up or down on base for easy and safe work heights
- Horizontal working height of 36"

Hinged top cover for access to entire length of belt for larger pieces



3" x 79" PURE ZIRCONIA SANDING BELTS

Model	Belt Size	Grit	Unit	Price
SB-379-60	3"x79"	60	1	\$19.99
SB-379-80	3"x79"	80	1	\$19.99
SB-379-120	3"x79"	120	1	\$19.99

\$1099.

2 HP METAL DUST COLLECTOR

KC-7300C

- Powerful 2 HP, 220V motor
- 2 Step activation safety switch with line voltage interruption
- Ideal for collection of metal chips and abrasive dust produced by metal sanders, grinders, cold cut saws, deburring and chamfering machines
- Large metal chips collection drawer
- 6" inlet with Y-inlet adaptor with two 3" dust inlets allowing up to connect up to two metalworking machines
- Comes with large paper filter and iron activated carbon filter



\$1699.

FIREPROOF 3" METAL DUST COLLECTION HOSES KIT

KM-102

Kits Includes: 2 - 8ft. (2.5M) Fireproof hoses 4 - hose clamps (3")



\$79.99 RATED 130°C

DIGITAL FRACTIONAL CALIPER

KM-106

- Converts to inches (decimal and fractional) and metric readings
- Waterproof to IP54 standards
- Two 3V Lithium batteries included



\$35.



1.5 HP (220V) Direct Drive Motor

\$1699.

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND

KC-1295

- Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection
- Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

MAGNETIC SWITCHES

Comes with twist lock emergency stop button

\$129.99 ea.



KMAG-110-811	110V (8-11 Amp.)
KMAG-110-1114	110V (11-14 Amp.)
KMAG-110-1417	110V (14-17 Amp.)
KMAG-220-811	220V (8-11 Amp.)
KMAG-220-1114	220V (11-14 Amp.)
KMAG-220-1417	220V (14-17 Amp.)
KMAG-220-1721	220V (17-21 Amp.)

SANDBLAST CABINETS WITH LED LIGHT

- 4 different sized ceramic nozzles
- 2 rubber gauntlet gloves
- Dual large access doors allow user to sandblast longer pieces of metal (KSB-350-LED only)
- Comes with 5 replacement adhesive window protectors

LED light for improved visibility



KSB-110N-LED **\$199.99**
KSB-350-LED **\$699.**

ADHESIVE WINDOW PROTECTORS
KM-097 KM-098
Fits: KSB-110N-LED Fits: KSB-350-LED
5 PC. KIT 5 PC. KIT

REPLACEMENT CERAMIC NOZZLES
KM-036
Fits:
KSB-110N-LED
& KSB-350-LED
4 PC. KIT

\$29.99 **\$29.99** **\$29.99**

RECIRCULATING PARTS WASHERS

CLEANING BRUSH FOR PARTS WASHERS
KM-059



\$19.99



5 GALLON
KPW-205

- Safety lever has fusible link
- Durable pump included

\$89.99

20 GALLON
KPW-220

- Safety lever has fusible link
- Durable pump included

\$199.99

40 GALLON
KPW-240

- Safety lever has fusible link
- Durable pump included

\$299.99

VARIABLE SPEED HAND-HELD BLOWER/VACUUM

8317


- 116 CFM, max air speed 195 km/h (121 mph)
- Variable speed (6,000-14,000 RPM)
- Trigger lock-on button for continuous operation
- Comes complete with soft flexible rubber blower nozzle and a vacuum dust bag.



\$29.99

Vacuum mode

LED WORK LIGHTS



KC-3002LED-ST
40W work light emits 6000 lumens
• Quick release latch
• For indoor and outdoor use in dry locations

KC-4002LED-ST
72W work light emits 8000 lumens
• Quick release latch
• For indoor and outdoor use in dry locations

\$149.99

\$199.99

15W Work light emits 1500 lumens
KC-1501LED

\$35.99

20W Work light emits 3000 lumens
KC-3001LED

\$59.99

36W Work light emits 4000 lumens
KC-4001LED

\$99.99

10W Work light emits 1500 lumens
KC-1502LED-C

CORDLESS

\$49.99



2 TON FOLDING SHOP CRANE
KFC-2TC


- 8 ton hydraulic ram features top-of-stroke and safety overload bypass system for maximum pump protection
- Compact design with retractable boom and foldable legs
- Fold-up legs with safety pins extend to 65"

\$379.

PRESSURE ABRASIVE SANDBLASTERS

- Safety pressure relief valve
- Loading abrasive is made simple using the concave funnel top of the tank
- Safety pressure relief valve
- 1/2" (I.D.) x 8 ft abrasive feed hose
- Includes media gun, 4 interchangeable nozzles (2, 2.5, 3 & 3.5mm), water separator filter, protective blast hood and teflon tape

KSB-10 10 GALLON KSB-20 20 GALLON



Protective blast hood included

\$249.99

\$299.99

14" CUT-OFF SAW

8342LN

- Quick release vise for holding workpiece, allows cuts up to a 45° angle

Powerful 15 Amp motor

\$169.99



HYDRAULIC SHOP PRESSES WITH GRID GUARD

- Great for straightening, pressing, bending or stamping
- Used to install or remove gears, bushings or bearings
- Adjustable bed height with support rods
- Comes with 2 pressure plates

Optional 9 PC. PUNCH & DIE KIT KM-045 **\$129.99**



KHP-10T-GGN **\$349.99**

KHP-20T-GGN **\$559.99**

METAL FORMING MACHINES



52" FOOT SHEAR

KC-F5216

- Cutting length 52"
- Capacity 16 Gauge
- Weight 1080 lbs

\$2599.



3 IN 1 METAL FORMING MACHINES



SHEAR, BRAKE AND ROLL

KC-1220

- Max. length 12"
- Maximum thickness 20 Gauge
- Weight 95 lbs

\$659.

KC-3020

- Max. length 30"
- Maximum thickness 20 Gauge
- Weight 300 lbs

\$999.

KC-4020

- Max. length 40"
- Maximum thickness 20 Gauge
- Weight 387 lbs

\$1599.

SLIP ROLLS

KC-S5016

- Max. length 50"
- Capacity 16 Gauge
- Weight 540 lbs

\$1799.

KC-S3622

- Max. length 36"
- Capacity 22 Gauge
- Weight 176 lbs

\$769.

KC-S2422

- Max. length 24"
- Capacity 22 Gauge
- Weight 81 lbs

\$679.



16 GAUGE BOX AND PAN BRAKE

KC-BP4816

- Bending length 48 1/2"
- Capacity 16 Gauge
- Weight 380 lbs

\$1199.



NEW HEAVIER DUTY MODEL

12" HAND SHEAR

KC-HS12

- Level arm with compensating spring

\$249.



4 TON HAND NOTCHER

KC-N616

- 16 Gauge notching capacity (mild steel)
- 18 Gauge piercing capacity (mild steel)
- Maximum notch (6" X 6" x 90°)
- Weight 165 lbs

\$749.



ARBOR PRESS

KAP-3

- Capacity: 3 Ton
- Diameter of work: 12 1/2"
- Capacity over table: 12"

\$379.



COMBINATION ROTARY MACHINE

KC-RM22

- Cutting capacity (mild steel): 22 Gauge
- Distance between shaft centers: 2"
- Depth of throat to frame: 7"
- Includes 6 dies for hooking (2), burring, wiring, ogee beads and crimping

\$749.



FLOOR MODEL BOX AND PAN BRAKE

KC-BP4812

- Bending length 48"
- Capacity 12 Gauge
- Weight 1140 lbs



\$3999.

MILLING DRILLING MACHINES

18 PC. COLLET SETS

Includes straight shank, 15 collets, wrench and plastic case.

KCS-4015

- Straight shank taper ISO 40
- Draw Bar 5/8" WII

KCS-R8-15

- Straight shank taper R8
- Draw Bar 7/16" NF 20



\$399.99 ea.

DIVIDING PLATES FOR ROTARY TABLE

KC-DPRT-6

Size 6"

KC-DPRT-8

Size 8"

\$159.99 ea.



K-TYPE SWIVEL BASE MILLING VISES

3" 4" 6" 8"
 KMV-3M KMV-4M KMV-6M KMV-8M
\$129. \$199. \$259. \$369.



HORIZONTAL & VERTICAL ROTARY TABLES

KC-HVRT-6

Size 6"

KC-HVRT-8

Size 8"



\$499.

\$599.

INSPECTION CAMERAS

INSPECTION CAMERA WITH LCD MONITOR

KC-9050

Kit includes:

- Camera handle, 9mm dia. x 39" flexible camera probe
- 2.4" diagonal TFT-LCD color monitor,
- Kit comes with 3 accessory tools (45° mirror, magnetic pick-up, pick-up hook) and 4 AA batteries

\$99.99



WIRELESS INSPECTION CAMERA WITH RECORDABLE LCD MONITOR

KC-9200

Kit includes:

- Camera handle, 39"x 9mm camera probe, 39" x 10mm camera probe extension, 3.5" TFT-LCD wireless color monitor, monitor Li-ion charger, 3 accessory tools (45° mirror, magnetic pick-up, pick-up hook), USB and Video cables, 4GB SD memory card and 4 AA batteries

DIGITAL ZOOM 3X

\$199.99



MILLING DRILLING MACHINE WITH DIGITAL READOUT, SAFETY GUARD & LIMIT SWITCH

KC-20VS-2

- 1 HP Motore
- 13" swing
- R8 Spindle taper
- 2" Spindle stroke
- Comes with 1/2" chuck, chuck key, R8 chuck arbor, safety guard, 2 T-bolts, oil bottle, adjustment wrenches, hex. keys and tool box



HEADS TILTS 90° TO THE LEFT AND RIGHT

\$2299.

OPTIONAL

MILLING DRILLING MACHINE STAND

SS-20VS

\$329.

MINI MILLING DRILLING MACHINE

KC-15VS

- Variable speed gear drive
- Spindle depth fine feed control with micro downfeed dial
- Adjustable depth stop
- Chuck guard
- Emergency stop button
- Comes with 1/2" chuck, chuck key, R8 chuck arbor, safety guard, 2 T-bolts, oil bottle, adjustment wrenches and hex. keys



POWERFUL 3/4 HP MOTOR

\$999.



Column tilts 45° to the right or left

GEARHEAD MILLING DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

\$5999.

KC-45

- 1.5 HP Motor
- Forward & Reversing Switch
- 20 7/16" Swing
- 5" Stroke
- 6 speeds (60-1500 RPM)
- 9 1/2" X 32 1/4" Table
- 1 1/4" Drill capacity
- 4" Face mill capacity
- Spindle taper R8

OPTIONAL

TABLE POWERFEED ATTACHMENT

PFM-32

For # KC-45

\$679.



OPTIONAL

MILLING DRILLING MACHINE STAND

SS-45

\$399.99

12" SLOW SPEED COLD CUT SAW

KC-315CS

- 4.5 HP motor
- Low 52 RPM blade speed is ideal for cutting ferrous metals
- Mitering head pivots to the right or left with positive stops at 45° and 90°

Blade not included



\$2999.

OPTIONAL

12" COLD CUT SAW BLADE

KM-1200

(Made in Italy)

\$399.



16" X 20" COMBO LATHE/MILL

KC-1620CLM

- Comes with 5"- 3 jaw chuck, imperial & metric change gears, quick change tool post with 1/2" capacity, steady rest, follow rest, thread chasing dial indicator, MT#3 & MT#4 dead centres, 1/2" drill chuck and tool box with adjusting tools

Two powerful 3/4 HP 110V motors

\$3299.



OPTIONAL STAND

SS-1620CLM

(41-3/8" x 19-1/4" x 30-1/2")

\$399.

OPTIONAL

KM-124

Elevating block with 7/16" T-slots (7-7/8" x 5-7/8" x 5")



\$199.

11 PC. METAL LATHE CUTTER SET

KM-146

3/8" Shank Fits: KC-0712ML, KC-1022ML, KC-1620CLM



\$59.99

MILLING DRILLING MACHINES & ACCESSORIES

17" DRILL PRESS

17" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH

17" LONG STROKE DRILL PRESS with SAFETY GUARD

22" DRILL PRESS

22" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH



DRILL PRESS CHUCK SAFETY GUARD KM-118 Fits KC-118FC \$29.99



LONG 6" STROKE

DRILL PRESS CHUCK SAFETY GUARD KM-122 Fits KC-122FC \$29.99

KC-118FC
• 12.5 Amp. motor
• 16 speeds (240-3400 RPM)
• 17" swing
• 3 1/4" stroke
• 5/8" chuck

\$799.

KC-118FC-LS
• 12.5 Amp. motor
• 16 speeds (240-3400 RPM)
• 17" swing
• 3 1/4" stroke
• 5/8" chuck

\$899.

KC-119FC-LS
• 12.5 Amp. motor
• 12 speeds (255-2750 RPM)
• Spindle taper MT #3
• 16 15/16" swing
• 6" stroke
• 3/4" chuck

\$1099.

KC-122FC
• 12.5 Amp. motor
• 1 1/4" capacity
• Spindle taper MT #4
• 12 speeds (180-4200 RPM)
• 4 3/4" stroke
• 3/4" chuck

\$1299.

KC-122FC-LS
• 12.5 Amp. motor
• 1 1/4" capacity
• Spindle taper MT #4
• 12 speeds (180-4200 RPM)
• 4 3/4" stroke
• 3/4" chuck

\$1399.

HEAD TILTS 90° TO THE LEFT AND 30° TO THE RIGHT



HEAD TILTS 90° TO THE LEFT AND 30° TO THE RIGHT



21" GEARHEAD DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

KC-40HS (220V)
KC-40HS-6 (600V)
• 1.5 HP Motor
• Forward & Reversing Switch
• 1 1/4" Drilling Capacity
• 20 7/16" Swing
• Spindle Taper MT#3
• 6 Speeds (60-1500 RPM)
• Face Mill Capacity 4"
• End Mill capacity 3/4"

\$4999.



FREE ANGLE VISE

21" GEARHEAD DRILLING/MILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

KC-40HC (220V)
KC-40HC-6 (600V)
• 1.5 HP Motor
• Forward & Reversing Switch
• 1 1/4" Drilling Capacity
• 20 7/16" Swing
• Spindle Taper R-8
• 6 Speeds (60-1500 RPM)
• Face Mill Capacity 4"
• End Mill capacity 3/4"
• Working surface of table 23"x 7 1/2"

\$5999.



FREE ANGLE VISE

POWER DOWNFEED & TAPPING



RECIRCULATING COOLANT SYSTEM



28" GEARHEAD DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

KC-50
• 2 HP motor
• 27 1/2" swing
• 7" stroke
• Speeds (60-870 / 120-1740)
• 1 1/2" capacity
• Spindle taper MT#4
• 5/8" Chuck & key included

\$6999.



15" VARIABLE SPEED INDUSTRIAL DRILL PRESS



Variable speed handwheel with digital readout



Safety guard with limit switch protection



LONG 6" STROKE

KC-30HS-VS
• Powerful 1 HP motor
• E-stop 2 step activation safety switch with line voltage interruption
• Variable speeds: 400-5,000 RPM
• 5/8" drill chuck and key

\$2999.

RADIAL DRILLING MACHINE WITH SAFETY GUARD

KC-35/SS-35
• 1.5 HP Motor
• 21 1/4" Max. distance spindle nose to table
• Speeds 5(340-3000 R.P.M.)
• 5 1/4" Spindle stroke
• MT #3 Spindle taper
• 38 1/2" swing
• 4 1/2" Column diameter
• 21 5/8" x 19 5/8" Table dimensions
• 14" Head travel
• 5/8" Size of T-Slot on table
• Forward reverse switch
• 1/2" chuck with key, safety guard and stand

\$4999.



HEAD SWIVELS 180°

29 PC. TITANIUM DRILL BIT SET

KDB-29T



\$39.99

29 (1/16"-1/2" x 1/64")

CROSS SLIDE VISES



4"- KCV-4N \$69.99

5"- KCV-5N \$99.99

6"- KCV-6N \$129.99

DRILL PRESS VISES



3"-KPV-3 \$19.99

4"-KPV-4 \$26.99

5"-KPV-5 \$39.99

6"-KPV-6 \$54.99

KEYLESS DRILL CHUCKS



KDC-12X 1/2"JT#33 \$79.99

KDC-58X 5/8"JT#3 \$99.99

KDC-34X 3/4"JT#4 \$129.99

COMPOUND SLIDE TABLE



KCT-618 \$249.99

6" X 18 1/2" - 1/2" T-slots

52 PC. CLAMPING KITS



KCL-5212 \$89.99

Fits 1/2" table slots

KCL-52 \$89.99

Fits 5/8" table slots

20 PC. TITANIUM COATED END MILL SET

KM-120



\$189.99

2 & 4 Flute (10 pcs. each) Imperial, Single End

2500W GASOLINE DIGITAL INVERTER GENERATOR

KCG-2500i

- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- Powerful 3 HP, 4 stroke air cooled OHV engine DC output for charging smartphones, tablets or any USB powered equipment
- Carbon monoxide (CO DETECTOR™) safety system is designed to detect harmful levels of CO



NEW



WOW
\$599.99



Optional
K-X2P
Parallel Cable Kit for connectivity between two inverters 2500W inverters \$99.99

3800W DUAL FUEL GASOLINE/PROPANE DIGITAL INVERTER GENERATOR

KCG-3800i-DF

- Powerful 5 HP, 4 stroke air cooled motor
- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- Duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/30 Amp. AC
- DC USB ports (A & C): 5V/2.1 Amp. DC output for charging smartphones, tablets or any USB powered equipment



\$849.99

Comes with propane tank connection cable, Nema L5-30P/Nema TT30R RV adaptor

5000W DUAL FUEL GASOLINE/PROPANE DIGITAL INVERTER GENERATOR

KCG-5000i-DF

- Powerful 8 HP, 4 stroke air cooled motor
- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- DC USB port: 5V/2.1 Amp.
- DC cigarette lighter socket: 12V/8 Amp. DC output
- AC duplex outlet: 120V/20 Amp. AC output
- AC twist lock outlet: 120V/30 Amp. AC output



Remote control start



\$1199.99

Comes with propane tank connection cable, Nema L5-30P/Nema TT30R RV adaptor

PALLET TRUCKS

Min. height of forks 2.95"
Max. raised height of forks 7 1/2"

5,500 lbs capacity

KC-2145N-NYL

(21" X 45")
Nylon wheels

429.99

KC-2748N-NYL

(27" X 48")
Nylon wheels

429.99

KC-2748NP

(27" X 48")
Poly wheels

429.99

QUICK RELEASE FOOT PEDAL

QUICK RELEASE FOOT PEDAL

QUICK RELEASE FOOT PEDAL



GASOLINE WATER PUMPS

- 105" (KCG-2WPG) or 92" (KCG-3WPG) total head lift (total height at sea level, to which water can be raised above original water level)

- Oil sensor shuts off engine when oil level is low
- Comes with 3 wire clamps, 2 hose adapters, 2 rubber gaskets, strainer basket and strainer basket adapter

2" NPT inlet and outlet

Powerful 7 HP, 4 stroke air cooled OHV engine

3" NPT inlet and outlet



Standard accessories

KCG-2WPG

\$399.99



Standard accessories

KCG-3WPG

\$399.99



11000W TRI-FUEL DIGITAL INVERTER GENERATOR

KCG-11000i-TF

- Powerful 18 HP, 4 stroke air cooled motor
- DC dual USB ports: 5V/3.1 Amp. DC output for charging smartphones, tablets or any USB powered equipment



Remote control start



\$2199.99



Comes with propane tank and natural gas connection cables.



15000W V-TWIN GASOLINE GENERATOR WITH ELECTRIC START

KCG-15000GE

- Powerful 20 HP, v-Twin horizontal shaft 4 stroke air cooled motor
- AVR system and electronic ignition
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- AC double throw circuit breaker and resets
- Terminals: 12V/8.3 Amp. DC with DC reset

AUTO-IDLE DOWN FUNCTION extends running time by automatically adjusting engine speed to idle when not under load

\$2499.99



GASOLINE ENGINES

- Ideal for compressors, generators, pressure washers, go-karts and log splitters
- Counterclockwise drive shaft direction



KCG-65
Powerful 6.5 HP, 4 stroke air cooled OHV engine

\$229.



KCG-130
Powerful 13 HP, 4 stroke air cooled OHV engine

\$449.

WATER PUMP HOSE KITS

Each hose kit comes with a type A threaded camlock adaptor
CLEAR PVC REINFORCED SUCTION HOSES

\$119.99

KW-252
2" X 25 ft

\$199.99

KW-253
3" X 25 ft

FLAT PVC DISCHARGE HOSES

\$89.99

KW-502
2" X 50 ft

\$119.99

KW-503
3" X 50 ft



GASOLINE/PROPANE GENERATORS

5100W GASOLINE GENERATOR WITH WHEEL KIT KCG-5100G

- Powerful 8 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp AC
- Twist lock outlet: 120V/240V/30 Amp AC

\$449.99



10000W TRI-FUEL GENERATOR WITH ELECTRIC START

- KCG-10002GE-TF
- Powerful 15 HP, 4 stroke air cooled OHV engine
 - AVR system and electronic ignition
 - Low oil shut-off with indicator light protects the engine
 - Two duplex outlets: 120V/20 Amp. AC
 - Two twist lock outlets: 120V/30 Amp. and 1 20V/240V/30 Amp. AC



\$1099.99

Comes with propane tank and natural gas connection cables.



5100W DUAL/FUEL GASOLINE/PROPANE GENERATOR WITH ELECTRIC START KCG-5101GE-DF



- Powerful 8 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets for safe operation

\$599.99



Propane Tank Not Included

Fuel Can Not Included

Comes with propane tank connection cable

12600W GASOLINE GENERATOR WITH ELECTRIC START KCG-12600GE

- Powerful 18 HP, 4 stroke air cooled motor
- AVR system and electronic ignition
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- AC double throw circuit breaker and resets



\$1099.99



6500W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT KCG-6502GE

- Powerful 10 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC

\$649.99



10000W GASOLINE GENERATOR WITH ELECTRIC START KCG-10001GE

- Powerful 15 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp.

\$899.99



12000W DUAL/FUEL GASOLINE/PROPANE GENERATOR WITH ELECTRIC START KCG-12001GE-DF



- Powerful 18 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Duplex outlet: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets
- Terminals: 12V/8.3 Amp. DC and

\$1199.99



Propane Tank Not Included

Fuel Can Not Included



Comes with propane tank connection cable



GENERATOR HOME CONNECTION KIT \$109.99

K-X7500
Outdoor to indoor receptacle kit
Comes with 6 outlet receptacle panel, generator power inlet box, 1/2" rigid PVC conduit, 1-1/4" spade bit, 1/2" PVC sleeve connector, 2 insulating gaskets and mounting hardware



GENERATOR EXTENSION CORDS

Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

K-L1430-10

Extension cord length: 10 feet
Gauge (AWG)/Cord: 12 (SJTW 4/C)



\$39.99

K-L1430R-25

Extension cord length: 25 feet
Gauge (AWG)/Cord: 10 (SJTW 4/C)



\$99.99

K-L1430-25-4T

Extension cord length: 25 feet
Gauge (AWG)/Cord: 10 (STW 4/C)



\$99.99

K-L1430-25EXT

Extension cord length: 25 feet
Gauge (AWG)/Cord: 10 (SJTW 4/C)



\$99.99

DESIGNED FOR OUR INVERTER GENERATORS

K-L530-25-3T

Extension cord length: 25 feet
Gauge (AWG)/Cord: 10 (STW 3/C)



\$99.99

50 AMP. GENERATOR ADAPTOR CORD

Nema 14-50P 120/240V plug to Nema L14-30R 120/240V twist lock receptacle
K-1450P-2
Cord length: 1.5 feet
Gauge (AWG)/Cord: 10 (STW 4/C)



\$69.99

METAL CUTTING BANDSAWS

PORTABLE VARIABLE SPEED METAL CUTTING BANDSAW

- KC-8377**
- Variable speed 0-420 SFPM
 - Cutting capacity of 5" x 5"
 - Blade tension lever
 - Comes with standard 44-7/8" x 1/2" blade

\$199.99



OPTIONAL

Miter Stand turns this Bandsaw into a Cut-off Saw

SS-8377

\$99.99



BI-METAL BLADES					
Model	Length	Width	TPI	Thickness	Price
KBB-8376-BM-1014	44 7/8"	1/2"	10-14	.020"	\$24.99
KBB-8376-BM-1418	44 7/8"	1/2"	14-18	.020"	\$24.99

5" x 6" METAL CUTTING BANDSAW

- KC-129C**
- 3 speeds (80-120-200 FPM)
 - Comes with wheels for portability
- 8 Amp. (110V)**



\$699.

H.S.S. & BI-METAL BLADES						
Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-115-10	64 1/2"	1 1/2"	H.S.S.	10	.025"	\$19.99
KBB-115-14	64 1/2"	1 1/2"	H.S.S.	14	.025"	\$19.99
KBB-115-18	64 1/2"	1 1/2"	H.S.S.	18	.025"	\$19.99
KBB-115-24	64 1/2"	1 1/2"	H.S.S.	24	.025"	\$19.99
KBB-115-BM-10	64 1/2"	1 1/2"	Bi-Metal	10	.025"	\$39.99
KBB-115-BM-14	64 1/2"	1 1/2"	Bi-Metal	14	.025"	\$39.99
KBB-115-BM-18	64 1/2"	1 1/2"	Bi-Metal	18	.025"	\$39.99

PRECISION PRESSURE GAUGE INDICATES THE BLADE TENSION



5" x 6" DUAL SWIVEL METAL CUTTING BANDSAW

- KC-129DS**
- Head swivels 0° - 45° to the right and 0° - 60° to the left
 - Adjustable hydraulic downfeed control
 - Automatic shut-off switch



8 Amp. (110V)

\$999.

ADJUSTABLE HYDRAULIC CYLINDER



10" x 18" METAL CUTTING BANDSAW

- KC-227-2 (220V)**
KC-227-6 (600V)
- 4 speeds (114, 196, 288, 377 FPM)
 - Carbide ball bearing blade guide
 - Control panel with automatic shut-off
 - Adjustable hydraulic downfeed control
 - Both adjustable control arms can be positioned as close to the cut as possible
 - Coolant system with regulator valves



Exclusive 24 Volt control panel

PATENTED TRU-LOCK™ quick locking vise system.

Exclusive 24 Volt control panel

\$5999.

10" x 18" VARIABLE SPEED SWIVEL METAL CUTTING BANDSAW

- KC-228S-V-2 (220V)**
KC-228S-V-6 (600V)
- Swivel base from 0° to 45°
 - Position adjustable control panel and automatic shut-off
 - Adjustable hydraulic down feed control
 - Carbide ball bearing blade guides
 - Coolant system with regulator valves
- 11.5 Amp. @ 220V**
2.6 Amp. @ 600V



PATENTED TRU-LOCK™ quick locking vise system.

\$7999.

H.S.S. BLADES					
Model	Length	Width	TPI	Thickness	Price
KBB-225-10	122"	1"	10	.032"	\$39.99
KBB-225-14	122"	1"	14	.032"	\$39.99

BI-METAL BLADES					
Model	Length	Width	TPI	Thickness	Price
KBB-225-BM-610	122"	1"	6-10	.032"	\$99.99
KBB-225-BM-812	122"	1"	8-12	.032"	\$99.99

METAL CUTTING BANDSAWS

nova™

7" x 12" DUAL SWIVEL METAL CUTTING BANDSAW

KC-712DS

6 Amp.
(220V)

- Returning coolant system
- 4 speeds (98-164-246-328 FPM)
- Automatic shut-off
- Adjustable ball bearing guides

PATENTED
TRU-LOCK™ quick
locking vise system.



\$3599.

7" x 12" NOVA DVR METAL CUTTING BANDSAW

59001

- Smart metal bandsaw features state of the art technology
- Digital Variable Reluctance (DVR) Direct Drive 1 HP motor with Adaptive Control™ Software
- Constant torque under load and electronic braking emergency stop
- Includes a 240V conversion components kit

**DVR
Smart**
THE WORLD FIRST
SMART BANDSAW
WITH DIGITAL
DISPLAY



\$3499.

9" x 18" METAL CUTTING SWIVEL BANDSAW

KC-918S-V (8 Amp. 220V)

KC-918S-V- 600V (2.5 Amp. 600V)

- Returning coolant system
- Variable speeds (80-250 FPM)
- Carbide ball bearing blade guides with rollers
- Centralized control panel and automatic shut-off
- Adjustable hydraulic downfeed control
- Precision blade tension adjustment
- Head swivels 0° to 45° in one direction
- Quick-positioning vise with fully adjustable jaws for 0° to 45° angles

VARIABLE
SPEED



\$8499.

17" VARIABLE SPEED METAL/WOOD CUTTING BANDSAW

KC-1700WM-VS

- Variable speeds (wood): 540-3600 SFPM
- Variable speeds (metal): 100-650 SFPM
- Voltage (input power): 220V, 1 phase, 60 Hz
- Comes with a 1/2" x 6 TPI wood cutting blade, 1/2" x 10 TPI metal cutting blade, laser guide, work lamp, miter gauge and a precision "TRU-RIP" aluminum rip fence with resaw guide



2HP
(8Amp. @ 220V)

\$4499.

18" METAL CUTTING BANDSAW

KC-450

- Variable speed
- Handwheel controls speed
- Speed changes while the machine is in operation
- Comes complete with 4-way tilting table, and work light



7.5 Amp.
(220V)

\$5499.

H.S.S. & BI-METAL BLADES ("SKIP TOOTH")

Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-918-10	131 3/4"	1"	H.S.S.	10	.032"	\$39.99
KBB-918-14	131 3/4"	1"	H.S.S.	14	.032"	\$39.99
KBB-918-BM-610	131 3/4"	1"	Bi-Metal	6-10	.032"	\$99.99
KBB-918-BM-812	131 3/4"	1"	Bi-Metal	8-12	.032"	\$99.99

METAL LATHES & ACCESSORIES



7" X 12"


VARIABLE SPEED MINI METAL LATHE

KC-0712ML

- 3/4" spindle bore
- Variable speeds 2 (0-1100, 0-2500 RPM)
- Comes complete with quick change gear box, face plate, replacement gears, 4-way tool post, MT#2 dead center, threading dial indicator

\$1099.

5.5 Amp. (110V) **INCLUDES - 4" - 3JAW CHUCK & STEADY REST**



10" X 22"

BELT DRIVE METAL LATHE

KC-1022ML

- 1" spindle bore
- Spindle speeds 6 (150-2400) RPM
- Comes complete with 5"-3 jaw chuck, 6-1/2"-4 jaw chuck, replacement gears, 4 way tool post, steady rest, follow rest, 8" face plate, thread chasing dial indicator, MT#3 dead center, full length splash guard, tool box, and chuck key

\$3299.

12 Amp. (110V)

OPTIONAL CABINET STAND
SS-1022

\$399.99



12" X 36"

GEARHEAD METAL LATHE

KC-1236ML/SS-1236

- 1 1/2" spindle bore
- Spindle speeds 9 (60-1500) RPM
- 40(4-112 T.P.I.) 30(-2 - 4.5mm) thread cutting
- Comes complete with 6"-3 jaw chuck, 8"-4 jaw chuck, imperial and metric gears, quick change tool post, steady rest, follow rest, 10" DI-4 camlock face plate, thread chasing dial indicator, MT#3 dead center, MT#3 arbor taper, 1/2" drill chuck, full length splash guard, tool box, and chuck keys

KC-1236ML/SS-1236

\$5849.

1.5 HP (220V)

WITH TAPER ATTACHMENT
KC-1236ML/SS-1236/KM-053

\$6499.



BONUS CABINET STAND INCLUDED

14" X 40"

GEARHEAD METAL LATHE

KC-1440ML-2

- Spindle speeds 8(70-2000 RPM)
- 3/4(4-56 T.P.I.) 26(.4 - 7mm) thread cutting
- Comes complete with 7"-3 jaw chuck, 8"-4 jaw chuck, replacement gears, quick change tool post, steady rest, follow rest, 12" DI-5 camlock face plate, coolant system, full length splash guard, thread chasing dial indicator, 2 MT#3 dead centers, MT#6-MT#3 sleeve, tool box, chuck keys, and cabinet stand with foot brake

KC-1440ML-2

\$9499.

2 HP (240V)

2" Spindle Bore

WITH TAPER ATTACHMENT
KC-1440ML-2/KM-054

\$9999.



CABINET STAND WITH FOOT BRAKE INCLUDED

16" X 40"

HIGH PRECISION "TOOL ROOM" METAL LATHE

KC-1640ML

- Spindle speeds 16(45-1800 RPM)
- 2" spindle bore diameter
- 45(2-72 T.P.I.) thread cutting
- Comes complete with 8"-3 jaw chuck with inside & outside jaws, 12"-4 jaw chuck, quick change tool post and two 3/4" tool holders, steady and follow rests with roller guides, 14" (D1-6) camlock face plate, MT #4 standard dead centre, MT #4 carbide tipped dead centre, MT #4 to MT #6 spindle sleeve adapter, coolant system, manual micrometer carriage stop, tool box and wrenches

KC-1640ML

\$16999.

4 HP (600V)


WITH TAPER ATTACHMENT
KC-1640ML/KM-055

\$17499.



CABINET STAND WITH FOOT BRAKE INCLUDED

FAGOR DIGITAL READOUT SYSTEMS



20i-T-840
(Fits KC-1440ML-6 & KC-1440ML-2)

2 AXIS with
8" x 40" scales

\$2599.

20i-T-1040
(Fits KC-1640ML)

2 AXIS with
10" x 40" scales

\$2799.

LIVE CENTERS



\$69.

KLC-2M
TAPER SHANK -
MT#2

\$79.

KLC-3M
TAPER SHANK
MT#3

7 PC. CARBIDE CUTTER HOLDERS

- 2 positions carbide indexable Cutter Inserts (5pc.)
- H.S.S. inserts (2pc.)

INCLUDED
Screwdriver and
3 adjustment keys



KM-047
3/8" Shank

\$199.



KM-057
5/8" Shank

\$219.

Fits Models: KC-0712ML, KC-1022ML, KC-1236ML, 14440ML-2, 14440ML-6, KC-1640GH, KC-1640ML & KC-1660GH

TAPER ATTACHMENT



Taper Attachment must be ordered together with

These Taper Attachments are designed to fit our 12" x 36", 14" x 40" & 16" x 40" Metal Lathes models KC-1236ML, KC-1440ML-2 & KC-1640ML

7 PC. QUICK CHANGE TOOL POST KITS



KOCT-0012
Fits most lathes up to 0 to 12" swing

\$279.99

KOCT-1015
Fits most lathes between 10" to 15" swing

\$399.99

KOCT-1318
Fits most lathes between 13" to 18" swing

\$499.99