

LEVAC

Health & Safety • Training • Consulting
Industrial • Construction • Safety
Supplies & Equipment

Safety Essentials

Keeping your workers and workplace safe



Table of Contents

Disposable Clothing	2
Coveralls, Hair & Beard Nets, Footwear Covers	
Eye Protection	6
Safety Glasses, Goggles, Lens Cleaning Tissues	
Fall Protection	14
Harnesses, Lanyards, SRLs, Accessories	
Hand Protection	22
Gloves	
Head and Face	32
Hard Hats, Bump Caps, Faceshields	
Hearing Protection	37
Ear Plugs, Ear Muffs	
Respiratory	42
Respirators, Filters & Cartridges, Disposable Masks, Accessories	
Seasonal	51
Hydration Products, Head & Neck Cooling Accessories, Fans, Traction Aids Hand & Foot Warmers	
Spill Control	56
Spill Kits, Absorbents, Pads, Booms & Socks	
Work Safety	60
Clothing, Traffic Safety, Signs, Tags, Eye Wash Stations, First Aid, Fire Extinguisher	

Prices are Subject to Change without prior notice. We recommend contacting our team for the most up-to-date pricing information.
Product Descriptions and Images provided in this catalogue are for reference purposes only. While we strive to ensure accuracy, there may be variations between the actual product and what is depicted here.

Disposable Clothing


MicroMax® NS

For general maintenance applications where less hazardous materials are being handled, MicroMax® NS is a leading choice. The High quality microporous film laminate fabric provides superior liquid resistance against liquids, light oils and light sprays of liquid chemicals.

- Soft and flexible high quality microporous film laminate offers excellent combination of protection and comfort.
- High moisture vapour transmission rate allows escape of vapor to maintain comfort.
- Fabric passes all tests in EN 14126 infectious agent standard at the highest class. Certified to Type 5-b and Type 6-b.
- Lakeland “Super-B” ergonomic styling – unique combination of three design elements to optimize fit, durability and freedom of movement.
- Three piece hood for rounder head shape and greater comfort.
- Inset sleeves – torso shaped to body to maximize freedom of movement and negate the need for thumb loops.
- Two piece crotch gusset – enhances freedom of movement and reduced crotch splitting

Liquid Protection	Type 6 CE testing includes liquid repellency and penetration tests against four chemicals. In two of the four chemicals, Lakeland MicroMax® options achieve superior results than the closest alternative.	CE testing for Infectious Agents to EN 14126 includes tests against four types of contamination. In all four tests MicroMax® options achieve superior results and the highest class compared to the FSPE alternative, which is unclassified in the critical ISO 16604 test.
Physical Properties	Testing as part of CE certification allows comparison of strength properties: abrasion - tensile strength - trapezoidal tear etc. In comparisons of the three fabric types Lakeland SafeGard™ or MicroMax® options offer a superior choice compared to the alternative FSPE option in most cases.	

Disposable and Chemical Selection Flowchart



All information provided by Lakeland.
 * Call us for details on Type 4 and Type 3 solutions.
 ** Must be worn over thermally protective clothing, such as fire resistant cottons, aramids or mod acrylics.
 *** Refer to permeation data on for which ChemMax® is indicated for a given hazard.
 This is a general guide to selecting garments only, and should not be used as the definitive or only tool in garment selection. It is the responsibility of the user to select garments or products which are appropriate for each intended use and which meet all specified government and industry standards.

DuPont™ ProShield® 50

- ProShield® 50 microporous film garments provide a barrier against a range of non-hazardous aerosols, light liquid splash and dry particles.
- ProShield® 50 garments are light weight and the roomy design allows for greater comfort and mobility. Applications include: janitorial, sanitation, general industrial maintenance, asbestos abatement, and hazardous remediation.
- Pin locking slider locks in place when the pins on the puller are pushed into the zipper elements
- Manufactured under specifications that do not contain natural rubber latex

FEATURES

- Zipper closure
- Attached respirator fit hood
- Elastic wrists • Elastic ankles Sizes: S – 3X-Large
- 4X-Large and 5X-Large available upon request

\$8.99
TOP
SELLER



Levac SKU	MFR.	Size
90.090102	NB127SWHSM	Small
90.090104	NB127SWHMD	Medium
90.090106	NB127SWHLG	Large
90.090108	NB127SWHXL	X-Large
90.090110	NB127SWH2X	2X-Large
90.090112	NB127SWH3X	3X-Large

Contract Pricing Available



MicroMax® NS Lab Coat

Fabric achieves the highest classes in all four tests required by the EN 14126 standard it is also suitable for viral bacterial protection such as contaminated blood and body fluids.

Lab coat features open cuffs, 4 stud front fastening and two hip pockets. Offers Partial Body Type 6[PB] protection.

Levac SKU	MFR.	Size
90.092003	CTL101-M	Medium
90.092004	CTL101-L	Large
90.092005	CTL101-XL	X-Large
90.092006	CTL101-2XL	2X-Large



MicroMax® NS Pants

- Economical
- Lightweight
- Features high MVTR (Moisture Vapor Transmission Rate)
- Protection from dry particulates and light liquid splash
- 50 per case

Levac SKU	MFR.	Size
90.092203	CTL301	Large
90.092204	CTL301	X-Large



Balaclava Hair Hood

- Made from non-woven Spun Polypropylene (SPP)
- Latex-Free
- Provide full face coverage for maximum protection
- Soft, Light, Non-toxic and breathable
- Disposable
- 500 per case

Levac SKU	MFR.	Colour
90.099950	1890	White
90.099952	1895	Blue

Easy Breezy™ Honeycomb Mesh Beard Cover

- Breathable material for maximum comfort
- Comfortable for all-day wear
- Latex-free to reduce risks of allergic reactions
- 100 per case

Levac SKU	MFR.	Colour
90.099997	1793	White



Easy Breezy™ Polypropylene White Bouffant Cap

- Available in an array of colours for HACCP compliance
- Breathable material for maximum comfort
- Latex-free to reduce risks of allergic reactions
- 100 per case

Levac SKU	MFR.	Size
90.099985	170-21	21"
90.099970	170-24	24"



DuPont™ ProShield® 70 Shoe Cover

- 8¼" high shoe cover with elastic top
- Skid-resistant material for shoe/boot covers to help prevent slipping
- Provides non-hazardous liquid splash protection
- Manufactured under specifications that do not contain natural rubber latex.
- One size fits most
- Meets the U.S. industry requirements for blood (ASTM F1670) and viral penetration (ASTM F1671) protecting against several bloodborne pathogen exposure risks
- 200 per case

Levac SKU	MFR.
90.091003	P3450SGY



Boot Covers Non-Slip

- Provides the protection you need from dirt, grease, grime and light chemical splash.
- Pulls easily over boots
- Elastic top
- Slip-resistant

Levac SKU	MFR.	Size
90.091103	903NSS	2X-Large



Eye Protection

Eye Protection

Different lighting conditions in the workplace, such as sunlight, dim interiors, blinding snow, and blue light, present unique challenges. Amid the safety eyewear selection process, you might question the significance of Clear lenses versus Amber tinted lenses or other options on your safety glasses. The concise response is affirmative – it does matter significantly.

Just as not all safety eyewear is universally suitable, one tint doesn't suit all scenarios and environments. The appropriate tint on lenses is crucial for enhancing vision clarity and reducing eye strain and fatigue, factors that can impact your eye health and safety in the long run while on the job.

Opting for the correct lens shades can enhance depth and contrast perception, potentially saving lives or preventing injuries. Thus, the question arises: how do you determine the most suitable tint for your needs?

The primary approach to identifying suitable eyewear tint for workers is to grasp the work environment and tasks performed. Conducting an audit of your workers' eyewear safety requirements can be helpful. Pay attention to:

- All roles and tasks necessitating eye protection
- Lighting sources present in various work settings
- Risks to workers' eyes

Upon completion of this assessment, selecting the appropriate tint becomes more manageable. For further guidance, here's a valuable resource outlining additional factors to consider before investing in safety eyewear.



	Clear	Espresso	Gray	Amber	50% Gray	Light Gray	Dark Gray	Silver Mirror	Gold Mirror	Red Mirror	Blue Mirror	Orange Mirror	SCT-Reflect 50	SCT-Vermillion	SCT-Blue	SCT-Orange	SCT-Gray	SCT-Low IR	Shade 2.0	Shade 3.0	Shade 5.0	Cobalt	Photochromic	Espresso Polarized	
Safety Eyewear																									
Specifications																									
Visible Light Transmittance (VLT)	92%	15%	15%	90%	50%	35%	10%	15%	15%	15%	15%	15%	50%	55%	57%	45%	15%	80%	35%	14%	2%	0%	21%	12%	
Applications																									
Indoor Applications	Blue			Blue										Blue	Blue									Blue	
Low Light Applications/Contrast				Blue										Blue											
Glare from fluorescent & halogenlights				Blue										Blue											
Outdoor Applications: Sunlight & Glare		Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue				Blue								Blue
Indoor-to/from-Outdoor	Blue			Blue	Blue								Blue											Blue	
Strong Sunlight & Glare		Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue				Blue							Blue	Blue
Indoor, peripheral infrared radiation protection																									Blue
High levels of yellow light using sodium vapor lighting																									Blue
High heat applications (metal glare/glass blowing)																									Blue
Torch welding, torch brazing and cutting																									Blue
Eye Fatigue due to blue and green light exposure																									Blue
Short-term Electric Arc Hazards		Blue																							Blue

3M™ Solus™ 1000-Series Safety Glasses S1101SGAF

3M™ Scotchgard™ Protector Anti-Fog Coating resists fogging longer than traditional anti-fog coatings through up to 25 washings with water* and helps provide scratch resistance in tough work environments.

*Based on 3M internal testing per EN168 test method, when compared with traditional anti-fog coatings. Configurable design with detachable gasket, strap or temple options.

Contemporary styling with padded temples and soft nose bridge for added

FEATURES

- Scotchgard Anti-Fog Coating ANSI Z87.1-2003 and CSA Z94.3-2007
- Anti Fog Lens Dual-injected
- Elastic Strap
- Optional removable foam-lined gasket
- Padded temples for added comfort
- Soft nose bridge for added comfort



\$12.99

**TOP
SELLER**

Levac SKU	MFR.	Lens
90.0202340	S1101SGAF	Clear

Contract Pricing Available

3M™ Privo Protective Eyewear 12261

- ANSI Z87.1-2003 and CSA Z94.3-2007
- Anti Fog Lens
- Soft nose bridge, temples, and tips
- Lens Material - Polycarbonate UV Protection
- Clear lens

Levac SKU	MFR.
90.0202308	7000127535



3M

3M™ BX™ Reader Protective Eyewear

- ANSI Z87.1-2003 and CSA Z94.3-2007
- Diopter: +1.5, +2.0, +2.5
- Anti-fog Lens Material-Polycarbonate UV Protection

Levac SKU	Model No.	Diopter
90.0202296	11374	+1.5
90.0202297	11375	+2.0
90.0202298	11376	+2.5



3M

3M™ SecureFit™ Protective Eyewear 400 Series, Removable Foam Gasket

- Applied on both sides of the lens, 3M™ Scotchgard™ Anti-fog is a long-lasting coating that provides better fog and scratch resistance when compared to traditional anti-fog coatings
- Polycarbonate lens absorbs 99.9% UVA & UVB rays
- Certified to CSA Z94.3 and meets the requirements of ANSI Z87.1
- Soft adjustable nosepad to help reduce slippage

Levac SKU	MFR.
90.0202349	SF401SGAF



3M

3M™ SecureFit™ Protective Eyewear 400 Series

- U6 rated polycarbonate lenses absorb 99.9% of UVA, UVB, and UVC rays between 200 nm and 380 nm
- Secure, snug fit helps keep eyewear in place without slippage even when the person is in motion
- Optional anti-fog coating helps keep lenses free of moisture in hot and humid conditions
- Padded temple touchpoints and soft, adjustable nosepads provide added

Levac SKU	MFR.
90.0202350	SF401AF



3M

Uvex Genesis

- ANSI Z87.1+ - 2015, CSA Z94.3 certified
- ¾ frame with comfort brow for all day wear and performance
- Polycarbonate clear lens, premium HydroShield® Anti-Fog coating
- Ratchet, adjustable temples and flexible nose "fingers" using MMT-Multi Material Technology®
- Available in a very wide range of lens tints

Levac SKU	MFR.
90.0202210	S3200HS

- Economical lens replacement system and lifetime frame guarantee



uvex

Techno™ Rimless Safety Glasses

- Wraparound lightweight, frameless spectacles
- One piece clear lens with soft rubber temple ends
- Non-slip soft silicone nose piece
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static

Levac SKU	MFR.
90.0202690	EP850C

- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements



Techno

Sentec™ Reader Bifocal

- Super lightweight wraparound design, features rubberized temple tips and integrated nosepiece.
- Fits comfortably with half mask respirators.
- Impact resistant polycarbonate lens provides 99.9% UV protection and scratch resistant coating, optional anti-fog lenses are available.
- Fits comfortably with half mask

Levac SKU	MFR.	Diopter
90.0202124	12E90815	+1.5
90.0202129	12E90820	+2.0
90.0202134	12E90825	+2.5

- Diopter: +1.5, +2.0, +2.5

\$3.92
**TOP
SELLER**



Contract Pricing Available

SENTEC



Contract Pricing Available



Sentec™ with Rubberized Temple

\$2.61^{ea}
**TOP
SELLER**

- Sleek appearance with rugged durability.
 - Super lightweight wraparound design rubberized temple tips and integrated nosepiece
 - Impact resistant polycarbonate lens provides 99.9% UV protection scratch resistant coating
 - Fits comfortably with half mask respirators
- * Price per pair based on 12 pairs in clear lens.

Levac SKU	MFR.	Lens
90.0202110	12E90801	Clear
90.0202118	12E90809	Blue
90.0202111	12E90802	Grey

Tuff Grade Safety Glasses

- Clear Lens CSA Certified Z94.3-07
- Lightweight wrap-around design
- Molded Nose-Piece
- Frameless Polycarbonate lens
- Scratch resistant coating
- Economical

Levac SKU	MFR.
90.0170010	TGSG002



Tuff Grade Visitor Specs

- Lens Colour: Clear
- Frame Colour: Clear Visitor Specs

Levac SKU	MFR.
90.0170020	TGSG007



Warrior™

- Adjustable swivel nose pads to fit all faces
- Modern ergonomic design for comfort and fit
- Frame made of new Elasto LT chemical resistant material
- Comfortable curved temple ends
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

Levac SKU	MFR.
90.0202630	EP100BC



Volcano Plus™

- A contemporary, single lens design
- Frameless design with a wide field of vision
- Dual injection, wide temple arms for better protection and comfort
- 4A Anti-Fog coating (Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static)
- Removeable foam padding for better protection against dust and debris
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

Levac SKU	MFR.
90.0202660	EP675GC



Safety-Flex™ Goggle Clear Anti Fog Lens Indirect Vent

- These full-frame safety goggles feature an anti-fog and scratch-resistant lens coating
- They have a clear lens made of polycarbonate and PVC and a clear plastic frame
- The temples are adjustable for a comfortable fit
- These glasses protect against 99.9% of UV rays and meet CSA standards

Levac SKU	MFR.	Notes
90.0171013	12G223547	CSA Certified/ Meets ANSI



Cambridge™ Clear Polycarbonate Lens Anti Fog

- Anti-Fog system combines high-performance coatings and indirect venting to provide optical clarity in a variety of environments
- Soft Flexible Frame and Adjustable Strap deliver all-day comfort for a wide range of wearers
- Translucent body for maximum viewing area and enhanced peripheral vision
- Lightweight, cushion-soft vinyl and ultra-wide elastic headband
- Ergonomic shape and form fitting design prevents intrusion.

Levac SKU	MFR.	Notes
90.0171213	12G22521N	CSA Certified/ Meets ANSI



Dynamic™ Lens Cleaning Tissues

- Lens Cleaning Tissues 300 per Box
- Convenient dispenser box

Levac SKU	MFR.
62.985901	EP21



Leader Lens Cleaning Towelettes

- Colour-Blue, White Material-Paper
- Box contains 100 wipes

Levac SKU	MFR.
90.0202990	12A70



Fall Protection



Learn what to consider when choosing Fall Arrest Equipment

Click or scan the code.

Ensuring the safety of your employees working at heights or in confined spaces requiring fall arrest devices involves understanding the fundamental components of a hazardous workspace and correctly utilizing appropriate equipment to protect their well-being.

A mnemonic device using the letters A for Anchorage, B for Body Support, C for Connectors, and D for Descent and Rescue simplifies remembering these components.

ANCHORAGE CONNECTORS

These provide a secure attachment point for lifelines, lanyards, or deceleration devices, engineered to withstand the forces generated during a fall. Anchorage connectors vary based on industry, job requirements, installation type, and structure.

- Examples of anchorage connectors include beam anchors, hook anchors, cross-arm straps, D-bolts, tripods, davits, or other secure devices serving as attachment points.
- Anchorages and anchorage connectors must be independent and capable of supporting 5,000 lbs. per attached worker. Alternatively, they can be part of a complete personal fall arrest system supervised by a qualified person, ensuring a safety factor of at least two times the maximum arresting force. Additionally, they must be positioned high enough to prevent contact with a lower level in the event of a fall.

BODY SUPPORT



Full Body Harnesses distribute fall arrest forces across the shoulders, upper thighs, chest, and pelvis. Featuring a center back fall arrest attachment (dorsal D-ring) for connecting to the fall arrest connector, they may include additional D-rings for worker positioning, travel restraint, retrieval, or ladder climbing. They are the sole acceptable form of bodywear for fall arrest and should be selected based on size, job requirements, and the work environment.

CONNECTORS

Connectors link the worker's harness to the anchorage connector, with types varying depending on whether the connection is for:

- Personal Fall Arrest: Often involving a lanyard equipped with an energy-absorbing element to reduce force transmission to the user's body during a fall.
- Positioning and Travel Restriction: Typically a simple lanyard intended to minimize the risk of entering a fall hazard zone or free falling from less than 2 feet.

DESCENT AND RESCUE DEVICES

These are essential for retrieving an injured worker and lowering them to the ground. It is crucial for users to have a rescue plan in place that ensures prompt rescue in the event of a fall or enables employees to self-rescue.

Protecta® Vest-Style Harness M/L, 1161542C

3M™ Protecta® P50 Safety Harnesses (previously known as 'Protecta® First®') are 3M's entry level safety compliance harnesses.

The line of fall protection products from 3M™ Protecta® were designed around a simple concept; provide a fundamental fall protection line with exceptional value.

The 3M™ Protecta® line was assembled to provide fall protection body support in a variety of applications.

FEATURES

- Back and Shoulder D-rings
- Tongue-Buckle Leg Connection
- Pass-Through Chest Connection
- Impact indicators
- Protected labels for long-term identification and inspection
- Parachute torso adjusters

\$89.99

**TOP
SELLER**



Levac SKU	MFR.	Size
90.0209054	1161542C	M/L

Contract Pricing Available

Protecta® Comfort Vest -Style Harness

- Back and Shoulder D-rings
- Tongue-Buckle Leg Connection
- Pass-Through Chest Connection
- Impact indicators
- Protected labels for long-term identification and inspection
- Parachute torso adjusters
- Polyester web

Levac SKU	MFR.	Size
90.02090629	1161417C	S/M
90.0209063	1161418C	M/L



Protecta® Vest-Style Harness

- Parachute torso adjusters
- Polyester web
- Available in a variety of configurations
- Back and Shoulder D-rings
- Tongue-Buckle Leg Connection
- Pass-Through Chest Connection

Levac SKU	MFR.	Size
90.0209064	1161525C	M/L
90.0209065	1161525C	X-Large



Comfort Construction-Style Harness

- Back and Shoulder D-rings
- Tongue-Buckle Leg Connection
- Pass-Through Chest Connection
- Durable and sturdy belt for tool bag-carrying convenience
- Auto-resetting lanyard keepers for fast and easy parking of snap hooks and carabiners
- Impact indicators make it easy to inspect the harness for prior damaging impact loads

Levac SKU	MFR.	Size
90.0209056	1161204C	Small
90.0209057	1161205C	Medium/Large
90.0209058	1161207C	X-Large
90.0209059	1161208C	2X-Large



Vest-Style Harness 1102000C

- Automatic stand-up back D-ring
- Multiple styles, configurations, and leg/ chest connection
- Integrated suspension trauma straps included on most models Impact Indicator
- CSA Z259.10

Levac SKU	MFR.	Size
90.0209150	1102000C	Universal



3M™ DBI-SALA® ExoFit™ X300

3M™ DBI-SALA® ExoFit™ X300 Safety Harnesses are built with 6,000 lbs (2721.55 kg) polyester webbing, robust nylon/polyester hybrid comfort padding with reflective 3M™ Scotchlite™ Panels, and lightweight aluminum hardware.

Locking torso adjustment and quick-connect buckle options are available to optimize fit and worker experience.



Call us for details



Roofer's Kit

\$159.99

**TOP
SELLER**

- 3-point adjustable harness with mating buckles
- 1 back D-ring, and 2 tear away lanyard keepers
- Rope grab with 30" energy absorbing lanyard
- 50ft polyester vertical lifeline with snap hook
- Reusable roof anchor with screws
- Storage bucket and lid

Levac SKU	MFR.
90.0209009	FPRK099Y50




Contract Pricing Available

Working at Heights Training

We offer this mandatory training for all those individuals who are working at heights in the construction industry. Working at Heights includes any work where a worker is exposed to a potential fall of three (3) Meters (10 feet) or more.

This and over 100 more training courses are available through Levac Health & Safety.





PRO™ Pack Shock Absorbing Lanyards, 1341001C

- Snap Hook
- Impact indicator
- Fire resistant Kevlar® fiber webbing
- PVC shock pack with Kevlar® fiber cover
- Energy absorbing design limits fall arrest forces

Levac SKU	MFR.	Length
90.0209314	1341001C	6 ft



PRO™ Pack Shock Absorbing Lanyard, 1340125C

- Rebar Hook
- CSA Z259.11
- Fire resistant Kevlar® fiber webbing
- PVC shock pack with Kevlar® fiber cover
- Energy absorbing design limits fall arrest forces
- User friendly self locking snap hooks at each end
- Impact indicator

Levac SKU	MFR.	Length
90.0209312	1340125C	6 ft



3M™ Protecta® PRO™ Pack Elastic 100% Tie-Off Shock Absorbing Lanyards 1342125C

- Rebar Hooks
- Double-Leg 100% Tie-Off,
- Weight Capacity 309 lb
- Stretches in reaction to your movements
- PVC shock pack with protected label
- Abrasion resistant polyester webbing
- User friendly self locking snap hook at center
- Self-locking steel rebar hook at leg ends
- Impact indicator

Levac SKU	MFR.	Length
90.0209316	1342125C	6 ft



PRO™ Pack 100% Tie-Off Shock Absorbing Lanyard, 1340180C

- Rebar Hooks
- Pack 100% Tie-off Shock-absorbing Lanyard
- Weight Capacity 309 lb
- Lightweight user friendly design
- PVC shock pack with protected label
- Abrasion resistant polyester webbing
- User friendly self locking snap hook at center
- Self-locking steel rebar hook at leg ends
- Impact indicator

Levac SKU	MFR.	Length
90.0209352	1340180C	6 ft

3M™ Protecta® PRO™ Web Positioning Lanyards

- Weight Capacity - 310 lbs. (141 kg)
- Anchor Connection Type - Snap Hook
- Single-Leg
- Ideal for work positioning or restraint
- Built-in wear indicator

Levac SKU	MFR.	Length
90.0209360	1385101C	6 ft
90.0209361	1385102C	3 ft



PRO™ Adjustable Web Positioning Lanyards, 1385301C

- Lightweight user friendly design
- Fire resistant Kevlar® fiber webbing
- PVC shock pack with Kevlar® fiber cover
- Energy absorbing design limits fall arrest forces
- User friendly self locking snap hooks at each end
- Impact indicator

Levac SKU	MFR.	Length
90.0209366	1385301C	6 ft



Nano-Lok™ Extended Length Self Retracting Lifeline, 3101603

- Swiveling anchorage loop with carabiner
- Quick activating speed sensing brake system
- Self-locking snap hook on lifeline
- Compact & lightweight design
- Durable thermoplastic housing
- High capacity external energy absorber and impact indicator
- RFID equipped and compatible with inventory management system

Levac SKU	MFR.	Length
90.0209602	3101603	10 ft



3M™ Protecta® Rebel™ Self Retracting Lifeline Leading Edge

- Swiveling anchorage connector loop and carabiner
- Aluminum or thermoplastic housing design
- Self-locking snap hook on lifeline
- Cable lengths of 20 ft (6 m) or greater feature stackable housing design
- Quick activating speed-sensing locking system
- Corrosion resistant components

Levac SKU	MFR.	Length
90.0209612	3590541	20 ft
90.0209614	3590544	33 ft





3M™ DBI-SALA® Suspension Trauma Safety Straps

- Allows user to stand in harness after a fall
- Attaches to almost any harness
- Fast and easy installation
- Extremely compact and lightweight design
- Simple and fast zipper-style deployment Continuous loop design
- Can be reset in the field

Levac SKU: 90.0209750 | MFR.: 9501403C



3M™ Protecta® Rope Grab Safety System

- Rope Grab for use on 5/8 in. (16 mm) rope
- Mobile and manual options available to position in place or move along lifeline
- Durable and lightweight construction
- Cam locking system for safety

Levac SKU: 90.0209707 | MFR.: AC202C



3M™ Protecta® Rope Lifeline with Snap Hook, SSR100-100

- Provides freedom of movement operation
- Detachable
- Brake locks rope grab onto lifeline in case of a fall

Levac SKU: 90.0209640 | MFR.: SSR100-100 | Length: 100 ft



Tie-Off Adaptor, 1003000C

- Meets the requirements for 29 CFR OSHA 1910.140, and OSHA 1926.502
- Compatible with various fall arrest systems

Levac SKU: 90.0209550 | MFR.: 1003000C | Length: 3 ft



Saflok Carabiner, 2000112

- User friendly compact design
- Corrosion-resistant
- Meets the requirements of EN362 and ANSI/ASSP 359.12-2019
- Versatility of attachment to fall protection systems

Levac SKU: 90.0209460 | MFR.: 2000112



Save Cost on SRL Inspections and Revalidation

Following the CSA Z259.2.2-17 standard for Self-Retracting Lifelines, effective since 2019, 3M offers inspections and CP & Revalidation on their proprietary SRL, SRL-LE, SRL-R, and SRL-LE-R products.

These can be scheduled according to frequency of use, with inspections ranging from less than a year up to 5 years. Please refer to the table below for details.

This enables organizations to categorize their SRL inventory accordingly, avoiding unnecessary inspections and saving costs. We advise consulting the Safety Manager in your organization and reaching out to one of our Safety Specialists for more information.

Inspection and Revalidation Schedule					
Frequency of Use ¹	Application	Conditions	Worker Inspection Frequency ²	Competent Person Inspection ³	Duration Between Product Revalidation Inspections ⁴
Infrequent to Light	Rescue, Confined Space, Factory Maintenance	Good Storage Conditions, Indoor or Infrequent Outdoor Use, Room Temperature, Clean Environments	Before Each Use	Annually	Not Longer than Every 5 Years
Moderate to Heavy	Transportation, Residential Construction, Utilities, Warehouse	Fair Storage Conditions, Indoor and Extended Outdoor Use, All Temperatures, Clean or Dusty Environments	Before Each Use	Semi-Annually to Annually	Not Longer than Every 2 Years
Severe to Continuous	Commercial Construction, Oil and Gas, Mining, Foundry	Harsh Storage Conditions, Prolonged or Continuous Outdoor Use, All Temperatures, Dirty Environment	Before Each Use	Quarterly to Semi-Annually	Not Longer than Every Year

1. Frequency of Use must be determined by a Competent Person
2. Failure of a Worker to inspect "Before Each Use", or failures identified during the Worker Inspection will require a Competent Person Inspection.
3. Failure of a Competent Person to inspect per the frequencies in this Inspection Schedule, or failure identified during the Competent Person Inspection will require a Product Revalidation Inspection or removal from service and disposal of the product.
4. SRL's considered non-repairable, or not designed for disassembly and internal inspection do not qualify for Revalidation Inspection. These SRL's have other service life and inspection requirements as provided in the manufacturer's instructions.

Worker: Any person who is protected from falling by an active and/or passive fall-protection system, or in the case of a fall-arrest system, any person who might fall while attached to the system.

Competent Person: An individual designated by the employer to be responsible for the immediate supervision, implementation, and monitoring of the employer's managed fall protection program who, through training and knowledge is capable of identifying, evaluating, and addressing existing and potential fall hazards, and who has the employer's authority to take prompt corrective action with regard to such hazards.

Hand Protection

In January 2016, the International Safety Equipment Association (ISEA) received American National Standards Institute (ANSI) approval for ANSI/ISEA 105-2016, the updated American National Standard for Hand Protection Classification.

Why this happened? As new materials, and technologies have come to market, the performance of protective gloves improved as well. However, the cut-resistance levels of the improved gloves had not been addressed until 2016.

With the new ANSI/ISEA 105-2016 there is a wider and more accurate range of cut-resistance performance levels for tested gloves. All of them will be tested by one specific ASTM method.

The new standard's nine graduated cut level designations will allow users to see the shades of difference between the gloves in each level as opposed with the previous ANSI/ISEA standard (2005), when a single cut-level offered varying levels of performance. (see comparison chart below).

The new ANSI standard cut-level will now be identified as A1 through A9. New levels A4, A5, and A6 represent what used to be ANSI cut level 4. The new levels A5 through A9 together represent what was the old level 5. It's also important to be aware of the grams of cut resistance you need, so no matter which standard your gloves have been rated by, you'll have a better idea of the protection you're getting.



**Learn about
Hand Protection**

Click or scan the code

NEW ANSI CUT RESISTANCE

Old ANSI Levels (Grams)	New ANSI Levels (Grams)	Applications By Cut Level
1 (200)	A1 Light Cut Hazards (200)	Material handling, small parts assembly (sharp edges), packaging, warehouse, general purpose, forestry, construction
2 (500)	A2 Light/Medium Cut hazards (500)	Material handling, small parts assembly (sharp edges), packaging, warehouse, general purpose, forestry, construction, pulp and paper, automotive assembly
3 (1000)	A3 Light/medium Cut Hazards (1000)	Material handling, small parts assembly (sharp edges), packaging, warehouse, general purpose, forestry, construction, pulp and paper, automotive assembly
4 (1500)	A4 Medium Cut Hazards (1500)	Appliance manufacturing, bottle and light glass handling, canning, drywall work, electrical, carpet installation, HVAC, pulp and paper, automotive assembly, metal fabrication and handling, packaging, warehouse, aerospace industry, food prep/ processing
5 (3500)	A5 Medium/Heavy Cut Hazards (2200)	Appliance manufacturing, bottle and light glass handling, canning, drywall work, electrical, carpet installation, HVAC, pulp and paper, automotive assembly, metal fabrication and handling, packaging, warehouse, aerospace industry, food prep/ processing
	A6 High Cut Hazards (3000)	Metal stamping, metal recycling, pulp and paper (changing slitter blades), automotive assembly, metal fabrication, sharp metal stampings, glass manufacturing, window manufacturing, recycling plant/sorting, HVAC, food prep/ processing, meat processing, aerospace industry
	A7 High Cut Hazards (4000)	Metal stamping, metal recycling, pulp and paper (changing slitter blades), automotive assembly, metal fabrication, sharp metal stampings, glass manufacturing, window manufacturing, recycling plant/sorting, HVAC, food prep/ processing, meat processing, aerospace industry
	A8 High Cut Hazards (5000)	Metal stamping, metal recycling, pulp and paper (changing slitter blades), automotive assembly, metal fabrication, sharp metal stampings, glass manufacturing, window manufacturing, recycling plant/sorting, HVAC, food prep/ processing, meat processing, aerospace industry
	A9 High Cut Hazards (6000)	Metal stamping, metal recycling, pulp and paper (changing slitter blades), automotive assembly, metal fabrication, sharp metal stampings, glass manufacturing, window manufacturing, recycling plant/sorting, HVAC, food prep/ processing, meat processing, aerospace industry

Nitrile Disposable Gloves

FEATURES

- Food safe
- Multipurpose and lightweight
- Liquid-proof
- Ambidextrous
- Latex-free; powder-free
- Heavy-duty blue nitrile; reference specification for size L: 5g (+/- 0.3g) (4 mil thick)
- 3x Stronger than latex/vinyl
- 100 gloves per pack



Nitrile gloves provide high resistance to puncture, tearing, abrasion, and good chemical-resistance.

They provide a good balance of durability and comfort.

Levac SKU	MFR.	Size
90.200050	34600S	Small
90.200051	34600M	Medium
90.200052	34600L	Large
90.200053	34600XL	X-Large



MICROFLEX™ NeoPro™ NPG 888

- Splash protection against a broad array of chemicals
- Tested for use with chemotherapy/ cytotoxic drugs
- Textured fingertips provides secure grip in wet and dry environments
- Polymer coating for easy donning and doffing
- 100 gloves per pack

Levac SKU	MFR.	Size	Levac SKU	MFR.	Size
90.200005	163127	Small	90.200007	163125	Large
90.200006	163126	Medium	90.200008	163130	X-Large



MICROFLEX® NeoPro® NEC 288

- Cytotoxic/chemotherapy drug-tested: For highly specialized protection
- Neoprene formulation and textured fingertips: For high levels of grip
- NFPA certified: For first responders
- 50 gloves per pack

Levac SKU	MFR.	Size
90.200002	NEC-288-L	Large
90.200003	NEC-288-XL	X-Large



Grease Monkey® 5555PF

- Black heavyweight nitrile
- Powder-free
- 8 mil thickness
- 11" rolled cuff
- CFIA approved
- 50 gloves per pack

Levac SKU	MFR.	Size
90.200086	65537817460	Medium
90.200087	65537817477	Large
90.200088	65537817484	X-Large
90.200089	65537817491	XX-Large

Professional® Black Forte™ Disposable Nitrile Gloves

- Multipurpose, and lightweight Liquid-proof
- Ambidextrous Latex-free; powder-free
- Extra heavy-duty black nitrile;
- 8 mil thick
- Textured finger tips for better grip, and extended cuff lengths for better protection
- 3x Stronger than latex/vinyl
- 50 gloves per pack

Levac SKU	MFR.	Size	Levac SKU	MFR.	Size
90.200070	34606S	Small	90.200073	34606S	X-Large
90.200071	34606S	Medium	90.200074	34606S	XX-Large
90.200072	34606S	Large			



Purple Nitrile™ Exam Gloves

- Ambidextrous, 9.5" (242mm)
- Beaded cuffs to prevent roll-down; excellent dexterity and tactile sensitivity with textured fingertips
- Superior quality at AQL 1.0 (exceeds the ASTM AQL 2.5 standard for critical defects or pinholes); 5.9 mil thickness
- Comfortable gloves; made of a highly durable nitrile polymer; cleared for use in chemotherapy; not made with natural rubber latex (latex and silicon free)
- 100 gloves per pack

Levac SKU	MFR.	Size	Levac SKU	MFR.	Size
90.200060	55081	Small	90.200062	55083	Large
90.200061	55082	Medium	90.200063	55084	X-Large



Thickster Powdered Latex

- Powdered latex
- Thickness: 14 mil
- 12 length for added protection
- Beaded cuff for easy donning
- Fully textured for superior grip
- Strong yet soft and flexible
- Single use only
- 50 gloves per pack

Levac SKU	MFR.	Size
90.200127	6603	Large
90.200128	6604	X-Large





Chemstop™ NIF3018

- ANSI Level A3 puncture resistant while also protecting against abrasions and snags
- CFIA-compliant for safe food handling
- Oil resistant, fuel resistant and solvent-resistant (methanol, n-heptane)
- 15 mil thick to balance between protection and dexterity, and 12" length
- to provide a wide area of coverage
- Embossed finish for a strong, steady grip
- Flock lining keeps hands dry and comfortable

Levac SKU	MFR.	Size
90.200723	NIF3018	7 - Small
90.200718	NIF3018	8 - Medium
90.200719	NIF3018	9 - Large

Levac SKU	MFR.	Size
90.200720	NIF3018	10 - X-Large
90.200722	NIF3018	11 - 2X-Large



Showa 730

- Forearm protection
- Chemical-resistant
- Oil-resistant Impermeable
- Unsupported
- 100% Nitrile
- Flocked lined
- Textured finish
- Ergonomic

Levac SKU	MFR.	Size
90.200728	730	7 - Small
90.200729	730	8 - Medium
90.200730	730	9 - Large

Levac SKU	MFR.	Size
90.200731	730	10 - X-Large
90.200732	730	11 - 2X-Large



Chemstop™ SH230

- Made from a premium, super-soft pvc formulation applied to seamless-knit 13-gauge cotton shell
- Ergonomic design gloves are shaped to your hands, meaning a lot less hand fatigue
- Good wet or dry grip
- Heavy-weight PVC construction provides oil resistance, while retaining dexterity and tactile feel
- Features high dexterity and tactile sensitivity

Levac SKU	MFR.	Size
90.200783	SH230L	Large



Fitters Patch Palm Gloves

- Smooth grain cowhide leather construction
- Superior abrasion resistance
- Excellent comfort and durability
- Absorbent cotton-lined palm
- Resists oil and water absorption better than split leather
- Patch palm design delivers added savings
- Full leather-tipped fingers and knuckle strap provide increased protection
- Applications: Material handling, fabrication, metal handling and construction

Levac SKU	MFR.	Size
90.200330	YC386	Large

Leather Gloves

- Fitters glove
- Split leather provides excellent comfort, durability and strength
- Patch / two-piece palm
- Starched cuff
- Breathable cotton back provides ventilation for user comfort

Levac SKU	MFR.	Size
90.200345	TGG-416-L	Large



Rugged Fitters Gloves

- Good abrasion resistance
- Absorbent cotton-lined palm
- Starched safety cuff
- Full leather-tipped fingers and knuckle strap
- Applications: Material handling, fabrication, metal handling and construction

Levac SKU	MFR.	Size
90.200349	SM575	Large



Drivers Leather Gloves

\$7.95
TOP
SELLER

- Full / one-piece palm
- Shirred elastic cuff
- Grain leather provides excellent comfort, durability and strength
- Unlined palm

Levac SKU	Size	Levac SKU	Size
90.200373	Small	90.200375	Large
90.200374	Medium	90.200376	X-Large



Contract Pricing Available



Winter-Lined Driver's Gloves

- Superior abrasion resistance
- Resists oil and water well
- Excellent comfort and durability
- Provides moderate warmth
- Elastic wrist

Levac SKU	Size	Levac SKU	Size
90.200379	Small	90.200381	Large
90.200380	Medium	90.200382	X-Large





Endura® 66BRBOA

- Split cowhide leather provides durable protection
- Leather palms and index fingers offer an enhanced level of safety 2.5" rubberized safety cuffs for added wrist protection and ease of use
- Reinforced leather fingertips and knuckle straps provide extra protection
- Fully lined for warmth and comfort in cold conditions

Levac SKU	MFR.	Size
90.200405	66BRBOA	L - XL



Abrasion-Resistant Winter-Lined Fitters Gloves

- Standard quality
- Full cotton fleece lining
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather tipped fingers and knuckle strap
- Rubberized safety cuff
- Applications: Moderate cold material handling, fabrication, metal handling and construction

Levac SKU	MFR.	Size
90.200410	SD605	Large



Standard-Duty Work Gloves

- Rugged split cowhide leather construction
- Good abrasion resistance
- Cotton back provides superior breathability
- Knit wrist Applications: Material handling, automotive, assembly and construction

Levac SKU	Size
90.201792	Large



Endura® 370CTIG

- TIG welding gloves that protect against sparks and heat and balances durability with hand motion
- Provides ANSI 2 heat resistance
- Sewn with ParaActiv™ thread for added seam integrity
- Gauntlet cuffs for increased wrist safety

Levac SKU	MFR.	Size
90.200467	370CTIG	Medium
90.200468	370CTIG	Large
90.200469	370CTIG	X-Large

Welder Gloves MIG

- Premium top grain Cowhide palm and back resists heat
- Stays soft even when hot.
- Seamless forefinger
- Fleece lined for added heat protection without the bulk for longer welds
- Winged thumb for a great feel and gun grip.
- Palm, back of fingers and thumb strap reinforcement for extra strength.
- Elastic back for snug fit.
- 4" cuff for added protection.
- Sewn with DuPont™ Kevlar® for added strength

Levac SKU	Size
90.200493	Medium
90.200494	Large
90.200495	X-Large



Standard Welder Glove MIG

- Rugged split cowhide leather construction
- Excellent abrasion resistance
- Thermal cotton palm lining provides added heat protection
- Welted seams at all critical points
- Sewn with DuPont™ Kevlar® thread for higher seam strength and seam flame resistance
- Wing thumb style
- Gunn cut pattern

Levac SKU	Size
90.200472	Large



Mechanics Gloves

\$15.29
TOP
SELLER

- Synthetic leather on palm for improved grip and dexterity
- Reinforced padding on palm for increased impact resistance
- Oil and abrasion resistant
- Breathable spandex fabric on back for snug comfortable fit
- Elastic wrist with hook and loop closure keeps debris out of glove
- Flexible knuckle guards on each finger for added protection

Levac SKU	Size	Levac SKU	Size
90.200505	Small	90.200508	X-Large
90.200506	Medium	90.200509	XX-Large
90.200507	Large		



Contract Pricing Available



HYFLEX® 11-601

- PU coating and nylon liner: Heightened tactile sensitivity
- Palm-dipped: PPE gloves with palm coating, for extra protection
- Black color: A dark tone designed for dirt masking

Levac SKU	MFR.	Size
90.200824	11-601	8 - Medium
90.200825	11-601	9 - Large
90.200826	11-601	10 - X-Large





Superior Touch® S13SXGPU

- Dyneema® is lint-free and provides excellent cut and abrasion resistance
- Polyurethane palm coating offers excellent dexterity and tactile sensitivity while providing comfort and grip
- Ideal for glass handling, these non-marring gloves will not leave residue, smudges, or fingerprints
- CFIA-compliant for safe food handling
- Fully launderable at temperature below 90°C (194°F)

Levac SKU	MFR.	Size	Levac SKU	MFR.	Size
90.201840	S13SXGPU	6 - X-Small	90.201843	S13SXGPU	9 - Large
90.201841	S13SXGPU	7 - Small	90.201844	S13SXGPU	10 - X-Large
90.201842	S13SXGPU	8 - Medium	90.201845	S13SXGPU	11 - 2X-Large



Superior Touch® S13BKPUQ

- Fine-gauge nylon is highly touch-sensitive and non-linting ANSI Level 3 abrasion resistant and ANSI Level 2 puncture resistant
- Polyurethane coating provides a strong, steady grip Ideal for glass handling, these non-marring gloves will not leave residue
- Snug fitting for all-day comfort and dexterity

Levac SKU	MFR.	Size	Levac SKU	MFR.	Size
90.201892	S13BKPUQ	8 - Medium	90.201894	S13BKPUQ	10 - X-Large
90.201893	S13BKPUQ	9 - Large	90.201895	S13BKPUQ	11 - 2X-Large



Cut-Resistant Glove

- Stretchable seamless HPPE liner HPPE (high performance polyethylene) liner is an extremely strong fibre
- Breathable polyurethane palm coating Excellent cut, abrasion and tear resistance
- Elastic knit wrist
- Provides a superior dry grip
- Accepted for use in Canadian food processing facilities

Levac SKU	MFR.	Size	Levac SKU	MFR.	Size
90.201907	SFV077	Small	90.2019010	SFV080	X-Large
90.201908	SFV078	Medium	90.2019011	SFV081	2X-Large
90.201909	SFV079	Large			



G-Tek® KEV™

- Seamless knit construction provides comfort without sacrificing dexterity
- Kevlar® fiber shell provides high tensile strength relative to its weight, is inherently cut resistant and will not melt, ignite or conduct electricity
- Foam Nitrile coatings are breathable and durable, designed with a cell structure that disperse fluids on contact for an improved grip
- Knit Wrist helps prevent dirt and debris from entering the glove
- Color coded hems for easy size identification
- Launderable for extended life and to reduce replacement costs

Levac SKU	MFR.	Size	Levac SKU	MFR.	Size
90.201921	GP09K1600	7 - Small	90.201923	GP09K1600	9 - Large
90.201922	GP09K1600	8 - Medium	90.201924	GP09K1600	10 - X-Large

TenActiv™ S13TAFGPU

- TenActiv™ glove features fine 13-gauge lint-free continuous filament yarn that is stronger than steel on an equal-weight basis ANSI Level A3 cut resistance
- Black polyurethane palm coating offers excellent dexterity and tactile sensitivity at the same time providing comfort and grip
- Snug fitting, breathable, flexible, and ergonomically shaped

Levac SKU	MFR.	Size
90.201933	S13TAFGPU	9 - Large
90.201934	S13TAFGPU	10 - X-Large



Superior Touch® S13SXPUQ

- 360° ANSI Level A2 cut resistance and ANSI Level 3 puncture resistance
- Dyneema® is lint-free and provides excellent abrasion resistance
- Polyurethane palm coating offers superior dexterity and tactile sensitivity while at the same time providing comfort and grip
- Snug fitting, breathable, and flexible gloves that are ergonomically shaped
- High dexterity and flexibility
- Ideal for glass handling, these non-marring gloves will not leave residue, smudges, or fingerprints

Levac SKU	MFR.	Size	Levac SKU	MFR.	Size
90.201944	S13SXPUQ	6 - X-Small	90.201947	S13SXPUQ	9 - Large
90.201945	S13SXPUQ	7 - Small	90.201948	S13SXPUQ	10 - X-Large
90.201946	S13SXPUQ	8 - Medium	90.201949	S13SXPUQ	11 - 2X-Large



TenActiv™ S13TAXFN

- TenActiv™, and composite filament-fiber for ANSI Level A5 cut protection
- TenActiv™ yarn feels cool against the skin ANSI Level 4 abrasion resistant and ANSI Level 3 puncture resistant
- Foam nitrile palm provides a strong, steady grip on wet or lightly oiled surfaces

Levac SKU	MFR.	Size	Levac SKU	MFR.	Size
90.201957	S13TAXFN	6 - X-Small	90.201961	S13TAXFN	10 - X-Large
90.201958	S13TAXFN	7 - Small	90.201962	S13TAXFN	11 - 2X-Large
90.201959	S13TAXFN	8 - Medium	90.201963	S13TAXFN	12 - 3X-Large
90.201960	S13TAXFN	9 - Large			



Spandex Anti-Vibe Fingerless Leather Glove

- Fingerless anti-vibration hand protection
- Blue stretch spandex
- Back velcro closure
- Soft goatskin palm.

Levac SKU	Size
90.200900	Small
90.200901	Medium
90.200902	Large



Head and Face

What are the essential aspects of head protection?

If you are exposed to the risk of head injuries in your workplace, it is crucial to wear appropriate head protection to guard against impacts and small flying or falling objects.

- Establish a comprehensive safety protection program if head protection is mandated, covering selection, fit testing, training, maintenance, and inspection.
- Select the suitable headgear for the task at hand. Refer to CSA Standard Z94.1-15 "Industrial protective headwear - Performance, selection, care, and use" or relevant legislation in your jurisdiction for guidance.
- Headwear may fall into different classes:
 - **Type 1** - offering protection from impact and penetration at the crown (top) only
 - **Type 2** - providing protection from impact and penetration at the crown (top) as well as laterally (sides and back)
- The standard also delineates head protection classes offering various levels of safeguarding against electrical voltage:
 - **Class E (20,000 V electrical rating)** - affording head protection against high voltage conductors
 - **Class G (2200 V electrical rating)** - ensuring head protection against low voltage conductors (general trades)
 - **Class C (no electrical rating)**
- Headwear comprises a shell and suspension, both of which constitute a system requiring regular inspection and maintenance.
- Avoid storing headwear in rear vehicle windows, as heat and UV light (including sunlight) can degrade the material, rendering it brittle and less protective.
- Check winter liners to ensure they do not affect the fit of the headwear.

- Avoid pulling the chin strap over the brim or peak of the headwear.
- Refrain from wearing baseball-style hats beneath the headwear, as this can interfere with the suspension.
- If high-visibility headwear is necessary, adhere to CSA Standard Z96 High-visibility safety apparel for specifications on color and retroreflective performance.
- Be cautious with insect repellent or other chemicals, as they can degrade the headwear material. Consult the manufacturer for compatibility of products.

What should I know about the shell of my headwear?

The shell, being rigid and lightweight, is designed to deflect falling objects. Proper maintenance is essential.

DO:

- Inspect and replace a shell showing signs of wear, scratches, or gouges. Shells exposed to heat, sunlight, and chemicals may become stiff or brittle, developing a visible pattern of tiny cracks over time. Weathered hats may also lose color or appear chalky.
- Replace headwear upon the emergence of any signs of wear.
- Replace headwear that has been struck, even if no visible damage is present.
- Remove and discard any headwear if doubts arise about its protective capabilities.

DO NOT:

- Do not drill holes, alter, or modify the shell, as such alterations can severely compromise the protection offered by the headwear.
- Do not paint the plastic shell, as paint solvents can make it brittle and more prone to cracking. Instead, use reflective marking tape for identification purposes. Some headwear may allow painting, but consult the manufacturer for approval.
- Do not use winter liners containing metal or electrically conductive material under Class G or E headwear.
- Do not affix metal labels to Class G or E headwear.

Mont-Blanc™ Hard Hat CSA Type II



Sleek and attractive lightweight HDPE shell, with universal slots to accommodate accessories.

Comfortable 4-point nylon webbing suspensions with SURE LOCK ratchet adjustment features strong textile straps and crown padding to provide a comfortable and secure fit.

Large printing surfaces for company logos on front, sides & back.

*Other colours available



FEATURES

- Strong, lightweight HDPE Shell
- ANSI Z89.1 Type II Class E
- CSA Z94.1 Type II Class E
- EPS Liner for enhanced side, front and rear impact protection
- Sure-Lock 4 point Wheel Ratchet Suspension for a secure and comfortable fit
- Compatible with 2 and 4 point chin strap
- Rain trough design for inclement weather
- Universal slot adapters fit various accessories

Levac SKU	MFR.	Colour
90.0201070	HP542R	White
90.0201071	HP542R	Black
90.0201072	HP542R	Yellow
90.0201074	HP542R	Navy Blue
90.0201076	HP542R	Hi-Vis Orange
90.0201078	HP542R	Hi-Vis Lime

*Other colours available



Whistler™ Hard Hat CSA Type I

- CSA Z94.1-05 certified
- HDPE shell with 4-point nylon suspension
- Features rain trough for added convenience
- Large printing surface, great for custom logos (front, sides, or back)
- Comfortable "SURE-LOCK" ratchet, adjustment suspensions
- Accessory slots, chin strap attachments

Levac SKU	MFR.	Colour	Levac SKU	MFR.	Colour
90.0201050	HP241/R	White	90.0201057	HP241/R	Hi-Vis Orange
90.0201052	HP241/R	Yellow	90.0201058	HP241/R	Hi-Vis Pink
90.0201054	HP241/R	Navy Blue	*Other colours available		



Grand Slam II™ Baseball Style Bump Cap

- For low hazard area protection against minor bumps and lacerations
- Hard shell with crown foam pads for maximum comfort and fit
- Super lightweight
- Well vented for increased comfort during hot sunny days
- Adjustable sizing to fit most head sizes

Levac SKU	MFR.	Colour
90.0201041	HP946-08	Blue Navy

*Other colours available

Sellstrom Dual Crown Face Shield

- Certified to CAN/CSA Z94.3 Standards
- Extra-large high impact blue crown and chin protector
- Premium acetate extra-wide scratch resistant window

Levac SKU	MFR.	Notes
90.0202858	S38140	Headgear with visor
90.0202856	S36040	Replacement Visor



3M™ Ratchet Headgear H8A with Clear Polycarbonate Faceshield

- Safety system comes with headgear and faceshield together
- Five position crown strap and thirteen position ratchet suspension offer customization to individual wearers
- Meets the high impact requirements of CSA Z94.3
- Offers head and face protection for many tasks where flying sparks, chips, and debris are present

Levac SKU	MFR.	Notes
90.0202841	H8A 82783	With Polycarbonate Visor



3M™ Ratchet Headgear with Crown Extender H10

- Ratchet headgear styles
- Allows for quick window replacement

Levac SKU	MFR.
90.02022840	H10 82516



3M™ Clear Polycarbonate Faceshield WP96, 82701

- For workers requiring face protection
- 3M™ W-Series Faceshields offer optical clarity and high-performance durability in unpredictable environments that involve exposure to impact hazards and flying debris.
- Fits H8A and H10 headgear

Levac SKU	MFR.	Notes
90.02022846	82701	Visor Only



3M™ SecureFit™ Safety Helmet
is engineered with workers in mind.



Meets ANSI safety compliance standards

Meets ANSI Z89.1.



Ratchet suspension

Smooth, easy-turning ratchet suspension system sits low on the head for greater comfort and security.



Pressure diffusion technology

Patented technology helps reduce forehead pressure by 20% on average



Accessory slots for earmuffs and communication equipment

Accessory slots designed to hold 3M earmuffs and communication products.



UVicator UV indicator

Proprietary indicator that lets wearer know when to replace helmet due to UV exposure.



Customizable

A variety of 3M accessories are available to meet specific job requirements.



Elastic band clips

Integrated clips help hold elastic bands used with 3M goggles and headlamps.



Ventilation

The available vented model has vents on sides and back.

Hearing Protection

HAZARDOUS NOISE LIMITS FOR CANADA

Canada comprises 14 regions, each with its own set of noise regulations aimed at safeguarding workers' well-being.

Across most regions, the permissible exposure limit for an 8-hour workday stands at 85 dBA, employing a 3 dBA exchange rate. Notably, Quebec imposes a maximum of 90 dBA with a 5 dBA exchange rate, while federal workplaces adhere to a maximum of 87 dBA with a 3 dBA exchange rate. Nunavut and Northwest Territories apply distinct regulations, contingent upon whether the context pertains to general safety or mining operations.

What precisely does the exchange rate signify? It denotes that as noise energy doubles, the permissible exposure duration is halved. Conversely, if noise energy diminishes by half, the permissible exposure time can be extended twofold.

To illustrate, suppose one operates in a region with an 85 dBA noise exposure ceiling for an 8-hour span. In the event that noise levels escalate by 3 dBA to 88 dBA, the daily allowable duration decreases from eight to four hours without hearing protection. Conversely, if noise levels decline by 3 dBA to 82 dBA in the same region, the permissible duration for the day escalates to 16 hours.

Duration per day	Equivalent sound exposure level (most jurisdictions)	Equivalent sound exposure level (federal)	Equivalent sound exposure level (Quebec)
16 hours	82	84	85
8 hours	85	87	90
4 hours	88	90	95
2 hours	91	93	100
1 hour	94	96	105
30 minutes	97	99	110
15 minutes	100	102	115
7 minutes 30 secs.	103	105	120
3 minutes 45 secs.	106	108	125

3M™ E-A-R™ Classic Earplugs, 312-1201

Constructed from slow-recovery foam, the disposable earplug conforms to the shape of the ear canal for premium hearing protection.

3M™ E-A-R™ Classic Earplugs are an economical, reliable choice in hearing protection and conservation.

The slow recovery foam used to create these ear plugs, provides a moisture resistant and sound resistant barrier for the ear canal, along with a deeper fit in the ear canal making the 3M™ E-A-R™ Classic Earplug one of the most

FEATURES

- Noise Reduction Rating - 29 dB
- CSA Class AL
- Cylindrical shape creates a snug seal for noise reduction
- Slow-Recovery Foam
- Moisture Resistant



\$42.99

**TOP
SELLER**

Levac SKU	MFR.	Box qty
90.0203015	312-1201	200 pairs

Contract Pricing Available

3M™ Foam Earplugs, 1100

- Noise Reduction Rating - 29 dB
- CSA Class AL, Orange
- Soft, hypoallergenic foam and a tapered design to fit comfortably in the ear canal
- The slow-recovery polyurethane foam conforms to the shape of the ear canal to help create a comfortable noise barrier

Levac SKU	MFR.	Box qty
90.98011000	312-1100	200 pairs



3M

3M™ E-A-R™ TaperFit 2 Earplugs, 312-1219

- Test compatible with 3M™ E-A-Rfit Validation System
- Soft polyurethane foam for a low pressure noise barrier
- Noise Reduction Rating (NRR)*: 32 dB
- CSA Class AL

Levac SKU	MFR.	Box qty
90.9801140	312-1219	200 pairs



3M

3M™ E-A-R™ Classic One Touch Refill, 391-1001

- Noise Reduction Rating - 29 dB.
- CSA Class AL
- Uncorded
- Cylindrical shape creates a snug seal for noise reduction
- Slow-Recovery Foam
- Moisture Resistant

Levac SKU	MFR.	Jar qty
90.9801125	391-1001	Jar of 500 pairs



3M

3M™ E-A-R™ UltraFit™ Earplugs, 340-4004

- Noise Reduction Rating - 25 dB
- CSA Class AL
- Poly bag keeps earplugs clean and accessible for re-use
- Triple-flange provides proven protection without rolling or touching plug during insertion

Levac SKU	MFR.	Box qty
90.9801131	340-4004	100 pairs



3M

3M™ E-A-R™ Classic Earplugs, 311-1110

- Noise Reduction Rating - 29 dB
- CSA Class AL
- Corded

Levac SKU	MFR.	Box qty
90.0203017	311-1110	200 pairs



3M

3M™ E-A-R™ TaperFit 2 Earplugs, 312-1223

- Noise Reduction Rating - 32 dB
- CSA Class AL
- Corded (Blue cord)

Levac SKU	MFR.	Box qty
90.9801141	312-1223	200 pairs



3M

3M™ E-A-Rsoft™ Earplugs, Metal Detectable 311-4106,

- Noise Reduction Rating - 32 dB
- CSA Class AL
- Metal detectable cord

Levac SKU	MFR.	Box qty
90.9801136	311-4106	200 pairs



3M

Laser Lite

- Noise Reduction Rating - 29 dB
- CSA Class AL
- Contoured T-shape
- Soil-resistant closed-cell
- Dispenser available and sold separately

Levac SKU	MFR.	Bag qty
90.9801144	LS4	200 pairs



Honeywell

Maximum

- Noise Reduction Rating - 33 dB
- Soil-resistant skin
- Uncorded

Levac SKU	MFR.	Box qty
90.9801147	MAX-1	200 pairs



Honeywell



Honeywell

Maximum Lite

- Noise Reduction Rating - 30 dB
- CSA Class A
- Contoured T-shape
- Low pressure polyurethane foam

Levac SKU	MFR.	Box qty
90.98011449	LPF-1	200 pairs



MOLDEX

Pura-Fit PlugStation

- Noise Reduction Rating - 33 dB
- CSA Class A
- Highest independently tested NRR
- Extra-soft, low-pressure foam for comfort and fit
- Tapered shape for easy insertion and removal
- Non-irritating smooth surface
- Cost Savings — take one pair at a time so there are no wasteful grabbing of multiple pairs

Levac SKU	MFR.	Box qty
90.9801000	6845	500 pairs



PIP

Metal Detectable 4 Flange Ear Plugs

- Noise Reduction Rating - 27db
- Metal infused ear plug and cord for better detectability
- Pre-formed plug shape with no rolling required makes insertion simple
- Self-sealing flanges give all day comfort
- Rigid stem makes insertion easy and reduces the risk of contamination
- TPR plug is to be cleaned using soap and water

Levac SKU	MFR.	Box qty
90.9801135	267-Hpr410d	100 pairs



Contract Pricing Available

3M

3M™ PELTOR™ Optime™ 101 Earmuffs H7A **\$41.98**

- Noise Reduction Rating - 27 dB
- CSA Class AL

**TOP
SELLER**

Levac SKU	MFR.	Notes
90.9801240	H7A	Over-the-head



3M

3M™ PELTOR™ X Series Earmuffs, X4P5E

- Noise Reduction Rating - 25 dB
- CSA Class A
- Electrically insulated

Levac SKU	MFR.	Notes
90.9801236	X4P5E	Hard hat attached



3M

3M™ PELTOR™ Optime™ 105 Earmuffs, H10A

- Noise Reduction Rating (NRR)*: 30 dB
- CSA Class AL
- Fit can be verified with 3M™ E-A-Rfit Dual-Ear Validation System Replaceable ear cushions and foam liners (3M™ PELTOR™ Hygiene Kit HY54)

Levac SKU	MFR.	Notes
90.9801248	H10A	Over-the-head

LEVAC

You need a communication solution?
We hear you loud and clear.



Entry Level

The 3M™ PELTOR™ CH-3 Series is perfect to work along with your existing fleet of radios. It will bring hearing protection and communication in noisy environments into a new level of performance with newly designed speakers and microphone.

New bright yellow, dual-moulded cup design helps deliver a slim, modern profile while still providing high attenuation, comfortable ear space and lighter weight for long hours of use.



All-in-One

With the voice-activated, noise-canceling communication microphone and extended operating times of 3M™ PELTOR™ LiteCom Headsets, you're already ahead of the game.

The LiteCom lineup includes models with different features so you can find just the right headsets for your specific needs.

By enabling your work team to clearly communicate in noise, workers may be compelled to wear their hearing protection consistently and



Situational Awareness

3M™ PELTOR™ ProTac III Headset utilize environmental listening technology to help reduce potentially harmful noise when needed and enable normal listening when sound levels are below 82 dBA. Plus, they combine professional-grade durability with lightweight comfort for all-day wearability.

It utilizes sound limiting environmental microphones to monitor the surrounding environment, and when hazardous noises are present, the electronic circuit in the headset limits



LEVAC

Respiratory

3M Cartridges

		3M™ Half and Full Facepiece Respirators			
		5000 Series	6000 Series	6500 Series	7000 and FF-400 Series
Cartridge Type	Color Code	NIOSH Approved for:	Permanent Cartridges		
			Replaceable Cartridges		
OV Organic Vapor		Certain Organic Vapors			
OV/P95 Organic Vapor/ P95		Certain Organic Vapors and Particulates			
OV/P100 Organic Vapor/ P100		Certain Organic Vapors and Particulates			
AG Acid Gas		Chlorine, Hydrogen Chloride, Sulfur Dioxide, Chlorine Dioxide and Hydrogen Sulfide			
AG/P100 Acid Gas/P100		Chlorine, Hydrogen Chloride, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Sulfide and Particulates			
OV/AG Organic Vapor/ Acid Gas		Certain Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide and Hydrogen Fluoride			
OV/AG/P100 Organic Vapor/ Acid Gas/ P100		Certain Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, Hydrogen Fluoride and Particulates			
AM/MA Ammonia/ Methylamine		Ammonia and Methylamine			
AM/MA/P100 Ammonia/ Methylamine/P100		Ammonia and Methylamine and Particulates			
FM/OV Formaldehyde/ Organic Vapor		Formaldehyde* and Certain Organic Vapors			
FM/OV/P100 Formaldehyde/ Organic Vapor/P100		Formaldehyde*, Certain Organic Vapors and Particulates			
MG Multi-Gas/ Vapor		Certain Organic Vapors, Chlorine, Hydrogen Chloride, Chlorine Dioxide, Sulfur Dioxide, Hydrogen Sulfide, Ammonia and Methylamine, Formaldehyde*, and Hydrogen Fluoride			
MG/P100 Multi-Gas/ Vapor/ P100		Certain Organic Vapors, Chlorine, Hydrogen Chloride, Chlorine Dioxide, Sulfur Dioxide, Hydrogen Sulfide, Ammonia and Methylamine, Formaldehyde*, Hydrogen Fluoride and Particulates			
OV/AG/P100 Organic Vapor/ Acid Gas/ P100		Certain Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, Hydrogen Fluoride and Particulates*			
HG/ OV/AG		Mercury Vapor, Organic Vapor, Chlorine, Sulfur Dioxide and Hydrogen Sulfide			
HG/ OV/AG/ P100		Mercury Vapor, Organic Vapor, Chlorine, Sulfur Dioxide, Hydrogen Sulfide and Particulates			

		5000 Series	6000 Series	6500 Series	7000 and FF-400 Series
P95					
P95 with Hydrogen Fluoride and nuisance level Acid Gas					
P95 with nuisance level Organic Vapor and Acid Gas*					
P100					
P100 with nuisance level Acid Gas*					
P100 with nuisance level Organic Vapor*					
P100 with Hydrogen Fluoride and nuisance level Organic Vapor and Acid Gas					
Prefilters for Cartridges	Color Code	NIOSH Approved for:			
N95					
P95					
P100					
Retainers/Adapters					
		For use with 5N11 and 5P71 Filters	For use with 2000 Series and 7093 Filters	Use with 5N11 or 5P71 Filters and 501 Retainer for most facepieces, but not approved with the 6500QL Series	

* Nuisance level refers to concentrations not exceeding the OSHA PEL or applicable government occupational exposure limits, whichever is lower.
 *OSHA regulations require gasproof goggles be worn with half facepiece respirators when used against formaldehyde
 *3M recommended for use against methylbromide or radioiodine up to 5 ppm with daily cartridge replacement

3M™ Half Facepiece Reusable Respirator 6000 Series

Made from lightweight materials, the 3M™ Half Facepiece Reusable Respirator 6000 Series helps offers comfort, convenience, and protection from certain airborne contaminants when paired with approved 3M cartridges and filters.

Made from soft, lightweight materials, and the adjustable features help provide a secure, personalized fit.

The ergonomic placement of the 3M™ respirator filters helps improve visibility on the job and promotes a more balanced feel for the wearer, and the respirator itself can be disassembled, cleaned, and reused. A versatile choice The 6000 series is compatible with a wide variety of NIOSH-approved 3M respirator cartridges and filters to help protect your workforce from certain particulates, gases and vapors. When used with 3M™ respirator filters and cartridges, this respirator may help provide respiratory protection at concentrations up to ten times the OSHA Permissible Exposure Limit (PEL). This half face respirator is

FEATURES

- Facepiece Material Thermoplastic Elastomer (TPE)
- Features Dual Airline Supplied Air Compatible Hazard Type Mold, Silica
- Comfortable soft, lightweight facepiece with easy-to-adjust head straps
- NIOSH approved for negative pressure air purifying and supplied air dual airline applications
- Can be disassembled, cleaned and reused
- Replaceable cartridges and filters allow reuse of facepiece for cost savings



\$21.95

**TOP
SELLER**

Levac SKU	MFR.	Size
90.0421617	6100	Small
90.0421618	6200	Medium
90.0421619	6300	Large

Contract Pricing Available



3M

3M™ Rugged Comfort Quick Latch Half Facepiece Reusable Respirator. 6501Q

- Facepiece Material Thermoplastic Elastomer (TPE)
- Features Dual Airline Supplied Air Compatible
- Hazard Type Mold, Silica
- Silicone face seal keeps its shape even in hot work conditions
- Low-profile half facepiece design is compatible with many welding and grinding shields

Levac SKU	MFR.	Size
90.0421623	6501QL	Small
90.0421624	6502QL	Medium
90.0421625	6503QL	Large

Honeywell Half Mask 7700 Series

- Converts to PAPR or supplied air respirator
- Latex free
- Lower headstraps stretch and move with the worker for more comfort without pulling on the facepiece
- The benchmark in half masks designed to provide maximum comfort: fit and performance. Upper headstraps have minimum give to provide secure support
- Various thickness in sealing area for improved comfort and support - more support around the chin area and more flexibility on the nose bridge

Levac SKU	MFR.	Size
90.107700301	770030S	Small
90.107700302	770030M	Medium
90.107700303	770030L	Large



Honeywell

3M™ Full Facepiece Reusable Respirator. 6000 Series

- Lightweight, well-balanced design and silicone faceseal for enhanced comfort, durability, and ease of cleaning
- Large lens provides a wide field of view for excellent visibility
- Unique centre adapter to direct exhaled breath and moisture downward, helps reduce debris from depositing in the valve, and allows for quick and easy cleaning
- 3M™ Cool Flow™ Exhalation Valve for cooler, drier comfort
- Air purifying respirator (APR), supplied air (SA) and powered air purifying respirator (PAPR) modes

Levac SKU	MFR.	Size
90.0421629	6700	Small
90.0421631	6800	Medium
90.0421633	6900	Large




3M

3M™ Faceshield Cover 6885

- Use on 3M™ Full Facepieces 6000 Series to help protect the lens.
- The 3M™ Faceshield Cover 6885/07142 (AAD), Respiratory Protection Accessory helps protect the lens on the 3M™ Full Facepiece 6000 Series (sold separately) from scratches, chips and dust.
- The cover is made from a soft material that never scratches and gently shields the lens. This accessory helps protect the investment made in respiratory equipment.

Levac SKU	MFR.	Notes
90.0421639	6885	25 pk



3M

3M™ Particulate Filter 2091

- Protection against many oil and non-oil based particulate contaminants
- NIOSH approved for environments containing certain oil and non-oil-based particles
- Bayonet compatibility allows use with many 3M™ Half and Full Facepiece Designs
- Advanced Electret Media (AEM) provides lightweight, easy breathing comfort
- Advanced Electret Media (AEM) provides lightweight, easy breathing comfort

Levac SKU	MFR.
90.0454290	2091



3M

3M™ Particulate Filter 2097

- Aerosol Type Oil and Non-Oil, Cartridge or Filter Rating P100, Cartridge or Filter Type Particulate,
- NIOSH approved for environments containing certain oil and non-oil-based particles
- Bayonet compatibility allows use with many 3M™ Half and Full Facepiece Designs
- Nuisance level organic vapour relief
- Advanced Electret Media (AEM) provides lightweight, easy breathing comfort

Levac SKU	MFR.
90.0454296	2097



3M



3M™ Particulate Filter 5N11, N95

- Aerosol Type Non-Oil Cartridge or Filter Type Particulate
- Filter Class N95 Gas & Vapor Protection Type
- Particulate Protection Asbestos, Mold, Silica

3M™ Retainer 501

Compatible with particulate Filter 5N11 N95



Levac SKU
90.0446464

MFR.
5N11

Levac SKU
90.0421638

MFR.
501



3M™ Organic Vapour Cartridge 6001

- NIOSH approved for protection against certain organic vapours
- Bayonet compatibility allows use with many 3M™ Half and Full Facepiece Designs

Levac SKU
90.0421674

MFR.
6001



3M™ Mercury Vapour, Organic Vapour, and Acid Gas Cartridge 60927

- NIOSH-approved P100 particulate filter for respiratory protection against certain oil and non-oil based particulates
- Cartridge or Filter Type Gas & Vapour/P100 Particulate Protection Chlorine, Hydrogen Sulfide, Mercury, Organic Vapour, Particulate, Sulfur Dioxide.

Levac SKU
90.0446465

MFR.
60927



3M™ Multi-Gas/Vapour Cartridge/Filter 60926

Respiratory protection from certain organic vapours, chlorine, hydrogen chloride, sulfur dioxide, chlorine dioxide, hydrogen sulfide, ammonia, methylamine, formaldehyde, or hydrogen fluoride, and non-oil and oil particulate concentrations up to 10 times the Permissible Exposure Limit (PEL) with half facepieces or 50 times PEL with quantitatively fit tested full facepiece masks.

Levac SKU
90.0446470

MFR.
60926



3M™ Organic Vapor/Acid Gas Cartridge/Filter Mod 60923

Provide protection against certain organic vapours, acid gasses and particulates in a variety of environments.

The cartridge/filter combination may be used for respiratory protection from certain organic vapours, chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide, hydrogen fluoride, and non-oil and oil particulate concentrations up to 10 times the Permissible Exposure Limit (PEL) with half facepieces or 50 times PEL with quantitatively fit tested full facepieces.

Levac SKU
90.0446467

MFR.
60923



Honeywell North Organic Vapor Respirator Cartridge and P100 Filter 7581P100L

- Combination filter cartridges feature a low profile with curved top that will not catch on pipes or other objects.
- Easy to perform user seal checks: even on the gas and vapor cartridges.
- Full offering, from organic vapors to multi-contaminant
- Approved for use with Honeywell North

- Half Masks: 7700 Series, 5500 Series, RU8500 Series and RU8800 Series
- Approved for use with Honeywell North Full Facepieces: 5400 Series, RU6500 Series and 7600 Series Organic Vapor and P100 Cartridge/Filter Combination

Levac SKU
90.107581100

MFR.
7581P100L



Respiratory FIT TESTING

Levac Health & Safety can provide both Qualitative (Bitrex Solution) and Quantitative (Porta Count) Fit Testing for employees that work in areas where a protective breathing apparatus is required.

Fit tests are also required by Canadian and Ontario legislation and mandated by OHSA for any worker exposed to potentially harmful airborne particles such as dust, mists, or gases.





Honeywell

Honeywell North Particulate Cartridge Filters for Air Purifying Respirators 7580P100

- Combination filter cartridges feature a low profile with curved top that will not catch on pipes or other objects.
- Easy to perform user seal checks: even on the gas and vapor cartridges.
- Full offering, from organic vapors to multi-contaminant
- Approved for use with Honeywell North

Half Masks: 7700 Series, 5500 Series, RU8500 Series and RU8800 Series
Approved for use with Honeywell North Full Face pieces: 5400 Series, RU6500 Series and 7600 Series Filter, P100 for all particulates

Levac SKU	MFR.
90.107580100	7580P100



Contract Pricing Available

3M

3M™ Particulate Respirator 8210

\$24.95^{box}

**TOP
SELLER**

- NIOSH approved and N95 efficient
- Advanced Electrostatic Media, Braided Comfort Strap
- Stapled Headband
- Adjustable nose clip reduces potential for eyewear fogging and helps ensure a better seal and fit
- Can also be used to help reduce inhalation of certain airborne biological particles like mould, Bacillus Anthracis, Mycobacterium Tuberculosis, etc
- 20 masks per box

Levac SKU	MFR.
71.06983	8210



3M

3M™ Particulate Respirator 8511

- NIOSH approved for at least 95 percent filtration efficiency against certain non-oil based particles
- 3M™ Cool Flow™ Exhalation Valve helps reduce heat build-up inside the respirator
- M-Noseclip adjusts easily for fewer pressure points and greater comfort
- Braided headbands two-strap design with dual point attachment helps provide a secure seal
- Advanced Electrostatic Media is designed for ease of breathing
- 10 masks per box

Levac SKU	MFR.
90.0454622	8511



3M

3M™ Respirator Cleaning Wipe 504

- 100 wipes per pack

Levac SKU	MFR.
90.0421641	504



3M

3M™ Universal Spectacle Kit 102

Levac SKU	MFR.
90.0421640	102



3M

3M™ Head Harness 6897

- Replacement harness for full face respirators

Levac SKU	MFR.
90.04216360	6897



3M™ SECURE CLICK™ THE NEXT-GENERATION COMFORT, BREATHABILITY AND SIMPLICITY.



Push Button Seal Check

Easy way to conduct required (**negative pressure**) seal check prior to each use.



Better Breathability

New dual-flow cartridge design allows air to be pulled through both sides of the cartridge for easier



Speaking Diaphragm

Designed to help provide easier communication while working.

Reach out to our team to arrange a personalized demonstration.

We're here to provide you with an in-depth look and to ensure you have a hands-on experience before making any decisions.

Seasonal

ENVIRONMENTAL STRESS

Hydration plays an important role in worker safety and productivity. Companies, safety directors and employees all want to work safely, perform productively and return to work the next day. And everyone wants to avoid accidents and injury at all costs.

HYDRATION IS 365! There is a balance the body needs year-round. Your body needs to have the right balance of water and energy to function properly. High performance activity depletes the body of fluid and nutrients, throwing it off balance. For the body to get back in balance, **water alone won't get the job done**. Replenishing with hydration solutions that contain essential minerals is the only way to do it.

HEAT STRESS

Heat makes you lose more fluids regardless of work conditions. The loss of fluids increases when you factor in PPE, the kind of safety uniforms or clothing worn and how hard the job is on the body. Because of these factors, there is great potential for dehydration, heat stress and heat illness. All work environments should adhere to a temperature benchmark and notification process for excessive heat; ready to activate a hydration plan to increase fluid replenishment.

COLD STRESS

Cold stress **is a reality**. It's almost identical to heat stress because of the extreme conditions, dangers and consequences that result when it's neglected. The best way to protect against cold stress is to stay properly hydrated. Dehydration is just as common in cold weather as it is in hot weather. And it can be more hazardous in cold weather due to thirst suppression, lack of perspiration, diuretics and increased urination.

HEAT INDEX

32°-37°C	38°-54° C	55° C+
Possible sunstroke, heat cramps and heat exhaustion with prolonged exposure and physical activity.	Probable sunstroke, heat cramps and heat exhaustion and possible heat stroke with prolonged exposure and physical activity.	Imminent heat stroke or sunstroke.

Body temperature of 40°C or higher can be fatal.

COLD INDEX

0° to -28°C	-29° to -40° C	-41° C & below
Discomfort to cold conditions, chilblains and frostbite possible to face and extremities.	Hypothermia possible with prolonged exposure to cold, and frostbite occurs within 10-30 minutes.	Frostbite within 5 minutes. Hypothermia imminent without proper precaution.

Body temperature of 27 °C or below results in death.

Sqwincher – 64 oz concentrate

Designed to restore important mineral salts and fluids lost through dehydration, physical exertion, and heat stress.

A thirst quencher yields five gallons from the 64 ounce liquid concentrate, serving up to 80 cups.



FEATURES

- Rehydration drink, helps with the costly effects of heat stress and cold stress
- No stir
- Easy mix – add to water and serve
- Low sodium
- Gluten free

Levac SKU	MFR.	Flavours
90.0111026	11022	Fruit Punch
90.0111027	11023	Lemon-Lime
90.0111028	11027	Berry
90.0111022	11020	Lemonade
90.0111025	11021	Orange

Sqwincher Zero – Concentrate

- Sqwincher has the electrolytes and nutrients bodies need to keep them hydrated, fueled and focused everyday of the week
- ZERO Sugar
- Low calorie product
- “No Stir” formula
- 64 oz yields 5 gallons

Levac SKU	MFR.	Flavours
90.0111019	11050504-LL	Lemon-Lime
90.0111020	11050507-OR	Orange
90.0111021	11050502-FP	Fruit Punch

Qwik Stik Lite

- QWIK STIK Lite 0.11 oz powder
- Electrolyte replacement mix
- Simply add to 20 oz bottled water and shake
- 10 bags of 50 Stiks/case

Levac SKU	MFR.	Flavours
90.0111072	11060101-MB	Berry
90.0111074	11060102-FP	Fruit Punch
90.0111076	11060100-OR	Orange

Sqwincher Squeeze

- Sqwincher has the electrolytes and nutrients bodies need to keep them hydrated, fueled and focused everyday of the week
- Refrigerate and drink, or freeze and eat to enjoy the cool and refreshing flavour or a freezer pop
- Assorted flavours: Orange, Grape, Lemon-Lime, Cherry and Mixed Berry

Levac SKU	MFR.	Notes
90.0111090	11130	10 pack assorted flavours

Foam Elastic Sweat Bands

- Designed for under hardhats and ball caps, these foam sweat bands will keep you comfortable in high temperatures or humid environments
- The foam material will stay in place throughout the work day, with its elastic band headband, while trapping sweat and providing cooling relief.

Levac SKU	MFR.	Notes
90.0201510	HP65000	25 per pack



ThermoCool™ Qwik Cooler Bandana

- Soak ThermoCool™ product in cold water for approximately three minutes
- Pour and squeeze off excess water
- Refridgeration or freezing optional

Levac SKU	Pattern
90.0201519	Canada flag



Cool Offs neck and head band

- Soak Thermo-Cool Product in cold water for approx 3 minutes
- Pour and Squeeze off excess water
- After hydration, simply wrap around forehead or neck for hours of cooling relief
- Qwik Cooler Tie style, simply wrap around forehead or neck

Levac SKU	MFR.	Pattern
90.0201521	8405-51	Assorted
90.0201522	8405-53	Navy Blue

*Other colours available



Chill-It Ergo 6710-Red Western Triangular Hat

- Chill-Its cooling products, provide cool comfort 24 to 48 hours when activated in cold water
- Absorbent
- Hard Hat Compatible
- Lightweight

Levac SKU	MFR.	Pattern
90.0201518	6710-12325	Red Western



Chill-Its 6700 Evaporative Cooling Bandana Headband

- Polymer cooling technology quickly activates for up to four hours of relief from the heat
- For no-bulk wear under hard hats
- 100% cotton bandana
- Adjustable for a snug, comfortable fit on a variety of head sizes

- Great for outdoor recreation such as running, hiking or other activities
- 36.5in // 92.7cm L x 2in // 5.08cm H
- Hand wash and hang in open air until completely dry

Levac SKU	MFR.	Pattern
90.0201523	6700-12304	Camouflage






Hard Hat Terrycloth Sweat/Comfort Bands

- Foam sweat band
- Laminated terry cloth on one side and brushed nylon on the other
- Velcro closure
- Universal fit, attaches to hard hat suspension with Velcro

Levac SKU	MFR.
90.0201515	HPSB470



PVA Cooling headband

- Activated by soaking into cool water and wringing out excess water gently
- Absorbent
- Elastic Strap Attachment
- Blue
- Polyvinyl Alcohol

Levac SKU	MFR.	Notes
90.0201525	V2052140-O/S	Pack of 5



Hard Hat Neck Shade H/V Lime Mesh 293

- Polyester mesh
- Elastic binding to attach to the edge of hard hat
- Lightweight and breathable
- Reflective tape for enhanced visibility
- Provides sun protection for neck and ears

Levac SKU	MFR.	Colour
90.0201516	V2051560-O/S 293	Lime
90.0201517	V2051550-O/S 292	Orange



Neck Gaiter

- 5+ ways to wear adaptable face covering and protection breathable
- Comfortable fabric 86% polyester
- 14% spandex one size fits most washer and dryer safe

Levac SKU	MFR.	Colour
01.0104234	423-Grey	Grey
01.0104235	423-HV	Hi-Vis
01.0104244	424	Grey w/ drawstring



Light Air Circulating Fan, 30" Diameter

- All-metal construction, chrome grill stand and base painted black
- Can be used in oscillating or non-oscillating mode
- Pedestal models feature adjustable height and heavy-duty round base for added stability
- 6' SJT power cord
- Stem length for pedestal: 89-124 cm
- Arm length wall: 32 cm;
- Open motor

Levac SKU	MFR.	Size
95.989059	EA283	30"

High Output Fan

- Made from rugged, high-impact Linear Low-Density Polyethylene
- Zinc-plated steel grill
- Yoke bracket and motor mount made from powder-coated steel
- Venturi style inlet helps create even column of non-disturbed air flow
- HP: 1/2
- Certifications: UL Recognized, CSA Certified
- Cord: 9' (2.7 m) 14 AWG SJTW
- Corrosion-resistant aluminum

MFR.	Size
9541-18	18"
9541-22	22"



duenorth® GRIPPRO™ Spikeless Traction Aid

- Ideal for warehousing, delivery, construction, first responders, and much more
- Can be worn while driving, climbing ladders, and walking on grates
- Easy on-off pull tab provides quick adjustment
- Slip-On design fits snugly over boots and shoes
- Natural rubber material with proprietary polymer blend maintains flexibility even in sub-zero temperatures

Levac SKU	MFR.	Size
90.070871	V3553570-S/M	S/M
90.070872	V3553570-L/XL	L/XL



K1 Mid Sole Traction Aid

- Tungsten carbide spikes
- Strap Hi-Viz orange
- Elastic strap

Levac SKU	MFR.
90.070867	K1MID



Rip's Cer Mac Cleats

Yellow zinc plating, topped with a ceramic alloy tip, these Industrial Strength cleats are great for all industries that may need to tread over and through a slew of material besides ice and compact snow without tripping. Made in the north for real northern winters by seniors, retirees and work from home families. New to our design is elastic with water repellent coating.

Levac SKU	MFR.	Notes
90.070892	B4X10.5	Medium/Large
90.070893	4X13C	X-Large



Hand and Toe Warmers

- Perfect for outdoor workers and warehouse employees
- Will fit almost anywhere including winter liner channels, gloves, hats and almost any clothing accessory
- Air activated, open and they will begin to warm.
- Made with all natural ingredients.

Levac SKU	MFR.	Notes
90.9880405	1070500-HT	12 Hours - Hand Warmers
90.9880410	1070601-HT	6 Hours - Toe Warmer



Spill Control

Choosing the right Spill Kit

For selecting optimal spill kits, it is imperative to recognize the diversity of spill scenarios and the consequent necessity for tailored solutions. To begin, it is important to know the nature of liquids typically encountered within one's facility, as this dictates the suitability of spill kits.

We can consider four main categories of spill kits, each type serving distinct purposes tailored to different spill scenarios. Here's a breakdown:

- 1. Universal or General Purpose Kits:** These kits are adept at managing water-based or hydrocarbon non-hazardous liquids like coolants, solvents, and antifreeze. They are equipped with gray absorbents specifically engineered to contain and absorb such spills efficiently.
- 2. Oil-Only Kits:** Tailored for hydrocarbon spills such as oil or gasoline, Oil-Only Kits boast white absorbents that repel water, streamlining the cleanup process. In environments like marine settings where oil spills are prevalent, deploying an Oil-Only Kit promptly contains and absorbs the oil, thereby safeguarding the surrounding water and wildlife.
- 3. Hazmat Kits:** Essential for handling hazardous liquids like acids and solvents, Chemical Hazmat Kits come in a distinctive yellow hue. These kits not only facilitate the safe cleanup of aggressive fluids but also possess the capability to absorb water-based fluids and hydrocarbons.
- 4. Specialty Kits:** Reserved for specific spill types requiring specialized cleanup supplies, Specialty Kits cater to spills involving substances like battery acid, mercury, and bodily fluids. These kits come equipped with the requisite tools and materials to safely and effectively address such unique compounds.

In addition, the size of the spill kit must align with the potential magnitude of spills anticipated in the environment. Small-volume spills may be adequately addressed with compact kits such as bagged or bucket kits, whereas medium-volume spills necessitate drum spill kits. Conversely, large-volume spills demand substantial capacities, for which mobile containers like wheeled carts or large drums prove indispensable, particularly in industrial or warehouse settings.



Levac SKU	MFR.	Notes
63.989010	18002	40 lbs

Oil Dri General Purpose Absorbent

Oil-Dri has superior retention of liquids such as oil, grease, hydraulic fluid, water and other liquid spills, all non-aggressive fluids.

The premium clay absorbents undergo a superior moisture extraction process that increases absorption power and minimizes dust. Comes in a heavy duty polyethylene bag making it next to unbreakable and water resistant.

Oil-Dri has high absorbency, and low density, allowing more scoops per pound, it is mainly composed of light grey fuller's earth.

FEATURES

- Versatile - Use for all non-aggressive fluids
- Superior Retention - Hold liquids in
- Strong - Won't breakdown and turn to mud
- Virtually Dust Free - Lower airborne contamination
- Low Density - More scoops per pound saves money
- Improved Traction - Reduce hazards & slipping accidents

Universal Economy Vehicle Spill Kit

\$54.99
TOP
SELLER

- Highly versatile, gray absorbents pick up water-based, petroleum-based and non-aggressive, chemical fluids
- Compact size of the kit allows for easy onboard vehicle storage so you can take your spill response with you to any jobsite or facility.

Content:
(20) 15 in x 19 in Pads
(3) 3 in x 4 ft Socks
(2) disposable bags

Levac SKU	MFR.
63.010600	SKA-EV



Contract Pricing Available



55 Gallon Mixed Application Spill Kit

- Content:
- | | |
|----------------------------------|-------------------------------------|
| (1) 55 Gal Drum Container | (2) 3 in x 12 ft Universal Socks |
| (1) Emergency Response Guidebook | (30) 15 in x 19 in Oil Only Pads |
| (1) Pair of Goggles | (30) 15 in x 19 in Universal Pads |
| (1) Pair of Nitrile Gloves | (4) 18 in x 18 in Universal Pillows |
| (2) 3 in x 12 ft Oil Only Socks | (4) 18 in x 18 Oil Only in Pillows |
| | (5) Disposal Bags |

Levac SKU	MFR.
63.010150	SKMA-55





Basic Absorbent Pad, Oil Only

- White absorbents pick up petroleum-based fluids, paints and non-water soluble chemicals while repelling water - great for indoor & outdoor use
- Heavy weight - specifically designed for continuous leaks and larger spills so you use less material
- BASIC Series meltblown polypropylene absorbents feature economical, single-ply construction
- Perforations provide cost control and reduce waste by allowing you to use only what you need

Levac SKU	MFR.	Notes
63.980200	BPO100	15x17 in – 100 pk



Meltblown Sorbent Pads, Oil Only

- 100% meltblown polypropylene fibre
- Most cost effective sorbent in the industry
- Permits an easy and quick clean up
- Quick and effective solution for oil spills or leaks
- All sorbent pads have absorption capacities of more than 25x their weight

Levac SKU	MFR.	Notes
63.010090	SEH942	15x17 in – 100 pk



Bonded Sorbent Pads, Universal

- 100% bonded polypropylene fibre
- Offer low linting and permit an easy clean up
- Antistatic and made of up to 90% recycled materials
- These sorbents have absorption capacities of more than 25x their weight
- Packaged in a cardboard box for organized storage

Levac SKU	MFR.	Notes
63.980210	SFU959	15x17 in – 100 pk



Allwik® Universal Socks

- Moldable SOCs wrap around machinery and conform to uneven surfaces to prevent leaks from reaching walkways
- Highly versatile, grey absorbents pick up water-based, petroleum-based and non-aggressive, chemical fluids
- Gray color masks spills and stains, helping you resist the urge to pick up the absorbent before it is fully saturated
- Made of all-purpose polypropylene suitable for most industrial applications

Levac SKU	MFR.	Notes
63.980134	AW430	3x48 in – 40 pk

Economical ENV® Oil Boom

- Absorbent booms are designed to float on water and absorb a wide variety of marine fuels and oils
- White absorbents pick up petroleum-based fluids, paints and non-water soluble chemicals while repelling water - great for indoor & outdoor use
- ENV® absorbents are made with MAXX® Technology for superior absorbency and greater strength without the added weight
- Floats indefinitely even when saturated with oil

Levac SKU	MFR.	Notes
63.010030	ENV510	5 in x 10 ft – 4 pk
63.010032	ENV810	8 in x 10 ft – 4 pk



Sorbents Sock, Universal

- Durable polypropylene shell prevents tearing and offers maximum flexibility
- Perfect for surrounding leaking machinery and drains
- Best suited to surround spills when easy containment and clean up is required
- Universal socks are made from a polypropylene and cellulose blend, and absorb more than 18x their weight
- Polypropylene and cellulose blend absorption capacities far exceed those of 100% cellulose sorbents

Levac SKU	MFR.	Notes
63.010054	SEJ026	3 in x 8 ft – 20 pk



Chemicals & Lubricants AUDIT

We conduct assessments to analyze your chemical & lubricants stock and suggest actions and products to minimize waste, ensure compliance, and enhance safety. By analyzing usage, storage, and handling practices, we tailor solutions to streamline operations, boost productivity and reduce downtime.



Work Safety

Categories on Safety Clothing

The CSA Standard Z96-15 establishes levels of retroreflective performance, background material colors and luminosity, and coverage requirements for high-visibility components. It also outlines special criteria for garments that offer electrical flash and flame protection. While the specifications for apparel classes are similar to those in ANSI/ISEA 107, CSA classes differ by specifying body coverage rather than minimum areas.

CSA identifies three garment classes based on provided body coverage, each covering the torso and limbs according to specified minimum areas for each class.

- **Class 1** offers the lowest recognized coverage but ensures good visibility.
- **Class 2** provides moderate body coverage and superior visibility.
- **Class 3** offers the greatest body coverage and visibility under poor lighting conditions and at significant distances.

For further specifics on each class, please consult the Standard.

(Note: While the Standard does not specify high-visibility apparel requirements for specific occupations, it does offer examples of jobs where different classes may be appropriate.)

Learn about Safety Clothing

Click or scan the code



Safety Vest



\$15.95
TOP SELLER

FEATURES

- 5-Point Tear Away
- 100% solid polyester
- CSA Z96-09 Class 2 Level 2
- ANSI / ISEA 107-2004
- WCB Standard 2-1997
- BC MoT T09-05

Levac SKU	MFR.	Size
90.9800061	TGVEST-003-03	Large – X Large

Contract Pricing Available

Hi-Viz Orange Tear-Away Mesh Vest

- Polyester mesh
- CSA Z96-22 Class 2 Level 2
- ANSI/ISEA 107-2020 Class 2 Type P and R
- StarTech® reflective tape
- 5 point tear-away
- D ring access slot
- Adjustable 1 size up at front
- Packed in hangable bag

Levac SKU	MFR.	Size
90.9800037	V1030650-L/XL	Large – X Large



Orange Cotton Safety T-Shirt

\$29.99
TOP SELLER

- 100% cotton jersey knit
- Self fabric crew neck
- CSA Z96-22 Class 1 Level 2
- ANSI/ISEA 107-2020 Class 1 Type O
- StarTech® reflective tape
- Reflective patch on each sleeve
- Radiophone clip strap
- Chest pocket with hook and loop closure

Levac SKU	MFR.	Size	Levac SKU	MFR.	Size
90.070291	V1050550-S	Small	90.070294	V1050550-XL	X-Large
90.070292	V1050550-M	Medium	90.070295	V1050550-2XL	2X-Large
90.070293	V1050550-L	Large	90.070296	V1050550-3XL	3X-Large



Contract Pricing Available



Long-Sleeved Safety Shirt Hi-Viz Orange

- 100% cotton jersey knit
- Self fabric crew neck
- CSA Z96-22 Class 1 Level 2
- ANSI/ISEA 107-2020 Class 1 Type O
- StarTech® reflective tape
- Radiophone clip strap
- Chest pocket with hook and loop closure

Levac SKU	MFR.	Size	Levac SKU	MFR.	Size
90.070351	V1050850-S	Small	90.070354	V1050850-XL	X-Large
90.070352	V1050850-M	Medium	90.070355	V1050850-2XL	2X-Large
90.070353	V1050850-L	Large	90.070356	V1050850-3XL	3X-Large



Rainsuit, Fire-Retardant

- 100% waterproof
- PVC/Polyester/PVC construction
- Ultrasonically welded seams for durability and waterproofing
- Includes jacket, hood & bib-style pants
- Thickness 35 mil
- Cape back and underarm vents for increased air circulation

Levac SKU	MFR.	Size	Levac SKU	MFR.	Size
90.080191	TGRW-2010	Medium	90.080193	TGRW-2030	X-Large
90.080192	TGRW-2020	Large	90.080194	TGRW-2040	2X-Large



Traffic Cones, 18"

- Body is made of durable PVC, with wide body design and black rubber base, for use in various weather conditions
- High visibility safety orange
- Temperature Range: -20°c to +50°c

Levac SKU	MFR.	Height
90.9800010	TGTC-1801	18"



Traffic Cones w/ Reflective bands, 28"

- Body is made of durable PVC, with wide body design and black rubber base, for use in various weather conditions
- High visibility safety orange
- Temperature Range: -20°c to +50°c

Levac SKU	MFR.	Height
90.9800015	03-500-01	28"

Premium Traffic Barrel, 44"

- Weight: 6 lbs
- Made from low-density polyethylene
- High Intensity reflective bands are inset for protection while stacking or unstacking
- Handle has integrated barricade light-mounting hole for when illumination is required

Levac SKU	MFR.	Height
90.9800018	TC-54	44"



Delineator Posts, 45"

- T-Top Handle High visibility safety orange
- UV Inhibitors resist fading of colour
- Two 4-inch high intensity Type 3 reflective bands
- Easy-carry hand hold on bottom of pole
- 13lb rubber base included
- Top can be used to tie barricade tape or to support standard barricade lights
- 12 lbs recycled black rubber base included

Levac SKU	MFR.	Height
90.9800001	TGTD-4513	45"



Barricade & Flagging Tapes

- Bright colours offer visibility to deter access to hazardous areas and help eliminate accidents
- Flagging tape leaves no residue and easy to tie and tear
- Polyethylene film is strong and durable Size: 3" x 1,000'
- Thickness: 0.04mm / 1.57 mil

Levac SKU	Description
90.9800100	1"x200ft Hi-Viz Orange flagging tape
90.9800155	3"x1000ft Yellow Caution tape
90.9800165	3"x1000ft Red Danger tape



Safety Tags

We offer an extensive range of Safety and Lockout/Tagout (LOTO) tags designed and manufactured to prioritize durability, compliance, and visibility. Whether you're safeguarding machinery, equipment, or processes, our tags provide a solution for maintaining a safe work environment.

Let us know your specific requirements, and we'll identify the best-suited solution for your needs.



Safety Signs

We offer a comprehensive range of Ontario-compliant safety signs. From hazard warnings to emergency exits, our signs adhere to all regulations, ensuring a secure work environment.

Custom signs are also available and tailored precisely to your needs. Whether it's site-specific instructions, unique symbols, or branding elements, we've got you covered.

Trust us for safety that speaks volumes.



On-Site® Eyewash Station – Gravity-Fed

- Ideal for locations where a plumbed water source is not available
- High-visibility yellow, molded pedestal and tank
- Hinged eyewash tray activates in one quick motion
- Stainless steel clamps secure the tank during transport
- Vandal-resistant unit
- One of the lightest portable eyewashes on the market
- Includes wall bracket (can also mounted on cart)



Levac SKU	MFR.	Tank size
90.0299460	S19-921	7 Gallons

FEATURES

- Eye wash station with 7 gal. capacity.
- Meets ANSI Z358.1



Dentec eyewash station with 1 - 1 liter (empty) bottle

- Single eyewash station with one built-in socket to secure one 946 mL (32 oz) eye wash bottle
- Durable, high impact plastic construction
- Acrylic mirror to assist the user
- Wall mountable

Levac SKU	MFR.	Notes
90.0299500	89-1905-0	1 Lt – Empty



Safe Cross Eye Wash

- Ready-to-use buffered, isotonic solution for eye irrigation
- Cleanses the eye to help relieve irritation, discomfort, burning, stinging, smarting or itching by removing loose, foreign material, air pollutants (smog or pollen) or chlorinated water
- Contains a buffering solution to help neutralize eyes following exposure to acid or alkaline substances

Levac SKU	MFR.	Size
90.0299555	04077	1 Litre

Portable Hand Wash Station

- Gravity operated hand wash station 9 gallon capacity tank
- Pull-down activation
- Not to be used for cooking or drinking
- Recommended to be used in conjunction with soap dispenser
- Weight approximately 100lbs. when full

Levac SKU	MFR.
62.9870148	HW-4400



SPEAKMAN

First Aid Kits

- Complies with Ontario Regulations (9)
- All sizes and types of First Aid Kits available
- Replacement contents available from stock

Ask us how we can help you manage your First Aid Mandatory program on-site.

Levac SKU	MFR.	Description
90.0299840	81CK-0252-0	Small, personal size
90.0299850	81-6161-0	6 to 15 employees



LEVAC

First Aid Common essentials

Levac SKU	Levac SKU	MFR.
Bandage gauze 1"x5 yd	90.0299901	F1001212
Bandage gauze 2"x5 yd	90.0299902	F1002212
Bandage gauze 4"x5 yd	90.0299903	2231
Bandage fabric 7/8x3" 100 pk	90.0299906	F1504760
Burnfree gel 24 pk	90.0299913	80-1685-0
Adhesive tape cloth first aid 1"x5 yd	90.0299928	SGA719
CPR mask with valve, single use	90.0299930	F5003401
Bandage pressure 2x2"	90.0299935	80-0656-0
Bandage knuckle 100 pk	90.02999367	F1510760
Finger-tip bandage large	90.0299937	F1516760
Instant cold pack	90.0299946	F4002200



We can manage your first aid kit supplies on-site

Multi-purpose dry chemical portable fire extinguishers and Fire blanket

- Steel cylinder complete with cylinder handles
- Industrial-strength cylinder has high corrosion and impact-resistant polyester powder paint finish
- Waterproof stainless steel gauge
- Anodised aluminum valve
- Strong polyester powder-coated steel
- Completely rechargeable
- Full hand grip for ease of operation

Fire Blanket

- Includes wall mount pouch

Levac SKU	MFR.	Size	Levac SKU	MFR.	Size
90.230005	SFABC110STVB	2.5 lbs	90.23002	SFABC1020	20 lbs
90.230010	WBDLABC310LV	5 lbs	90.230510	5'x6'	Fire Blanket
90.230015	SFABC680	10 lbs			



AED Plus

The ZOLL AED Plus guides you through the entire resuscitation process with CPR coaching and feedback, using clear voice prompts, visuals, and text display.

We can assist you in selecting this and other First Aid solutions and training that align with Ontario's Health and Safety regulations."

Learn why your workplace needs an AED device.

Click or scan the code.



Feel free to reach out!



ZOLL



Free-Flex Knee Pads

- Lightweight, comfortable foam
- Water Resistant Cap
- Quick On and Off: Adjustable Strap
- Secure Adjustable Buckle
- Adapts to Surfaces
- Soft Comfortable Strap
- High Density Foam

- Debris Guard

Levac SKU 01.048736000 | **MFR.** 48-73-6000



GELITE Hard Shell Comfort Knee Pads

- Padding offers superior comfort and support
- Smooth, rounded surface is ideal for applications that require easy sliding
- Sewn cover keeps debris out
- Non-marring prevents scuffing or marking delicate surfaces
- Provides long term protection from

- cumulative trauma injuries
- Made with 100% PVC-Free materials

Levac SKU 90.9950957 | **MFR.** 868-00



Heavy Duty Leather Knee Pads

- Designed for comfort, protection, and support
- Thick water-repellent felt lining
- Heavy-duty leather, riveted for extra strength
- Adjustable leather straps with steel buckles
- One size fits most

Levac SKU 90.9950905 | **MFR.** KP300



Hog Heaven Anti Fatigue Mat

- Helps eliminate pressure to the lower back and legs, providing superior comfort
- Durable, nitrile-blended cushion provides years of useful service life
- Versatile, welding safe, ESD rating of electrically conductive, chemical, and oil resistant

Levac SKU 29.988010 | **MFR.** 421

Learn more on the benefits of using an Anti Fatigue Mat at your workplace. Click or scan the code



Impacto Kneeling Mat

- Designed for severe kneeling conditions such as steel, concrete, gravel, grating, wet surfaces, dirt and mud
- Used in many settings like tire stores, utility workers, petroleum production, telecommunication workers and manufacturing

- Will not compression set or absorb liquids
- Impervious to petroleum products
- Silicone-free
- Easy to clean with soap and water

Levac SKU 90.9950980 | **MFR.** MAT5050

PAM Insole

- For maximum shock absorption and comfort
- Memory foam compresses for safe clearance in steel toe footwear
- Cost effective alternative to expensive matting
- ARCH TYPE Medium-High

- FOOTWEAR TYPE Industrial - Safety and Steel-toe

MFR. PAM Series | **Sizes** From 5 to 15



ENERGYSOLE™

- Features MEGAGel™ Visco technology
- Thinner profile for better fit
- ARCH TYPE Medium-High
- FOOTWEAR TYPE Casual and Work

MFR. MS Series | **Sizes** From 5 to 15



MegaSole™

- Thinner profile with sleek design for better fit
- 100% Dual layer memory foam with heel and arch cushioning
- Soft Contoured Arch Support
- Perfect fit in casual, sneakers, running and work footwear

- ARCH TYPE Medium-High
- FOOTWEAR TYPE Casual and Work

MFR. ESOLE Series | **Sizes** From 5 to 15



Spanbak Back Support

- Medical grade construction
- Rubber grip-tex webbing on interior stay casting to help prevent ride-up
- Two-stage closure back support
- Detachable suspenders
- Available in black

- Adjustable suspenders • 9 (22.8 cm) high back
- 3" (7.6 cm) wide elastic side pulls

MFR. 7190 | **Sizes** From Small to XX Large



FlexRist®, Thin

- Neoprene construction for longer wear
- Hook and loop closure for comfortable custom fit
- Hand washable
- Cool air dry
- Black color
- Worn on either right or left hand

- One size fits all

MFR. 7311 | **Size** Universal fit



One-Stop Training Solution

For your worker's well-being



Confined Space Safety

We understand the critical importance of safeguarding your employees working in confined spaces. Whether it's maintenance inside tanks, inspections in tunnels, or repairs within equipment housings, we've got you covered.



Gas Detector



Tripod System



SRL



Guard Rails



Winches



Blowers



Devit Arms & Extra Occasion Equipment



Check the catalogue and experience it with Augmented Reality

Designed to help your organization comply with OSHA regulations

Secure the occupational well-being and safety of every employee. Levac's Health & Safety Division provides the necessary solutions and consulting services that your organization requires, always putting the safety and well-being of your employees first.

- On-Site Training
- Online Training
- Catalogue of 100+ Courses
- Consulting
- Approved Chief Prevention Officer (CPO) Courses
- Human Resources Courses

Brockville, ON.
330 Laurier Blvd.
613-345-1991

levacsafety.com

LEVAC

Kingston, ON.

25 Railway St.
613-546-6663

Brockville, ON.

330 Laurier Blvd.
613-345-1991

levacsupply.com

