



MONTERRA™
Chassis Cab

OPTIONS - MY 2025

CODE	OPTION	DESCRIPTION
1000	4x4 Acela Monterra GL Chassis Cab	
1100	6x6 Acela Monterra GL Chassis Cab (SWB)	
1066	GVWR 23,000 Lbs. (10,705 kg) Package - 4x4	Front GAWR: 13,000 lbs. (5,897 kg), Rear GAWR: 10,600 lbs. (4,536 kg), GCWR: 35,600 lbs. (16,148 kg)
1033	GVWR 32,000 Lbs. (14,515 kg) Package - 4x4	Front GAWR: 14,000 lbs. (6,350 kg), Rear GAWR: 18,000 lbs. (8,165 kg), GCWR: 44,000 lbs. (19,958 kg)
1090	GVWR 25,990 Lbs. (11,789 kg) Package - 4x4	De-Rates GVWR to 25,990 lbs. from 32,000 lbs. (requires 32,000 lbs. GVWR option 1033)
1068	GVWR 30,750 Lbs. (13,948 kg) Package - 6x6	Front GAWR: 13,000 lbs. (5,897 kg), Int. GAWR: 8,875 lbs. (4,026 kg), Rear GAWR: 8,875 lbs. (4,026 kg), GCWR: 51,750 lbs. (23,473 kg)
1039	GVWR 44,650 Lbs. (20,253 kg) Package - 6x6	Front GAWR: 14,700 lbs. (6,668 kg), Int. GAWR: 16,661 lbs. (7,557 kg), Rear GAWR: 16,661 lbs. (7,557 kg), GCWR: 65,650 lbs. (29,778 kg)
1063	High-Speed Gearing (4x4 Models)	Provides final gear ratio of 6.14:1 and top speed of 68 MPH
1032	High-Speed Gearing (6x6 Models)	Provides final gear ratio of 6.14:1 and top speed of 68 MPH
1044	Additional Rear Axle Locker (6x6 Models)	Includes one (1) additional axle locker in intermediate axle (6x6 models only)
1058	Deep Water Fording Kit (4x4)	Increases water fording capabilities from 30 inches (762 mm) to 50 inches (1,168 mm) - 4x4 Chassis
1036	Deep Water Fording Kit (6x6)	Increases water fording capabilities from 30 inches (762 mm) to 50 inches (1,168 mm) - 6x6 Chassis

CODE	OPTION	DESCRIPTION
1053	Safety-Style Cab Entry Steps	Includes MSHA-compliant exterior entry steps
1049	Center Passenger Seat	Includes standard center seat and seat belt. Air-ride seats not available for center seating position.
1037	Back-Up Alarm	Includes 100db waterproof commercial back-up alarm (temporary-mounted for custom body placement).
1057	Back-Up Camera System	Includes infrared commercial back-up camera, 70-feet of cable, 6.2 inch monitor (temporary mounted for custom body placement).
1046	Seat Armrests	Includes adjustable, durable, black ABS armrest. Designate position for each seat. (Inside only for driver/pass seats - Left & Right for center seat). Price per armrest.
1034	SiriusXM Satellite Radio	Includes SiriusXM-equipped stereo and roof-mounted satellite radio antenna. *Requires customer subscription.
1042	Cruise Control	Cruise control, dash-mounted controls
1067	Power Door Locks	Power door locks with (2) remote key fobs, driver door keypad and audible confirmation chirp
1047	Upfitter Auxiliary Dash Switches	Provides eight (8) backlit rubber push buttons on instrument panel, each programmable to On/Off or Momentary action, customizable legends. Remote 12VDC power module is pre-wired with three (3) 20A and five (5) 10A fused relay outputs.
1065	PTO Prep Package	Includes engine and transmission pre-wiring, 12VDC PTO signal wire to PTO area (terminated) and dash-mounted PTO switch and PTO engaged indicator. Does NOT include throttle control.
1062	Custom Exterior Paint Color	Match cab paint color to customer specification.
1051	Doors Keyed Alike (Fleet Only)	Includes door keys cut to specific fleet code.
1076	113-Gallon Extended-Range Custom Aluminum Fuel Tank	Extended-Range Aluminum Fuel Tank, 113-Gallons, Replaces Standard Tank (Not Available with Vertical Exhaust)
1048	Front License Plate Bracket	License plate bracket permanently mounted to front grille.

CODE	OPTION	DESCRIPTION
1017	Driving Lights	Includes (2) PIAA LP550 5-3/16-Inch Round LED Driving Light Lamps, Mounted in Bumper. Requires Option 1047, Upfitter Auxiliary Switches
1012	Tomar NFPA Warning Light Package - Chrome	Tomar NFPA-1901-compliant warning light/siren/chevron package, aluminum lightbar frame and chrome surface-mount light bezels (detailed list upon request).
1075	Tomar NFPA Warning Light Package - Black	Tomar NFPA-1901-compliant warning light/siren/chevron package, black lightbar frame and black surface-mount light bezels (detailed list upon request).
1096	Whelen NFPA Warning Light Package	Whelen NFPA-1901-compliant warning light/siren/chevron package, aluminum lightbar frame and chrome surface-mount light bezels. (detailed list upon request)
1193	FireTech/HiViz Standard Scene Light Package	(4) FireTech Guardian Junior Scene Lights, L & R Sides on Upper Body (Designate Black or Chrome Bezels), (2) WL-X-5 (Black) Scene Lights on Rear Body
1192	Tomar Standard Scene Light Package	(2) Tomar 3x7 White Lights (NOT Gradient) L & R Sides on Upper Body, (2) iLED Scene Lights on Rear Body (Designate Black or Chrome Bezels)
1191	Whelen Standard Scene Light Package	(2) Whelen M7C White Lights (NOT Gradient) L & R Sides on Upper Body, (2) M2WC Scene Lights on Rear Body (Designate Black or Chrome Bezels).
1216	Brow Light Package	Fire Tech 46" Black, Mounted 36 LEDS. 19,008 LM. Spot/Flood/Scene. BLACK. L-Shaped Mounting Kit
1215	Under Body Light Package Techniq E10 x 8	Eight (8) Techniq E10 under body lights, switched in the cab (total of 8 lights)
1003	Mount Customer-Provided Warning/Scene/LED Light/Speaker	Includes mounting of a single warning, scene, LED "bar" light or siren speaker and running wiring to a specific location inside cab
1027	Mount Customer-Provided Lightbar (Roof Mounted)	Includes mounting of a single roof-mounted lightbar and running wiring to a specific location inside cab (cables must be 25+ feet)
1054	Temporary Rear STT/ICC Lighting	Includes C/FMVSS-compliant rear DOT lighting and mud flaps, mounted as temporary device to rear of truck for drive-away
1009	Mount Customer-Provided Siren/Controller	Includes mounting of a single siren controller and remote head and wiring to adequate 12VDC main power source

CODE	OPTION	DESCRIPTION
1056	NMO-Style 2-Way Radio Antenna Mount, Pre-Wired	Includes NMO-style antenna base installed on cab roof, non-terminated RG58 cables run to dash area. Priced each.
1069	Front Winch	Includes front-mounted Sherpa “Steed” 17,000 lb. winch with 6.6HP motor coupled with a 3-stage planetary gearbox. Winch has 90-feet of synthetic rope and aluminum hawse, wireless remote control, neoprene cover and 5-year manufacturer’s warranty. Custom winch housing attaches to forward shackle mounting points.
1105	Rear Winch	Includes rear-mounted Sherpa “Steed” 17,000 lb. winch with 6.6HP motor coupled with a 3-stage planetary gearbox. Winch has 90-feet of synthetic rope and aluminum hawse, wireless remote control, neoprene cover and 5-year manufacturer’s warranty. Custom winch housing attaches to included 2-inch receiver hitch and is removable. Receiver hitch replaces/deletes pintle hitch.
1120	Custom High Water/Flood Rescue Body (4x4)	Custom 17’ x 8.5’ aluminum high-water/flood rescue body with integrated stairs, safety railings and gates, fold-down aluminum seating, LED area and step lighting, non-skid floor, removeable rear safety rails, six (6) flush-mounted 2,000 Lb.-rated D-ring tie downs, vertical exhaust, spare tire rack delete, tuck-away-style 3,000 Lb. liftgate with 60” x 84” aluminum platform, galvanized frame, remote-mounted pump, side- and remote mount controls, LED DOT lighting, approximately 22 passenger capacity, maximum two (2) wheelchair tie-down positions (optional)
1148	Custom High Water/Flood Rescue Body (6x6)	Custom 20’ x 8.5’ aluminum high-water/flood rescue body with integrated stairs, safety railings and gates, fold-down aluminum seating, LED area and step lighting, non-skid floor, removeable rear safety rails, six (6) flush-mounted 2,000 Lb.-rated D-ring tie-downs, vertical exhaust, spare tire rack delete, tuck-away-style 3,000 Lb. liftgate with 60” x 84” aluminum platform, galvanized frame, remote-mounted pump, side- and remote-mount controls, LED DOT lighting, approximately 28 passenger capacity, maximum two (2) wheelchair tie-down positions (optional)
1094	Flood Rescue Body Custom Paint	Match body paint color to customer specification
1240	Flood Rescue Body Camera	Additional camera in body, facing rearward. Dash mounted switch allows operator to toggle between primary (reverse) camera and secondary (body) camera

CODE	OPTION	DESCRIPTION
1108	Flood Rescue Canopy	Canopy with bulkhead-mounted upward facing scene light, forward plastic window, side screen/velcro closure window.
1217	4x4 Stationary Hard Top	Custom Canopy with Hardtop and canvas sides and strip lighting mounting to roof. See spec for description. 3/16" Aluminum with 76" height clearance
1220	6x6 Stationary Hard Top	Custom Canopy with Hardtop and canvas sides and strip lighting mounting to roof. See spec for description. 3/16" Aluminum with 76" height clearance
1235	Pre-Wired for Slip-In Unit	Includes Anderson connector mounted to body wall at right rear corner (adjacent to liftgate pump), pre-wired to battery box on switched side of battery bank. Also includes additional Anderson connector for end-user to connect to their slip-on unit.
1239	Center Console	Includes Universal 20-Inch (8-Inch Sloped and 12-Inch Horizontal) Console Located Between Driver and Officer Seats. Includes (1) Cigarette Power Port and Faceplates for Radio (Specify), Siren Controller (Specify), Cup Holder and Large document/Notebook Storage Area. All Other Slots are Filled with Blank Faceplates. Console is Pre-Wired with 12VDC Power to a 6-Position Fused Power Distribution Block. If Vehicle is Ordered with NMO Antenna Mount(s), Siren Controller and/or Upfitter Switch Option Packages, Each Will Be Located in Console. Deletes Center Seat.
1103	Webasto Diesel-Fired Engine Coolant Heater	Webasto Thermo Pro 50, 17,200 BTU diesel-fired coolant heater w/ SmartTemp controller, plumbed into chassis fuel tank and engine coolant system.
1082	Webasto Diesel-Fired Air Heater	Webasto Air Top 55 Evo, 18,800 BTU diesel-fired air heater with SmartTemp controller, plumbed into chassis fuel tank, mounted under front folding seat in body. Available only for flood rescue body.
1201	Kussmaul Air Auto-Eject System (140PSI)	Kussmaul Air Auto Eject System, 24V, Mounted Driver Side Aft of Cab, Blue Housing (Includes Station-Side Supply Line Quick-Connect Fitting)
1200	Kussmaul 120V/15A Battery Charger with Auto-Eject	Kussmaul 120V/15A Weatherproof Auto Eject 24V Battery Charge Controller Kit with LED Charge Indicator, Cab Mounted, Driver Side, Yellow Housing



MONTERRA™

Chassis Cab

CODE	OPTION	DESCRIPTION
1133	4x4 Standard Flatbed	14' x 96" HD Steel Flatbed, 48" bulkhead, 3/8" treadplate deck, stake pockets and rub rail, integrated LED DOT lighting, gloss black polyurethane paint, undercoated (for 4x4 chassis only)
1134	6x6 Standard Flatbed	16' x 96" HD Steel Flatbed, 48" bulkhead, 3/8" treadplate deck, stake pockets and rub rail, integrated LED DOT lighting, gloss black polyurethane paint, undercoated (for 6x6 chassis only)
1135	4x4 Flatbed Non-Skid Deck Coating	
1136	6x6 Flatbed Non-Skid Deck Coating	

ACELATRUCK.COM