

Made in America



2026 FULL LINE PRODUCT HANDBOOK

Application and Specification Resource



Version 1.0



CLEAR THE WAY



Equipping the Leaders of the Pack

Answering the call before dawn, clearing the way for everyone still sleeping warm in their beds—we've been there. As former snow removal professionals ourselves, we're dedicated to designing and building innovative snow removal equipment that empowers contractors to get the job done better and faster, increasing efficiency, profitability, and enjoyment for business owners and operators.





Innovative Snow Removal Equipment

EFFICIENCY, DURABILITY, VERSATILITY.

We design and manufacture pro-grade plows, pushers, and blowers that increase your efficiency, profitability, and enjoyment when clearing snow.



Compact Wheel Loaders / Wheel Loaders



Compact Track Loaders / Skid Steers



Large Utility Vehicles



Small Utility Vehicles



Tractors

ATTACH2
EQUIPMENT



ATTACH2 + SNOWWOLF: A WINNING COMBINATION

For over 20 years, Attach2 has been helping contractors work smarter with premium excavator attachments and a reputation for performance and reliability. They've grown into a global leader in the attachment space by focusing on what matters most to operators and crews on the ground.

Now, we're combining that momentum with over 35 years of SnowWolf expertise in snow removal and strong relationships across the U.S. market. Together, we're bringing a new level of support and performance to contractors, rental companies, and dealers across North America.

This partnership means access to proven gear, backed by local knowledge and service teams who genuinely care about keeping you moving. Whether it's snow removal or earthmoving, replacement attachments or full performance packages — Attach2 and SnowWolf are here to get you working faster.



Joe Hart

Joe Hart
Attach2 Chairman



CONTENTS



AutoWing Plows

- 10 QuattroPlow*
- 11 QuattroPlowXT
- 12 QuattroPlowHD*
- 13 QuattroPlowTR

PowerWing Plows

- 16 ApexPlow XT
- 17 ApexPlow HD

Angle Plows

- 20 UltraPlow / UltraPlow XT
- 21 AlphaPlow

Snow Pushers

- 24 UltraPusherTE/XT
- 25 ApexPusher XT
- 26 ApexPusher HD

Snow Blowers

- 30 AlphaBlower

Accessories

- 34 WolfPaws Snow Tires
- 35 WolfWings & SpillGuard
- 36 ActiveEdge & FastTach

CuttingEdge & Control Options

- 39 Selector Guide

*Also available in PowerWing configuration



AutoWing Plows

THE POWER OF 4 PLOWS IN 1

Revolutionize how you clear snow with the original AutoWing plow. Automatically switch between angle plowing, wide-angle plowing, pushing, and backdragging with easy-to-use controls. Just plug and go!



AutoWing Plows



Suitable For:



QuattroPlow™

The original AutoWing Plow

Machine operating weight: 6,000 lbs. – 10,000 lbs.



THE POWER OF 4 PLOWS IN 1

Revolutionize how you clear snow.

KEY FEATURES

- 4-in-1 (angle/wideangle/push/backdrag)
- 35° Blade angle & tight curvature
- 165° wing rotation
- 2 Hose Setup

Specification	QP-102	QP-114
Blade Width	7'	8'
Width in Pusher Position	102" (8'-6")	114" (9'-6")
Maximum Width (Wideout)	130" (10'-10")	142" (11'-10")
Width in Backdrag Position	102" (8'-6")	114" (9'-6")
Clearing Width at Wide Angle	106" (8'-10")	116" (9'-8")
Width in Angled Backdrag Position	93" (7'-9")	103" (8'-7")
Blade Height	30.7"	30.7"
Unit Weight	1,132 lbs.	1,269 lbs.

Suitable For:



QuattroPlowXT™

The Middle-Weight Champion of Plows

Machine operating weight: 10,000 lbs. – 15,000 lbs.



THE POWER OF 4 PLOWS IN 1

Revolutionize how you clear snow.

KEY FEATURES

- Same system scaled for midweight machines
- +23" wide angle bonus per side
- Power Wing upgrade option

Specification	QPXT-126	QPXT-138	QPXT-150
Blade Width	9'	10'	11'
Maximum Width (Wideout)	154" (12'-10")	166" (13'-10")	178" (14'-10")
Width in Backdrag Position	126" (10'-6")	138" (11'-6")	150" (12'-6")
Clearing Width at Wide Angle	126" (10'-6")	136" (11'-4")	146" (12'-2")
Width in Angled Backdrag Position	113" (9'-5")	123" (10'-3")	133" (11'-1")
Blade Height	30.7"	30.7"	30.7"
Unit Weight	1,464 lbs.	1,540 lbs.	1,575 lbs.



Suitable For:



QuattroPlowHD™

Control and Contain

Machine operating weight: 15,000 lbs. – 30,000 lbs.



AN ABSOLUTE BOSS

Heavy Equipment for Heavy Work.

KEY FEATURES

- Heavy equipment class
- +30" wide angle bonus per side
- Loader mount options
- ActivEdge/SpillGuard options

Specification	QPHD-146	QPHD-170
Blade Width	10'	12'
Width in Pusher Position	146" (12'-2")	170" (14'-2")
Maximum Width (Wideout)	176" (14'-8")	200" (16'-8")
Width in Backdrag Position	146" (12'-2")	170" (14'-2")
Clearing Width at Wide Angle	144" (12')	164" (13'-8")
Width in Angled Backdrag Position	132" (11')	151" (12'-11")
Blade Height	38"	38"
Unit Weight	2,995 lbs.	3,385 lbs.

Suitable For:



QuattroPlowTR™

Plow Meets Tractor

For Tractors 40-150 Horsepower



FAMILIARITY, COMFORT, AND POWER

Clear the Way from the Comfort of Your Tractor Cab.

KEY FEATURES

- CAT I/II 3pt hitch
- 35° angling
- 40-150 hp tractors
- 4-in-1 operation

Specification	QPTR-102	QPTR-114	QPTRXT-126	QPTRXT-138	QPTRXT-150	QPTRHD-146	QPTRHD-170
Blade Width	7'	8'	9'	10'	11'	10"	12"
Outside Width in Pusher Position	102" (8'-6")	114" (9'-6")	126" (10'-6")	138" (11'-6")	150" (12'-6")	146" (12'-2")	170" (14'-2")
Maximum Width (Wideout)	130" (10'-10")	142" (11'-10")	154" (12'-10")	166" (13'-10")	178" (14'-10")	176" (14'-8")	200" (16'-8")
Width in Backdrag Position	102" (8'-6")	114" (9'-6")	126" (10'-6")	138" (11'-6")	150" (12'-6")	146" (12'-2")	170" (14'-2")
Clearing Width at Wide Angle	126" (10'-6")	136" (11'-4")	146" (12'-2")	136" (11'-4")	146" (12'-2")	144" (12')	164" (13'-8")
Width in Angle Backdrag Position	93" (7'-9")	103" (8'-7")	113" (9'-5")	123" (10'-3")	133" (11'-1")	132" (11')	151" (12'-7")
Tractor Horsepower Rating	40-65 HP	40-65 HP	40-65 HP	65-100 HP	65-100 HP	100-150 HP	100-150 HP
Blade Height	30.7"	30.7"	30.7"	30.7"	30.7"	38"	38"
Unit Weight	1,105 lbs.	1,242 lbs.	1,437 lbs	1,513 lbs	1,548 lbs	2,999 lbs	3,385 lbs



PowerWing Plows

HEAVIEST IN CLASS

Make light work of heavy snow with this durable 4-in-1 plow. Switch easily between angle plowing, wide-angle plowing, pushing, and backdragging.



PowerWing Plows



Suitable For:



ApexPlow™ XT

Compact Loader 4-in-1 Plow

Machine operating weight: 10,000 lbs. – 20,000 lbs.



HEAVY-WEIGHT PLOW FOR COMPACT EQUIPMENT

Challenge Accepted

KEY FEATURES

- Apex "Freedom Series" engineering
- Loaderclass durability
- Independent powered wings
- Control options

Specification	APXT-8-14
Blade Width	8'
Outside Width in Pusher Position	112" (9'4")
Maximum Width (Wideout)	175" (14'7")
Width in Backdrag Position	107" (8'11")
Width at Wide Angle	143" (11'11")
Width in Angled Narrow Position	99" (8'3")
Blade Height	36" (3')
Unit Weight	2,800 lbs.

Suitable For:



ApexPlow™ HD

Heavy-Weight 4-in-1 Plow

Machine operating weight: 20,000 lbs. – 40,000 lbs.



BRUTE STRENGTH MEETS INNOVATION

Bring it On

KEY FEATURES

- 2" wing pins (2x wear surface)
- Hardened curb guide
- Patented return to center oscillation
- Curb jumper edges
- Intuitive two button control

Specification	APHD-10-20	APHD-10-22	APHD-12-22	APHD-12-24
Blade Width	10'	10'	12'	12'
Outside Width in Pusher Position	136" (11'4")	136" (11'4")	160" (13'4")	160" (13'4")
Maximum Width (Wideout)	245" (20'5")	269" (22'5")	269" (22'5")	293" (24'5")
Width in Backdrag Position	130" (10'10")	130" (10'10")	154" (12'10")	154" (12'10")
Width at Wide Angle	201" (16'9")	220" (18'4")	220" (18'4")	240" (20')
Width in Angled Narrow Position	122" (10'2")	122" (10'2")	141" (11'9")	141" (11'9")
Blade Height	48" (4')	48" (4')	48" (4')	48" (4')
Unit Weight	4,700 lbs.	4,900 lbs.	5,000 lbs.	5,200 lbs.



Angle Plows

RUGGED SIMPLICITY

Snow doesn't stand a chance against these durable plows. Whether you operate a 6,000- or 30,000-pound machine, we've got a plow to help you get the job done.



Angle Plows



Suitable For:



UltraPlow / UltraPlowXT

The Commander of Plows

Machine operating weight: 6,000 lbs. – 15,000 lbs.



SIMPLE AND RUGGED

The Muscle of your Snow Removal Business

KEY FEATURES

- Clean scraping & windrowing
- Nitro cylinders (5x salt resistant)
- 12" oscillation
- Aggressive curvature
- Add FastTach & WolfWings to boost capacity

Specification	Ultra-84	Ultra-96	UltraXT-108	UltraXT-120	UltraXT-132
Blade Width	7'	8'	9'	10'	11'
Blade Width at Full Angle	68.8" (5'-9")	78.6" (6'-7")	88.5" (7'-5")	98.3" (8'-3")	114.6" (9'-7")
Blade Height	30.7"	30.7"	30.7"	30.7"	30.7"
Unit Weight	774 lbs.	816 lbs.	918 lbs.	986 lbs.	1,028 lbs.

Suitable For:



AlphaPlow

The Big Boss

Machine operating weight: 15,000 lbs. – 30,000 lbs.



TAKE ON ANY SNOW EMERGENCY

Our Biggest, Meanest Plow Yet

KEY FEATURES

- Built to take abuse
- Large machine class
- Heavy moldboard & frame

Specification	Alpha-10.0	Alpha-12.0
Blade Width	10'	12'
Blade Width at Full Angle	98.3" (8'-3")	118.0" (9'-10")
Blade Height	38" (3'-2")	38" (3'-2")
Unit Weight	1,920 lbs.	2,217 lbs.



Snow Pushers

MAX OUT YOUR CONTAINMENT

Keep your eye on the pile. Our pushers boast cushioned side plates that help keep snow contained even in tight quarters.



Snow Pushers




Suitable For:



UltraPusherTE/XT™

Simplicity and Superior Strength

Machine operating weight: 6,000 lbs. – 15,000 lbs.



**CONTAINMENT.
SIMPLICITY. RELIABILITY.**

When Pushing's Your Job

KEY FEATURES

- Cushioned side plates for smoother ride & protection
- Simple, reliable containment
- Affordable

Specification	UPTE-84	UPTE-96	UPTE-108	UPTE-120	UPTE-132
Blade Width	7'	8'	9'	10'	11'
Outside Width Overall	86" (7'-2")	98" (8'-2")	110" (9'-2")	122" (10'-2")	134" (11'-2")
Overall Length <small>(Front of wing to back of moldboard)</small>	36.1" (3')	36.1" (3')	36.1" (3')	36.1" (3')	36.1" (3')
Blade Height	30.7"	30.7"	30.7"	30.7"	30.7"
Unit Weight	891 lbs.	933 lbs.	1,039 lbs.	1,103 lbs.	1,145 lbs.

Suitable For:



ApexPusher™ XT

Powerhouse Pushing Force

Machine operating weight: 10,000 lbs. – 20,000 lbs.



**STRENGTH IN A
COMPACT FRAME**

Let's Do This

KEY FEATURES

- Vertical wing edges (longer wear, less ice trails)
- Multiple edge options
- Heaviest in class
- Return to center oscillation

Specification	APXT-12
Blade Width	12'
Overall Width	150"
Wing Thickness (Hardox 500 Tuff Steel)	5/16"
Sideplate Wear Shoes	3/4" AR-400 + Tapered Front Curb-Jump Plate
Strutless Sideplates with Patented Shock Cushioning	Yes
Overall Length (Front of wing to back of moldboard)	42"
Blade Height	36"
Unit Weight	2,615 lbs.

Snow Pushers

Suitable For:



ApexPusher™ HD


Unbeatable Pushing Power

Machine operating weight: 20,000 lbs. – 40,000 lbs.



MAXIMUM SNOW CONTAINMENT

Game On



KEY FEATURES

- Heaviest in class pusher
- Loader mounts
- Steel/ActivEdge/Carbide options

Specification	APHD-10	APHD-12	APHD-14	APHD-16
Blade Width	10'	12'	14'	16'
Overall Width	126" (10'-6")	150" (12'-6")	174" (14'-6")	198" (16'-6")
Overall Length (Front of wing to back of moldboard)	55" (4'-7")	55" (4'-7")	55" (4'-7")	55" (4'-7")
Blade Height	48" (4')	48" (4')	48" (4')	48" (4')
Unit Weight	3,550 lbs.	3,850 lbs.	4,100 lbs.	4,400 lbs.



Snow Blowers

PREPARE TO BE BLOWN AWAY

Tear through snow and ice and clear the way with our powerful AlphaBlower series. Whether you blow back or truck load your snow, we've got a wide range of blowers to move high volume.





Suitable For:



AlphaBlower

High-Volume Commercial Snow Blower

Rated for: Tractors 75 – 350 PTO Horsepower.

Wheel Loaders 40-50 GPM.

Skidsteers/Mini Loaders 30-45 GPM.




BLOWS AWAY THE COMPETITION

Move Lots of Snow and Move It Fast

KEY FEATURES

- Hydraulic or PTO Driven
- Commercial duty
- Open Ribbon Design



Specification	24-84-H	24-84-P	33-100-H	33-100-P	36-106-P
Hydraulic Flow	30-45 GPM	NA	40-50 GPM	NA	NA
PTO Power	NA	75-130 HP	NA	100-250 HP	150-350 HP
Width of Auger	85" (216 cm)	85" (216 cm)	100" (254 cm)	100" (254 cm)	106" (269 cm)
Overall Width at Drift Breakers	90" (229 cm)	90" (229 cm)	106.5" (271 cm)	106.5" (271 cm)	111" (282 cm)
Center Cutting Height	36" (91 cm)	36" (91 cm)	41" (104 cm)	41" (104 cm)	46" (117 cm)
Side Cutting Height	57" (145 cm)	57" (145 cm)	75" (191 cm)	75" (191 cm)	75" (190 cm)
Impeller Diameter	24" (61 cm)	24" (61 cm)	33" (84 cm)	33" (84 cm)	36" (91 cm)
Impeller Depth	9" (23 cm)	9" (23 cm)	11" (28 cm)	11" (28 cm)	14" (36 cm)
Auger Diameter	28" (71 cm)	28" (71 cm)	33" (84 cm)	33" (84 cm)	38" (97 cm)



Accessories

**WOLFPAWS HAVE NO SLIDE, NO SLIP, NO SPIN—
SIMPLY MOUNT AND GO**

WolfPaws are the only snow tire specifically designed for skid steers. These tires double your ground pressure for increased traction that raises your safety and your productivity.





Suitable For:



WolfPaws® Snow Tires

Increase Traction and Efficiency



DOUBLE YOUR GROUND PRESSURE

**No Slide. No Slip. No Spin.
Simply Stick and Go.**

KEY FEATURES

- Narrow width (6.6"–8.5") to increase ground pressure
- Skidsteer only design
- Wheel and tire package
- Studdable tread
- U.S. made.

Model Number	100	200	300	400	500	500-36
Tire Height	32.2"	32.2"	28.5"	36.3"	32.2"	36.3"
Ply Rating	10	10	6	10	10	10
Overall Width	8.7"	8.7"	7.9"	10.4"	8.7"	10.4"
Tread Width	7"	7"	6.6"	8.5"	7"	8.5"
Capacity per Set of 4	11,120 lbs	11,120 lbs	6,880 lbs	13,480 lbs	11,120 lbs	13,480 lbs
Studs Available	Yes	Yes	Yes	No	Yes	No
Wheel Size	16" x 6"	16" x 6"	15" x 6"	16" x 6"	16" x 6"	16" x 6"
Compatibility	All Skid Steers with 10 x 16.5 or 12 x 16.5 Tires, Using Standard 8-Bolt Pattern	All Skid Steers with 10 x 16.5 or 12 x 16.5 Tires, Using 6-on-6 Bolt Pattern	Bobcat Toolcat, Specify 6-on-6 or 6-on-5.5 Bolt Pattern	All Skid Steers with 14 x 17.5 Tires, Using Standard 8-Bolt Pattern*	Bobcat Skid Steers with 12 x 16.5 Tires, Using Large-Bolt Pattern	Bobcat Skid Steers with 14 x 17.5 Tires, Using Large-Bolt Pattern
Studded Optional	Yes (150-S)	No	Yes (350-655-S or 350-660-S)	No	Yes (550-S)	No

Suitable For:

AlphaPlow, UltraPlow/UltraPlowXT

WolfWings™

Maximum Scraping Power and Traction

MAKE YOUR MACHINE 30% BETTER

Wider Plowing and Higher Stacking

KEY FEATURES

- Windrow Efficiency
- Triple Containmentment
- 30-Degree Angle
- Easy Installation and Quick Release
- Extends Plowing Width



Suitable For:

QuattroPlow™, QuattroPlowXT, QuattroPlowTR, UltraPlow/UltraPlowXT, UltraPusherTE™ & UltraPusherTE/XT™, QuattroPlowHD, AlphaPlow

SpillGuard

Increase Efficiency and Reduce Blowback

REDUCE SPILLAGE

Increase your capacity and efficiency.

KEY FEATURES

- Reduce Spillage
- Less Blowback
- Slotted Plate
- Higher Stacking
- Easy Installation





Suitable For:
 QuattroPlow™, QuattroPlowXT, QuattroPlowTR, UltraPlow/UltraPlowXT, UltraPusherTE™ & UltraPusherTE/XT™, QuattroPlowHD, AlphaPlow, ApexPlow™ XT, ApexPlow™ HD, ApexPusher™ XT, ApexPusher™ HD

ActivEdge®

Maximize Scraping, Minimize Salt


THE LITERAL CUTTING EDGE

Built for Durability and Flexibility



KEY FEATURES

- Simple design
- Durable build for long life span
- Suits the latest Plow Series
- Suits as a replacement
- Affordable
- Improves Performance



Suitable For:
 UltraPlow / UltraPlowXT

FastTach®

Add More Functionality to Your Plow

TRANSFORM YOUR PLOW

Not ready to switch to the QuattroPlow?



KEY FEATURES

- Convert UltraPlow to a box pusher in <5 seconds from cab
- Urethane sideplate edges
- Keyhole lock



CuttingEdge & Control Options

Suitable For:	ActivEdge®	Steel Edge	PowerWing	SpillGuard	FlexFrame®	Mounts & Controllers
• QuattroPlow™	✓	✓	✓	✓	✓	✓
• QuattroPlowXT	✓	✓	✓	✓	✓	✓
• QuattroPlowTR	✓	✓	✓	✓	n/a	✓
• UltraPlow/UltraPlowXT	✓	✓	✓	✓	✓	✓
• UltraPusherTE™ & UltraPusherTE/XT™	✓	✓	n/a	✓	n/a	n/a
• QuattroPlowHD	✓	✓	✓	✓	n/a	✓
• AlphaPlow	✓	✓	✓	✓	n/a	✓
• ApexPlow™ XT	✓	✓	✓	n/a	n/a	✓
• ApexPlow™ HD	✓	✓	✓	n/a	n/a	✓
• ApexPusher™ XT	✓	✓	✓	n/a	n/a	✓
• ApexPusher™ HD	✓	✓	✓	n/a	n/a	✓

Selector Guide

How to choose the right attachment for your machine.

Pages
 20-21 24 - 26 30 10 - 17

Angle Plows **Snow Pushers** **Snow Blowers** **AutoWing Plows**

CONTRACTOR BUDGET

\$6,000 Budget Friendly Premium \$41,000

Ultra Pushers Ultra Plow Alpha Plow Quattro Plow Apex Pusher Apex Plow

SITE TYPE

Tight Site Site Cleanup Open Site

Angle Plows AutoWing Plows Snow Blowers Snow Pushers PowerWing Plows

CONTRACT TYPE

Most Efficient (Plow) Hourly (Push) Site Cleanup (Blow)

PowerWing Plows AutoWing Plows Angle Plows Snow Pushers Snow Blowers



ATTACH2 / SNOWWOLF USA

8415 220th St W, Lakeville, MN 55044,
United States of America

snowwolfplows.com

1.800.905.2265

info@snowwolfplows.com

DISCLAIMER

This publication is intended to provide reasonable information relating to the subject matter contained herein and available at the time of publication of this material and known to Attach2 LLC.

The information contained is made available strictly on the basis Attach2 LLC excludes any liability in any way for damages in respect of or arising out of any reliance in any part or in full on any contents of this publication for any purpose.

All product prices, designs, sizes and specifications are indicative only and are subject to change without prior notice.
© Copyright Attach2 LLC 2026. No part of this catalog may be reproduced without the permission of Attach2 LLC.