

Multi-Seat Configurable Swing



Technical Data



DIMENSIONS

2.22 x 7.45 m



HEIGHT

2.3 m



SAFETY ZONE

7.5 x 7.49 m




FREE-FALL HEIGHT

1.3 m

Conforms to: BS EN 1176-1+A1:2024

Dimension Drawing



Multi-Seat Configurable Swing

Materials & Construction

Frame: steel profile, 70x70mm and 80x80mm, galvanized and powder-coated

Decking: colored HDPE panels

Suspension: calibrated galvanized technical chains


Seats: standard rope-net seat; accessible HDPE seat (centrifugally cast); rubber TPE seat (injection-moulded, PA insert)

Fixings: anti-corrosion treated, plastic-capped bolts

In accordance with BS EN 1176-1+A1:2024, this product requires impact-absorbing surfacing appropriate to its free-fall height.

The equipment shown is a computer visualisation only; the actual product will look similar. Colours may vary from those shown. Construction materials can be tailored to the customer's requirements. Dimensional tolerance +/- 5cm.

Additional Views



Why Choose This Product

A flexible swing frame offering three different seat types in one unit: a standard rope-net seat, an accessible HDPE seat, and a rubber injection-moulded seat — making it suitable for mixed-ability, mixed-age play.

- Constructed from steel profile, 70x70mm and 80x80mm, galvanized and powder-coated for years of reliable outdoor use
- Certified to BS EN 1176-1+A1:2024 for public playground safety