

Three-Arm Hanging-Seat Carousel



Functions

- Spinning
- Socialising
- Coordination
- Swinging
- Balance
- Grip strength

Technical Data

● DIMENSIONS
Ø3.27 m


● HEIGHT
2.4 m

● SAFETY ZONE
Ø9.01 m (11.01 m obstacle-free)

● FREE-FALL HEIGHT
0.71 m

Conforms to: BS EN 1176-1:2017

Dimension Drawing



Three-Arm Hanging-Seat Carousel

Materials & Construction

Frame: galvanised steel tube $\text{Ø}114.3 \times 3.6$ and $\text{Ø}76.1 \times 3$ mm, zinc-primed and powder-coated

Suspension: calibrated chains in protective plastic sleeves

Seats: durable rubber disc seats

Fixings: anti-corrosion treated; all bolts and profiles plastic-capped

In accordance with BS EN 1176-1:2017, this product requires impact-absorbing surfacing appropriate to its free-fall height.

The equipment shown is a computer visualisation only; the actual product will look similar. Colours may vary from those shown. Construction materials can be tailored to the customer's requirements. Dimensional tolerance +/- 5cm.

Additional Views



Why Choose This Product

The Three-Arm Hanging-Seat Carousel spins three rubber disc seats out from a central mast on chains, so children swing wide as it turns — a fast, sociable spinner that draws a crowd and builds balance, grip and coordination.

- Three chain-hung rubber seats for fast, sociable group spinning
- Zinc-primed, powder-coated steel mast built for years of outdoor use
- Certified to BS EN 1176-1:2017 for public playground safety
- Chains run in protective sleeves with anti-corrosion, capped fixings