Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(786) 599-1806
http://accuratetestlab.com

SEDA Mit-9 2000mg Jar

Sample ID: 2610AFL1867.6416
Strain: Watermelon Burst
Matrix: Ingestible
Type: Other
Unit Weight: 0.4761 g

Internal Lab ID: ATL-40159
Received: 10/09/2026
Completed: 10/12/2026
Batch#: -

Client
Honest PPD
Lic. #
1038 Arlington St
Orlando, FL 32805

Alkaloids

Complete

Analyte	LOQ	Result	Result
	%	%	mg/unit
7-Hydroxymitragynine	0.02	ND	ND
Mitraphylline	0.02	ND	ND
Isorhynchophylline	0.02	ND	ND
MGM-15	0.02	ND	ND
MGM-16	0.20	ND	ND
Corynoxine B	0.02	ND	ND
Mitragynine Pseudoindoxyl	0.02	ND	ND
Rhynchophylline	0.02	ND	ND
Paynantheine	0.02	ND	ND
Mitragynine	0.02	0.12	0.6
Speciogynine	0.02	ND	ND
Speciociliatine	0.02	ND	ND
Total		**0.12**	**0.6**

Document ID: CoA-11 Kratom Rev. 1, Test Method: TM-11
Date Tested: 10/09/2026
Kratom via HPLC

ACCURATE TEST LAB

Lise Berthe-Laurent
Laboratory Director
10/12/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request.