



Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(786) 599-1806  
<http://accuratetestlab.com>

QA Testing

1 of 1

## SEDA Mit-9 2000mg Jar

Sample ID: 2610AFL1867.6413

Internal Lab ID: ATL-40156

Client

Strain: Tropical Punch

Honest PPD

Matrix: Ingestible

Received: 10/09/2026

Lic. #

Type: Other

Completed: 10/12/2026

1038 Arlington St

Unit Weight: 0.5218 g

Batch#: -

Orlando, FL 32805

### Alkaloids

Complete

| Analyte                   | LOQ  | Result      | Result     |
|---------------------------|------|-------------|------------|
|                           | %    | %           | mg/unit    |
| 7-Hydroxymitragynine      | 0.02 | ND          | ND         |
| Mitraphylline             | 0.02 | ND          | ND         |
| Isorhynchophylline        | 0.02 | ND          | ND         |
| MGM-15                    | 0.02 | ND          | ND         |
| MGM-16                    | 0.20 | ND          | ND         |
| Corynoxine B              | 0.02 | ND          | ND         |
| Mitragynine Pseudoindoxyl | 0.02 | ND          | ND         |
| Rhynchophylline           | 0.02 | ND          | ND         |
| Paynantheine              | 0.02 | ND          | ND         |
| Mitragynine               | 0.02 | 0.12        | 0.6        |
| Speciogynine              | 0.02 | ND          | ND         |
| Speciociliatine           | 0.02 | ND          | ND         |
| <b>Total</b>              |      | <b>0.12</b> | <b>0.6</b> |

Document ID: CoA-11 Kratom Rev. 1, Test Method: TM-11  
Date Tested: 10/09/2026  
Kratom via HPLC

ACCURATE  
TEST LAB



Lise Berthe-Laurent  
Laboratory Director  
10/12/2026

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request.