SC Labs
Formerly Can-Lab

SC LABS // 27610 COLLEGE PARK DRIVE, SUITE C WARREN MI 48088 // PH: 5862986464
MI LICENSE #: AU-SC-000129

CERTIFICATE OF ANALYSIS

** FOR QUALITY ASSURANCES PURPOSES ONLY.*

PRODUCED: OCT 07, 2026

SAMPLE: BARS - 7-OH ALTERNATIVE TABLETS - MIXED BERRY 1200MG - 4CT (EDIBLE SOLID) // **CLIENT**: BARS // **BATCH**: PASS



BATCH NO.: MB1642
MATRIX: EDIBLE SOLID
CATEGORY: INFUSED EDIBLE
SAMPLE ID: CL-280926-012
COLLECTED ON: SEP 28, 2026
RECEIVED ON: SEP 28, 2026
BATCH/SAMPLE SIZE: 12 UNITS / 12 UNITS
RECEIVED BY: ADELYN BOUTELL
SERVING/PACKAGE SIZE: 0.075 G / 1.207 G

ALKALOID OVERVIEW

MITRAGYNINE:	**4.6605 mg/srv**
7-OH-MITRAGYNINE:	**0 mg/srv**
TOTAL ALKALOIDS:	**5.4315 mg/srv**

BATCH RESULT: PASS

ALKALOIDS	TESTED
METALS	TESTED
MICROBIAL	TESTED
MYCOTOXINS	TESTED
PESTICIDES	TESTED
SOLVENTS	TESTED

PER ISO/IEC 17027:2017, THESE RESULTS RELATE ONLY TO THE SAMPLE INCLUDED ON THIS REPORT. THIS REPORT SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL OF THE LABORATORY.

SAMPLE CERTIFICATION: SAMPLE(S) WERE SAMPLED AND TESTED IN ACCORDANCE WITH CRA SAMPLING AND TESTING TECHNICAL GUIDANCE FOR MARIJUANA PRODUCTS VERSION 5.2 (R 420.304-305).

DECISION RULE: STATEMENTS OF CONFORMITY SPECIFICATIONS (E.G. PASS/FAIL) ARE MADE IN THIS REPORT WITHOUT TAKING MEASUREMENT UNCERTAINTY INTO ACCOUNT. UPON WRITTEN REQUEST, THE LABORATORY WILL ISSUE A REVISED CERTIFICATE OF ANALYSIS REPORTING THE APPLICABLE MEASUREMENT UNCERTAINTY, CALCULATED AT A 95% CONFIDENCE INTERVAL, ALONGSIDE THE REPORTED RESULT. WHERE STATEMENTS OF CONFORMITY ARE MADE IN THIS REPORT, THE FOLLOWING DECISION RULES ARE APPLIED: PASS - RESULTS WITHIN LIMITS/SPECIFICATIONS, FAIL - RESULTS EXCEED LIMITS/SPECIFICATIONS.

RESULTS CERTIFIED BY: JALEN WILLIAMS
LAB MANAGER, SC LABS
OCT 07, 2026