SnowWolf

Parts Manual



QuattroPlow™

Models QP & QPXT

6,000 - 15,000 lb.

REMEMBER: Register your product! No claims for warranty shall be considered unless your product registration card is completed online within 30 days of purchase. Go to: snowwolfplows.com/registration.

2026

Quick Reference

P60023	Wing Edge Kit, Steel Edges L&R, w/ HW
P60023-CARB	Wing Edge Kit, Carbide Edges L&R, w/ HW
P60050	Wing Edge Kit, Poly Edges L&R, w/ HW
P60055	Wing Cylinder, Dual Acting, Left or Right
Main Cutting Edges can be found on page 7	

Manufactured By:

SnowWolf®

8415 220th Street West, Suite K
Lakeville, MN 55044
1-800-905-2265 / snowwolfplows.com


Parts 3

Main Assembly 3
Moldboard Assembly 3
Main Assembly - (QP and QPXT Models) 5
Options and Cutting Edges 7
Trip Edge Generations 9
QuattroPlow Wing (QP and QPXT Models) 10
Decal Identification 12
Hydraulics 13
Hydraulic Hoses 13
Hydraulic Components 14
Options (Model Specific) 15
Hydraulic Manifold AutoWing 15
Hydraulic Manifold PowerWing 16
ActivEdge Sectional Blade 17
Spill Guard 18
Flex Frame 19


SnowWolf®


Main Assembly

Moldboard Assembly



ITEM	PART #	DESCRIPTION	7' QTY	8' QTY	9' QTY	10' QTY	11' QTY
1	P40072	Blade Assembly	-	-	-	-	-
	P40084		1	-	-	-	-
	P40096		-	1	-	-	-
	P40108XT		-	-	1	-	-
	P40120XT		-	-	-	1	-
	P40132XT		-	-	-	-	1
1.1	P40014	Blade Weldment Only (No Springs Or Trip Edge)	-	-	-	-	-
	P40015		1	-	-	-	-
	P40016		-	1	-	-	-
	P40017XT		-	-	1	-	-
	P40018XT		-	-	-	1	-
	P40019XT		-	-	-	-	1
1.2	P40026	Spring Adjustment Rod ASM	2	2	2	2	2
1.3	P40009-B	Spring Adjustment ASM	2	2	2	2	2
1.4	P40010B	Spring, Trip, 6'-10' New Style	4	4	4	4	4
1.5	P40012	Nut, Lock, 5/8-11, GR C	2	2	2	2	2
1.6	P40013	Bolt, Hex, 5/8-11 x 3, Y ZN, GR 8	2	2	2	2	2
1.7	P40006	Pin, Upper Pivot/trip Edge 1-3/16" x 3"	6	6	6	8	8
1.8	P40007	Pin, Cotter, 1/4" x 2"	6	6	6	8	8
1.9	P60242	Nut, Jam, 3/4-10	2	2	2	2	2
1.10	**See "Trip Edge Generations" on page 9.**						
1.11	P25562	Grease Zerk, 3/16" Pound In	4	4	4	4	4
2	P40006	Pin, Upper Pivot/trip Edge 1-3/16" x 3"	1	1	1	1	1
3	P40007	Pin, Cotter, 1/4" x 2"	6	6	6	6	6
4	P50003	Pin, Lower Pivot 1-1/8" x 6-3/4"	1	1	1	1	1
5	P50004	Pin, Ram Anchor (BLADE END) 1" x 6"	2	2	2	2	2
6	P50005	Pin, Ram Anchor (Frame End) 1" x 4"	2	2	2	2	2
	Frame (Option)						
24	P50020	A-frame, Flexframe, Assy, (See page 19.)	1	1	1	1	1
25	P60000-1	A-frame, Fixed	1	1	1	1	1
26	P50031	A-frame, Three-point, For QPTR Models	1	1	1	1	1
NOTE: For Items above 26: See "Options and Cutting Edges" on page 7.							
NOTE: Column Header Length indicates moldboard length, not model length.							

Main Assembly - (QP and QPXT Models)




ITEM	PART #	DESCRIPTION	QP-102 QTY	QP-114 QTY	QPXT-126 QTY	QPXT-138 QTY	QPXT-150 QTY
8	P60071	Manifold Shroud	1	1	1	1	1
9	P60087	Bolt, Hex, 3/8 X 6”	2	2	2	2	2
10	P60088	Washer, Flat, 3/8”	3	3	3	3	3
11	P60089	Manifold Shroud Bolt Spacer	2	2	2	2	2
12	P60092	Washer, Flat, 5/16”	3	3	3	3	3
13	P60214	Bolt, Hex, 5/16-18 x 1-1/4”, GR 5	2	2	2	2	2
14	P60215	Bolt, Carriage, 5/16 x 2”GR 5	4	4	4	6	6
15	P60159	Hose Clamp	5	5	5	7	7
16	P60160	Plate, Hose Clamp	5	5	5	7	7
NOTE: For hydraulic components: See “Hydraulic Components” on page 14.							

Options and Cutting Edges

Center Punch is only compatible with Trip Edge generations 1, 2, and 3.							
Top Punch is only compatible with Trip Edge generations 4 and 5.							
ActivEdge and Straight Carbide are only compatible with generation 5 Trip Edges.							
ITEM	**PART #**	**DESCRIPTION**	**7' QTY**	**8' QTY**	**9' QTY**	**10' QTY**	**11' QTY**
	Main Edge - (See "Trip Edge Generations" on page 9.)						
	Steel Options						
28	**Gen 1, 2 Or 3 Trip Edge**						
	P50011-C	Center Punch Cutting Edge Kit, 7', w/ Hw	1	-	-	-	-
	P50011-E	Center Punch Cutting Edge Kit, 8', w/ Hw	-	1	-	-	-
	P50011-G	Center Punch Cutting Edge Kit, 9', w/ Hw	-	-	1	-	-
	P50011-H	Center Punch Cutting Edge Kit, 10', w/ Hw	-	-	-	1	-
	P50011-I	Center Punch Cutting Edge Kit, 11', w/ Hw	-	-	-	-	1
29	**Gen 4 Or 5 Trip Edge**						
	P50011-L	Top Punch Cutting Edge Kit, 7', w/ Hw	1	-	-	-	-
	P50011-M	Top Punch Cutting Edge Kit, 8', w/ Hw	-	1	-	-	-
	P50011-N	Top Punch Cutting Edge Kit, 9', w/ Hw	-	-	1	-	-
	P50011-O	Top Punch Cutting Edge Kit, 10', w/ Hw	-	-	-	1	-
	P50011-P	Top Punch Cutting Edge Kit, 11', w/ Hw	-	-	-	-	1
	SoftTouch Options - (Works with any Trip Edge)						
30	P50012-C1	7' SoftTouch Cutting Edge Kit w/ Hw	1	-	-	-	-
	P50012-E1	8' SoftTouch Cutting Edge Kit w/ Hw	-	1	-	-	-
	P50012-G1	9' SoftTouch Cutting Edge Kit w/ Hw	-	-	1	-	-
	P50012-H1	10' SoftTouch Cutting Edge Kit w/ Hw	-	-	-	1	-
	P50012-I1	11' SoftTouch Cutting Edge Kit w/ Hw	-	-	-	-	1
	WEAR SHOES (P40003-S - KIT)						
31	P40003	WEAR SHOE, W/SPACERS & KLIK PINS	2	2	2	2	2
	SPILL GUARD - (See page 18)						
NOTE: Column Header Length indicates moldboard length, not model length.							

ITEM	PART #	DESCRIPTION	7' QTY	8' QTY	9' QTY	10' QTY	11' QTY
	Compatibility: Edges on this page are ONLY compatible with Generation 5 Trip Edges (See page 9)						
	Carbide Straight Edge Kits						
NS	P50011-L-CARB	7' Carbide Straight Edge Kit, w/ Hw	1	-	-	-	-
NS	P50011-M-CARB	8' Carbide Straight Edge Kit, w/ Hw	-	1	-	-	-
NS	P50011-N-CARB	9' Carbide Straight Edge Kit, w/ Hw	-	-	1	-	-
NS	P50011-O-CARB	10' Carbide Straight Edge Kit, w/ Hw	-	-	-	1	-
NS	P50011-P-CARB	11' Carbide Straight Edge Kit, w/ Hw	-	-	-	-	1
	ActivEdge, AR400, (SEE PAGE 17 FOR SUBCOMPONENTS)						
NS	P50011-L-REK	7' ActivEdge Cutting Kit w/ Hw	1	-	-	-	-
NS	P50011-M-REK	8' ActivEdge Cutting Kit w/ Hw	-	1	-	-	-
NS	P50011-N-REK	9' ActivEdge Cutting Kit w/ Hw	-	-	1	-	-
NS	P50011-O-REK	10' ActivEdge Cutting Kit w/ Hw	-	-	-	1	-
NS	P50011-P-REK	11' ActivEdge Cutting Kit w/ Hw	-	-	-	-	1
	ActivEdge w/ CARBIDE, (SEE PAGE 17 FOR SUBCOMPONENTS)						
NS	P50014-L-REK	7' ActivEdge Cutting Kit w/ Hw	1	-	-	-	-
NS	P50014-M-REK	8' ActivEdge Cutting Kit w/ Hw	-	1	-	-	-
NS	P50014-N-REK	9' ActivEdge Cutting Kit w/ Hw	-	-	1	-	-
NS	P50014-O-REK	10' ActivEdge Cutting Kit w/ Hw	-	-	-	1	-
NS	P50014-P-REK	11' ActivEdge Cutting Kit w/ Hw	-	-	-	-	1
	ActivEdge AR400 UPGRADE (SEE PAGE 17 FOR SUBCOMPONENTS)						
NS	P50011-L-SEC	7' ActivEdge Upgrade Kit	1	-	-	-	-
NS	P50011-M-SEC	8' ActivEdge Upgrade Kit	-	1	-	-	-
NS	P50011-N-SEC	9' ActivEdge Upgrade Kit	-	-	1	-	-
NS	P50011-O-SEC	10' ActivEdge Upgrade Kit	-	-	-	1	-
NS	P50011-P-SEC	11' ActivEdge Upgrade Kit	-	-	-	-	1
	ActivEdge w/ CARBIDE UPGRADE (SEE PAGE 17 FOR SUBCOMPONENTS)						
NS	P50014-L-SEC	7' ActivEdge Upgrade Kit, W/ Carbide	1	-	-	-	-
NS	P50014-M-SEC	8' ActivEdge Upgrade Kit, W/ Carbide	-	1	-	-	-
NS	P50014-N-SEC	9' ActivEdge Upgrade Kit, W/ Carbide	-	-	1	-	-
NS	P50014-O-SEC	10' ActivEdge Upgrade Kit, W/ Carbide	-	-	-	1	-
NS	P50014-P-SEC	11' ActivEdge Upgrade Kit, W/ Carbide	-	-	-	-	1
For QuattroPlow Wing Cutting Edges See "QuattroPlow Wing (QP and QPXT Models)" on page 10.							

Trip Edge Generations



GENERATION 1

LENGTH	PART #
7'	P40002C
8'	P40002E
9'	P40002G
10'	P40002H
11'	P40002I

GENERATION 2

LENGTH	PART #
7'	P40002C-1
8'	P40002E-1
9'	P40002G-1
10'	P40002H-1
11'	P40002I-1

GENERATION 3

LENGTH	PART #
7'	P40002C-2
8'	P40002E-2
9'	P40002G-2
10'	P40002H-2
11'	P40002I-2

GENERATION 4


LENGTH	PART #
7'	P40002C-3
8'	P40002E-3
9'	P40002G-3
10'	P40002H-3
11'	P40002I-3

GENERATION 5


LENGTH	PART #
7'	P40002-L
8'	P40002-M
9'	P40002-N
10'	P40002-O
11'	P40002-P

QuattroPlow Wing (QP and QPXT Models)

STEEL AND CARBIDE



POLY




ITEM	PART #	DESCRIPTION	STEEL QTY	CARBIDE QTY	POLY QTY
1	P60097	Weldment, LH Wing Rear	1	1	1
2	P60098	Weldment, LH Wing Front	1	1	1
3	DC36	Decal, Wolfhead, Left Sideplate	1	1	1
4	P20019	Decal, "DANGER PINCH AREA"	2	2	2
5	P20028	Nut, Lock, 3/4-10, Grade C, Stover	6	6	-
6	P25562	Grease Zerk, 3/16", Pound In	2	2	2
7	P40012	Nut, Lock, 5/8-11, ZN, Grade C	4	4	10
8	P60013	Wing Edge, Steel, Left	1	-	-
	P60013-CARB	Wing Edge, Carbide, Left	-	1	-
9	P60015	Washer, Custom, 2.25" QP Steel Edge	6	6	-
10	P60205	Bushing, 1.25" X .90", QP Steel Edge	6	6	-
11	P60052	Cutting Edge, Urethane, Rear Left Or Right	2	2	2
12	P60095	Washer, Flat 3/4" USS, ZN	6	6	-
13	P60100	Hold Down Strip, Inside Urethane Edge	2	2	2
14	P60102	Pin, Hinge	2	2	2
15	P60158	Wing Bump Stop, 2"W X 1-3/4"H 3/8"Bolt Dia.	2	2	2
16	P60211	Nut, Hex, Nylock, 3/8", Y ZN, GR 8	2	2	2
17	P60227	Pin, Roll, 1/2 X 2", Plain	2	2	2
18	P30051	Washer, Flat, 3/4 SAE, ZN, GR 5	6	6	-
19	P60008	Bolt, Carriage, 5/8-11 X 2 1/2, ZN, GR 5	4	4	10
20	P60115	Bolt, Hex, 3/4-10 X 2-3/4, ZN, GR 8	6	6	-
21	P60235	Bolt, Hex, 3/8" X 2", Y ZN, GR 8	2	2	2
22	P60205	Spacer, Urethane, 95a, Red Nominal I.D. 1.015”	4	4	4
23	P60206	Washer, Flat, 1" Sae, Y ZN, GR 8	12	12	12
24	P72009	Bolt, Hex, 1-8 X 7" , ZN, GR 5	4	4	4
25	P60024	Nut, Lock, 1-8, ZN, Grade C	4	4	4
26	P60061	RH Wing Rear Weldment	1	1	1
27	P60062	Weldment, RH Wing Front	1	1	1
28	P60014	Wing Edge, Steel, Right	1	-	-
	P60014-CARB	Wing Edge, Carbide, Right	-	1	-
29	P60051	Cutting Edge, Urethane, Front L Or R, QP	-	-	2
30	P60101	Hold Down Strip, Outside Urethane Edge	-	-	2
31	P60096	Washer, Flat, 5/8” SAE, Y ZN, GR 8	-	-	6
NS	P60023	Wing Edge Kit, Steel Edges L&R, W/ HW	1	-	-
NS	P60023-CARB	Wing Edge Kit, Carbide Edges L&R, W/ HW	-	1	-
NS	P60050	Wing Edge Kit, Poly Edges L&R, W/ HW	-	-	1

Decal Identification

PART #	DESCRIPTION	QP-102	QP-114	QPXT-126 QTY	QPXT-138 QTY	QPXT-150 QTY
DC37	Decal, Quattroplow, QP-102	2	-	-	-	-
DC38	Decal, Quattroplow, QP-114	-	2	-	-	-
DC96	Decal, Quattroplow, QPXT-126	-	-	2	-	-
DC97	Decal, Quattroplow, QPXT-138	-	-	-	2	-
DC98	Decal, Quattroplow, QPXT-150	-	-	-	-	2
DC28	Decal, Snowwolf, Moldboard Left	1	1	1	1	1
DC29	Decal, Wolfhead, Moldboard Right	1	1	1	1	1
DC36	Decal, Wolfhead, Left Side Plate	1	1	1	1	1
DC58	Decal, “Patents Pending” White	1	1	1	1	1
DC68	Decal, Tag Us, Black W/ Yellow	1	1	1	1	1
P20019	Decal, “Danger Pinch Area”	4	4	4	4	4
SWSN	Decal, Serial #	1	1	1	1	1


Hydraulics


Hydraulic Hoses



ITEM		DESCRIPTION	7' QTY	8' QTY	9' QTY	10' QTY	11' QTY
1	P60072	Hose, 3/8" x 58", 3000 PSI, 6FJIC-6FJIC	4	-	-	-	-
	P60074	Hose, 3/8" x 60", 3000 PSI, 6FJIC-6FJIC	-	4	-	-	-
	P60076	Hose, 3/8" x 66", 3000 PSI, 6FJIC-6FJIC	-	-	4	-	-
	P60078	Hose, 3/8" x 72", 3000 PSI, 6FJIC-6FJIC	-	-	-	4	-
	P60080	Hose, 3/8" x 78", 3000 PSI, 6FJIC-6FJIC	-	-	-	-	4
2	P60082	Hose, 3/8" x 38", 3000 PSI, 6FJIC-6FJIC	2	2	2	2	2
3	P50008	Hose, 3/8" x 78", 3000 PSI, 6FJIC-8FJIC	2	2	2	2	2
NOTE: Column Header Length indicates moldboard length, not model length.							

Hydraulic Components






ITEM	PART #	DESCRIPTION	QP QTY
1	P50006-B	Angle Cylinder, 2” Rod	2
2	P50007	Fitting, Elbow, 6MJIC - 6MORB (6801R-06-06-.07)	2
3	P50009-A	FITTING, #8 MJIC X #12 MORB	2
4	P50010M	Coupler, 1/2” Male Flat Face 1/2” Body X 3/4” Port	1
5	P50010F	Coupler,1/2” Female Flat Face 1/2” Body X 3/4” Port	1
6	P60055	Wing Cylinder, Dual Acting, Left Or Right	2
7	P60069	Fitting, #6MORB-#6MJIC, Straight	4
8	P60068-K	Manifold, Autowing w/ valves (With Fittings) (See page 15)	1
9	P60093-K	Manifold, Powerwing w/ valves (With Fittings) (See page 16)	1


Options (Model Specific)

Hydraulic Manifold AutoWing



ITEM	PART #	DESCRIPTION	QTY
	P60068-K	Manifold, Autowing W/valves (With Fittings)	1
1	P60068	Manifold, Autowing Assembly, W/valves (No Fittings)	1
2	P60131	Cross Over Relief Valve, 2500 PSI	1
3	P60126	Wing Control Valve, 2250 PSI	2
4	P60067	Sliding Restrictor, .062	2
5	P60069	Fitting, #6MORB-#6MJIC, Straight	4
6	P38136	Fitting, 6400-06-06-.035 06MORB/06MJIC (Restricted)	2
7	P60085	Fitting, 90 Deg, #6MORB-#6MJIC	2


Hydraulic Manifold PowerWing



ITEM	PART #	DESCRIPTION	QTY
	P60093-K	POWERWING MANIFOLD & DIODE HARNESS (with fittings)	1
NS	P60103	HARNESS, DIODE, QUATTRO POWER	1
1	P60093	MANIFOLD, ASSEMBLY W/ VALVES (no fittings)	1
2	P60085	FITTING, 90 DEG, #6MORB-#6MJIC	2
3	P38136	FITTING, 6400-06-06-.035 06MORB/06MJIC (RESTRICTED)	2
4	P60069	FITTING, STR, #6MORB-#6MJIC	4
5	P60067	SLIDING RESTRICTOR, .062	2
6	P60124	VALVE, SOLENOID, (FOR WING ONLY)	4
7	P60125	VALVE, SOLENOID, (FOR ANGLE ONLY)	2
8	P30033	E-COIL, 12 VDC	6
9	P60131	CROSS OVER RELIEF VALVE, 2500 PSI	1
NS	MFJC	CONTROLLER, MULTI-FUNCTION	1
NS	P60262	18” ADAPTER HARNESS, CAT, 14-PIN	1
	P60263	18” ADAPTER HARNESS, CAT, 8-PIN	1
	P60265	18” ADAPTER HARNESS, ASV/TEREX, 14-PIN	1
	P60266	18” ADAPTER HARNESS, COMMON 14-PIN	1
	P60267	18” ADAPTER HARNESS, ASV/TEREX, 8-PIN	1
	*P60268	ADAPTER HARNESS, BOBCAT CANBUS 7-PIN TO ANALOG 14-PIN	1
	P60269	18” ADAPTER HARNESS, COMMON 8-PIN	1

NOTE: *P60268 needs to be paired with P60259 (for machines with Hand/Foot controls, VersaHANDLER, Toolcat) or P60266 (for machines with Joystick controls).


ActivEdge Sectional Blade



ITEM	PART #	DESCRIPTION	QTY 18”	QTY 24”
1	P40012	Nut, Lock, 5/8-11	3	4
2	P80036	Bolt, Carriage, 5/8-11 x 3”, Y ZN, GR 8, for Carbide	3	4
	P81011	Bolt, Carriage, 5/8-11 x 2-1/2”, GR 8, for AR400	3	4
3	P60253	Bushing, Standoff, for AR400	3	4
	P80107	Bushing, Standoff, for Carbide	3	4
4	P60254	Spring, Foam, Yellow	2	3
5	P60255	Retaining Weldment, Single, 18”	1	-
	P60252	Retaining Weldment, Single, 24”	-	1
6	P50011-18-SEC	AR400 Blade, Single Section, 18”	1	-
	P50011-24-SEC	AR400 Blade, Single Section, 24”	1	1
7	P80109-CARB	Carbide Blade, Single Section, 18”	1	-
	P80106-CARB	Carbide Blade, Single Section, 24”	-	1
8	P60251-K	AR400 Kit, Single Section, 18”	1	-
	P60250-K	AR400 Kit, Single Section, 24”	-	-
9	P60251-CARB-K	Carbide Kit, Single Section, 18”	1	-
	P60250-CARB-K	Carbide Kit, Single Section, 24”	-	1

NOTE: See page 7 for plow specific kits.

Spill Guard




ITEM	PART #	DESCRIPTION	QTY
	P60276-K	7’ Spill Guard Kit, W/ Hw	1
2	P60276-L	7’ Spill Guard, Left Only	1
3	P60276-R	7’ Spill Guard, Right Only	1
	P60270-K	8’ Spill Guard, Kit, W/ Hw	1
2	P60270-L	8’ Spill Guard, Left Only	1
3	P60270-R	8’ Spill Guard, Right Only	1
	P60271-K	9’ Spill Guard, Kit, W/ Hw	1
2	P60271-L	9’ Spill Guard, Left Only	1
3	P60271-R	9’ Spill Guard, Right Only	1
	P60272-K	10’ Spill Guard, Kit, W/ Hw	1
2	P60272-L	10’ Spill Guard, Left Only	1
3	P60272-R	10’ Spill Guard, Right Only	1
	P60273-K	11’ Spill Guard, Kit, W/ Hw	1
2	P60273-L	11’ Spill Guard, Left Only	1
3	P60273-R	11’ Spill Guard, Right Only	1

ITEM	PART #	DESCRIPTION	7’ QTY	8’ QTY	9’ QTY	10’ QTY	11’ QTY
4	**P60274**	Bolt, Hex, 1/2 X 1”, ZN, GR 8	**6**	**6**	**8**	**12**	**12**
5	**P60222**	Washer, Flat, 1/2” SAE, ZN	**12**	**12**	**16**	**24**	**24**
6	**P25045**	Nut, Lock, 1/2” ZINC, GRADE C	**6**	**6**	**8**	**12**	**12**
7	**P60232**	Bolt, Hex, 1/2-13 X 1-1/2”, Y ZN, GR 8	**4**	**4**	**4**	**6**	**6**

NOTE: Column Header Length indicates moldboard length, not model length.

Flex Frame



ITEM	PART #	DESCRIPTION	QTY
	P50020	Flex Frame	
1	P20042	Insert Rubber, For T-frame, (16.00” Long)	4
2	P40012	Nut, Lock 5/8-11, ZN, Grade C	18
3	P50027	Flex Frame, A-frame Weldment, Black	1
4	P50028	Flex Frame Mount Plate	1
5	P50029	Torsion Clam Shell	1
6	P50030	Flex Frame, Rear Torsion Weldment	1
7	P60010	Bolt, Carriage, 5/8-11 x 2”, GR 5	18
8	P60096	Washer, Flat, 5/8”, GR 8	18
9	P60084-K	Spring, Hose Holder w/ Clamp and H/W Kit - For QuattroPlow (Option)	1



8415 220th Street West, Suite K • Lakeville, MN 55044
1-800-905-2265 / snowwolfplows.com

© 2026 SnowWolf