



Explosion proof Exit Sign

Model No. SE-EXPES-610

Product Description:

The ex-proof exit sign by SharpEagle is highly durable and has corrosion resistance owing to the use of an epoxy powder coat over the aluminum body of the product. Exit signs are designed specifically for marking escape routes and exits in harsh and hazardous environments.

Product Features:

- ☐ Zone 1&2, Zone 21&22
- ☐ Die-cast aluminum body with baked epoxy powder coat finish for durability and corrosion resistance
- ☐ Ultra-bright LED light source, service life is up to 50,000 hours
- ☐ Designed with test buttons, convenient for regularly maintenance
- ☐ The light fitting is designed with a main power indicator, failure and charging indicator, to the using status
- ☐ Equipped with an explosion-proof buzzer with a 65dB-85dB voice. When the product is in fault status, the buzzer will work 1-3s every minute to remind the user to maintain the product



Product Specifications

Type	SE-EXPES-610
European (ATEX)	CE 1282 Ex II 2G Ex d IIC Gb
Gas and Dust	CE 1282 Ex II 2D Ex tb Db
IP Degree	IP65
Input voltage	220VAC, 50-60Hz
Power consumption [W]	3
Back-up Battery	>120min
Entries	G 3/4" (suitable for Φ 10mm- Φ 14mm cable); NPT3/4" is optional
Size [mm]	166*375*65
Weight [kg]	3.25
Mounting Styles	Ceiling; Wall; Base Mount



Scan for more details

www.sharpeagle.uk