


Clearlight® Sanctuary Corner Pro

Clearlight®



Enhanced Audio Sound System

Bluetooth and AUX inputs makes it easy to connect and listen to your audio devices.



Digital Keypad Controls

temperature, time, lights, heater intensity and reservation mode.



Chromotherapy

Your sauna comes standard with Chromotherapy. Choose from one of twelve colors or auto-cycle through all color tones.



Smart Device Control (Optional)

Log in from your smart device to remotely operate your sauna.

Features

Therapeutic Far Infrared Heaters

Clearlight's exclusive True Wave® Far Infrared heaters are the only patented low EMF/ low ELF heaters on the market. True Wave combination carbon/ceramic heaters surround you in healing infrared heat.

700 Watts True Wave®

Full Spectrum Heaters

Our full spectrum near, mid and far infrared heaters deliver over 20 times the power of the nearest leading competitor. Our patented heating system allows for the deepest penetration with peak performance for the best results.

Commercial Grade Solid Wood Bench

Relax in comfort with our extra deep commercial grade flat benches.

Italian Inspired Design & Glass Roof

The open feel and beautiful design of your Sanctuary sauna will compliment every room.

Replaceable Wood Floor Inserts

For an easy swap that allows your sauna to showcase refreshed flooring.

Beautiful Accent Lights

Energy efficient LED lights highlight the beauty of your sauna while providing gentle ambient lighting.

Charging & Audio Station

Charge your smart device inside the sauna and connect your favorite audio device with Bluetooth or the included MP3 jack.

Built-in Ergonomic Backrest

Relax and get close to the soothing infrared heat against the Chiropractor designed built-in ergonomic backrest.

Combination Door Handle/Tablet Cradle

Place your smart device on the door handle for convenient viewing of your favorite shows or movies.

Dual Chromotherapy

Two banks of 96 LED lights 12 colors to choose from, 3 levels of intensity and comes with a remote.

T-Max Compatible (MT/XT connector required)

Additional Door Hinge for Stability






Metal Entry Plate

- 1 Charging station with USB-A port
- 2 Digital touchpad control
- 3 700 W full spectrum heaters

- 4 Replaceable Solid wood floor
- 5 Nakamichi Bluetooth speakers
- 6 Stainless steel hinges

- 7 Dual Chromotherapy (192 LED/12 colours)
- 8 Exterior Accent LED lighting
- 9 Stylish door handle/device holder







Clearlight®



ANZ — SAUNA FEATURES & SPECIFICATIONS

Clearlight® Sanctuary Corner Pro

Clearlight®



Images are for reference only.

© 2024 Clearlight®Saunas International. All rights reserved.

Construction Eco-certified Okoume exterior/ interior tongue & groove construction	Exterior Back Walls: 180 cm Side Walls: 97 cm Front Wall: 119 cm Height: 196 cm Door: 60 cm x 186 cm	Interior Width: 173 cm Depth: 173 cm Height: 186 cm Bench: 168 cm x 56 cm Bench Height: 51 cm	Heaters True Wave® Far Infrared and Full Spectrum Heaters: • Far Infrared heaters on the back wall, side walls, under the bench and in the floor. • 2 x 700W Full Spectrum heaters on the front wall.	Power 240 V 3750 W Plug type 20A Type I / 2.4m length	! Important: Make sure the largest panel can fit through all access points from location entrance to the sauna set up location.
---	--	---	---	---	---

Clearlight® Sanctuary Corner Pro



Additional Information

Installation Recommendations

- Choose a location with a flat, level surface
- Allow 5 cm clearance on the sides and at the rear of your sauna
- Allow 30 cm of space above the roof
- Ensure access to the powerpoint at all times, to allow for hard reset
- Check your sauna specs for required power amperage

Surface Requirements

Make sure sauna is placed on a level surface

Tempered Safety Glass Roof

W: 86 cm
D: 86 cm
Thickness: 8 mm

Bench Weight Limit

158 kg per person

Add Ons

Can't have both upgrade heater and Red Light installed simultaneously

Add Ons

- Can't have both upgrade Heater and Red Light installed simultaneously.
- Not VRT compatible.

Please refer to page 6:

Electrical Specifications for Add-Ons

Individual panel sizes laying flat (in centimetres)

Panel	Length	Width	Height
Roof	168	168	7.5
Floor	165 x 2	89 x 2	6.4
Left Side	192	97	10
Right Side	192	97	10
Back Wall (Left)	192	173.4	12
Back Wall (Right)	192	173.4	12

Clearlight® Saunas Warranty

Product	Residential-Use Saunas*	Commercial-Use Saunas
Clearlight® Sauna Cabin	Lifetime	5 Years
Controls and Wiring	Lifetime	5 Years
Heater Components	Lifetime	5 Years
Audio Components	Lifetime	5 Years

! Important:

Make sure the sauna is assembled on a level surface.

SAUNA MODEL	FS Heaters	Consumption Wattage	Cumulative Consumption RLT Tower [W]	Cumulative Consumption Mini FSH [W]	ANZ Plug type/ length	EU Plug type/ length	UK Plug type/ length
			200	300			
Sanctuary 1 Person	2 x 500W	1,750	1,950	2,050	10A Type I / 2.6m	16A Type F / 2.6m	13A Type G / 2.6m
Sanctuary Pro 1 Person	2 x 700W	2,150	2,350	2,450	10A Type I * / 2.4m	16A Type F / 2.45m	13A Type G / 2.45m
Sanctuary 2 Person	2 x 500W	2,250	2,450	2,550	10A Type I * / 2.6m	16A Type F / 2.6m	13A Type G / 2.6m
Sanctuary Pro 2 Person	2 x 700W	2,650	2,850	2,950	15A Type I / 2.4m	16A Type F / 2.4m	13A Type G * / 2.4m
Sanctuary 3 Person	2 x 500W	2,700	2,900	3,000	15A Type I / 2.6m	16A Type F / 2.6m	13A Type G * / 2.6m
Sanctuary Pro 3 Person	2 x 700W	3,100	3,300	3,400	20A Type I / 2.4m	16A Type F / 2.4m	1.5mm power cord without plug / 2.4m
Sanctuary Corner 4 Person	2 x 500W	3,350	3,550	3,650	20A Type I / 2.6m	16A Type F * / 2.6m	1.5mm power cord without plug / 2.6m
Sanctuary Corner Pro 4 Person	2 x 700W	3,750	3,950	4,050	20A Type I / 2.4m	4 mm power cord without plug / 2.4m	1.5mm power cord without plug / 2.4m
Sanctuary Yoga 4 Person	2 x 500W	3,570	3,770	3,870	20A Type I / 2.6m	16A Type F * / 2.6m	1.5mm power cord without plug / 2.6m
Sanctuary Yoga Pro 4 Person	2 x 700W	3,970	4,170	4,270	20A Type I / 2.4m	4 mm power cord without plug / 2.4m	4 mm power cord without plug / 2.4m
Sanctuary Retreat 4 Person	2 x 500W	3,610	3,810	3,910	20A Type I / 2.6m	4 mm power cord without plug / 2.6m	4 mm power cord without plug / 2.6m
Sanctuary Retreat Pro 4 Person	2 x 700W	4,010	4,210	4,310	20A Type I / 4.5m	4 mm power cord without plug / 4.5m	4 mm power cord without plug / 4.5m
Sanctuary Studio Pro	4 x 700W	7,200	7,400	7,500	4 mm power cord without plug / 2.4m	4 mm power cord without plug / 2.4m	4 mm power cord without plug / 2.4m
Sanctuary Outdoor 2 Person	2 x 500W	2,400	2,600	2,700	20A Type I / 1.8m	16A Commando Plug / 1.8m	16A Commando Plug / 1.8m
Sanctuary Outdoor 5 Person	4 x 500W	3,650	3,850	3,950	20A Type I / 1.8m	32A Commando Plug / 1.8m	32A Commando Plug / 1.8m



Electrical design and power consumption may vary between households. We recommend consulting your electrician to ensure that your circuit and socket meet the sauna’s power requirements.

When using your sauna in a **Commercial Setup**, additional electrical requirements must always be considered. Please consult a qualified electrician to assess whether a dedicated, hardwired circuit is needed.

***Add-Ons**
ANZ: the sauna is designed for use with a 10A power plug.
EU: the sauna is designed for use with a 16A power plug.
UK: the sauna is designed for use with a 13A power plug.

When combining Clearlight Add-Ons, additional electrical requirements may need to be considered. Please consult a qualified electrician to assess whether a dedicated, hardwired circuit is needed.