

2020-2025

1. Zhang Y, DeFina LF, Leonard D, Chen B, Hébert ET, Barlow CE, et al. Muscle strength and later incident dementia and related mortality: The Cooper Center Longitudinal Study. *J Phys Act Health*. 2025:1-8.
2. Zhang Y, Chen B, Hébert ET, DeFina LF, Leonard D, Barlow CE, et al. Associations of physical activity, sedentary behavior, and sleep patterns with cognitive function among middle-aged and older adults. *J Act Sedentary Sleep Behav*. 2025;4(1):9.
3. Thompson PD. Does coronary calcium mean the same in active and sedentary individuals? *Circulation*. 2025;151(18):1309-11.
4. Meernik C, Scheinowitz M, Leonard D, Barlow CE, Leonard T, Pettee Gabriel K, et al. Longitudinal associations of aerobic activity, muscle-strengthening activity, and adiposity with cardiorespiratory fitness. *Med Sci Sports Exerc*. 2025;57(2):345-54.
5. Durstenfeld MS, Leonard D, Pettee Gabriel K, Barlow CE, Shuval K, Priest R, et al. Association of pre-COVID fitness with post-COVID fitness and long COVID in the Cooper Center Longitudinal Cohort Study. *J Am Heart Assoc*. 2025;14(10):e040629.
6. Berry JD, Zabad N, Kyrouac D, Leonard D, Barlow CE, Pavlovic A, et al. High-volume physical activity and clinical coronary artery disease outcomes: Findings from the Cooper Center Longitudinal Study. *Circulation*. 2025;151(18):1299-308.
7. Agarwal CD, Shuval K, Li Q, DeFina LF, Barlow CE, Khan DA, et al. The relationship between asthma and suggested alcohol dependence and heavy alcohol use in the Cooper Center Longitudinal Study: The role of depressive symptom severity. *J Affect Disord*. 2025;370:356-61.
8. Zhang Y, DeFina LF, Leonard D, Chen B, Hebert ET, Barlow CE, et al. Associations of muscle-strengthening activity and cognitive function in community-dwelling middle-aged and older adults. *J Aging Health*. 2024:8982643241307757.
9. Shuval K, Leonard D, DeFina LF, Barlow CE, Berry JD, Turlington WM, et al. Physical activity and progression of coronary artery calcification in men and women. *JAMA Cardiol*. 2024;9(7):659-66.
10. Pavlovic A, DeFina LF, Leonard D, Radford NB, Farrell SW, Barlow CE, et al. Coronary artery calcification and high-volume physical activity: Role of lower intensity versus longer duration of exercise. *Eur J Prev Cardiol*. 2024.
11. Meernik C, Eilat-Adar S, Leonard D, Barlow CE, Gerber Y, Tesler R, et al. Dietary patterns and cardiorespiratory fitness in midlife and subsequent all-cause dementia: findings from the Cooper Center Longitudinal Study. *Int J Behav Nutr Phys Act*. 2024;21(1):109.
12. Sloan RA, Kim Y, Kenyon J, Visentini-Scarzanella M, Sawada SS, Sui X, et al. Association between estimated cardiorespiratory fitness and abnormal glucose risk: A cohort study. *J Clin Med*. 2023;12(7).
13. Silva DAS, de Lima TR, Lavie CJ, Sui X. Association between cardiorespiratory fitness and low back pain is anxiety-dependent: A prospective cohort study among adults and older adults. *J Sports Sci*. 2023;41(10):947-54.
14. Li C, Palka JM, Abdullah N, Adler-Neal A, Banner B, Efseroff B, et al. Link between depression and bone mineral density in Cooper Center Longitudinal Study: Indirect effects of vitamin D, inflammation, and physical activity. *J Affect Disord*. 2023;344:277-83.
15. Kulikova A, Palka JM, Van Enkevort EA, DeFina LF, Ly H, Sunderajan P, et al. The cross-sectional relationship among omega-3 fatty acid levels, cardiorespiratory fitness, and depressive symptoms from the Cooper Center Longitudinal Study. *J Psychosom Res*. 2023;168:111181.
16. Gafni T, Weinstein G, Leonard D, Barlow CE, DeFina LF, Pettee Gabriel K, et al. Independent and joint associations of cardiorespiratory fitness and BMI with dementia risk: the Cooper Center Longitudinal Study. *BMJ Open*. 2023;13(12):e075571.
17. Farrell SW, Leonard D, Shuval K, Barlow CE, DeFina LF, Pavlovic A, et al. Cardiorespiratory fitness and all-cause mortality in women with metabolic syndrome. *Metab Syndr Relat Disord*. 2023.
18. Farrell SW, Leonard D, Li Q, Barlow CE, Shuval K, Berry JD, et al. Association between baseline levels of muscular strength and risk of stroke in later life: The Cooper Center Longitudinal Study. *J Sport Health Sci*. 2023.

19. Doughty KN, Blazek J, Leonard D, Barlow CE, DeFina LF, Omree S, et al. Omega-3 index, cardiorespiratory fitness, and cognitive function in mid-age and older adults. *Prev Med Rep.* 2023;35:102364.
20. Sui X, Sarzynski MA, Gribben N, Zhang J, Lavie CJ. Cardiorespiratory fitness and the risk of all-cause, cardiovascular and cancer mortality in men with hypercholesterolemia. *J Clin Med.* 2022;11(17).
21. Sloan R, Visentini-Scarzanella M, Sawada S, Sui X, Myers J. Estimating cardiorespiratory fitness without exercise testing or physical activity status in healthy adults: Regression model development and validation. *JMIR Public Health Surveill.* 2022;8(7):e34717.
22. Shuval K, Leonard D, DeFina LF, Barlow CE, Drope J, Amir O, et al. Cardiorespiratory fitness and depression symptoms among adults during the COVID-19 Pandemic: Cooper Center Longitudinal Study. *Prev Med Rep.* 2022;30:102065.
23. Pfeifer CE, Ross LM, Weber SR, Sui X, Blair SN. Are flexibility and muscle-strengthening activities associated with functional limitation? *Sports Med Health Sci.* 2022;4(2):95-100.
24. Patel PH, Gates M, Kokkinos P, Lavie CJ, Zhang J, Sui X. Non-exercise estimated cardiorespiratory fitness and incident hypertension. *Am J Med.* 2022.
25. Ortaglia A, Stansbury ML, Wirth MD, Sui X, Bottai M. Quantile differences in the age-related decline in cardiorespiratory fitness between sexes in adults without Type 2 diabetes mellitus in the United States. *Mayo Clin Proc Innov Qual Outcomes.* 2022;6(4):302-10.
26. Josephson RA, Gillombardo CB. The Right Stuff. *Mayo Clinic Proceedings.* 2022;97(7):1222-3.
27. Huang J, Li Y, Brellenthin AG, Lee DC, Sui X, Blair SN. Causal mediation analysis between resistance exercise and reduced risk of cardiovascular disease based on the Aerobics Center Longitudinal Study. *J Appl Stat.* 2022;49(14):3750-67.
28. Houle SA, Sui X, Blair SN, Ross R. Association between change in nonexercise estimated cardiorespiratory fitness and mortality in men. *Mayo Clin Proc Innov Qual Outcomes.* 2022;6(2):106-13.
29. Gafni T, Shuval K, Weinstein G, Barlow CE, Gabriel KP, Willis BL, et al. Sitting time, physical activity, and cognitive impairment in midlife and older adults. *J Aging Phys Act.* 2022;30(3):355-63.
30. Farrell SW, Leonard D, Shuval K, DeFina LF, Barlow CE, Pavlovic A, et al. Cardiorespiratory fitness, white blood cell count, and mortality in men and women. *J Sport Health Sci.* 2022;11(5):605-12.
31. Charvat JM, Leonard D, Barlow CE, DeFina LF, Willis BL, Lee SMC, et al. Long-term cardiovascular risk in astronauts. *Mayo Clinic Proceedings.* 2022;97(7):1237-46.
32. Sloan RA, Kim Y, Sawada SS, Lee IM, Sui X, Blair SN. The association of fitness and fatness with intermediate hyperglycemia incidence in women: A cohort study. *Prev Med.* 2021;148:106552.
33. Shuval K, Leonard D, Chartier K, Barlow CE, Fennis BM, Katz DL, et al. Fit and Topsy? The interrelationship between cardiorespiratory fitness and alcohol consumption and dependence. *Med Sci Sports Exerc.* 2021.
34. Ortaglia A, McDonald SM, Wirth MD, Sui X, Bottai M. Differential age-related declines in cardiorespiratory fitness between people with and without type 2 diabetes mellitus. *Mayo Clin Proc Innov Qual Outcomes.* 2021;5(4):743-52.
35. Nauman J, Sui X, Lavie CJ, Wen CP, Laukkanen JA, Blair SN, et al. Personal activity intelligence and mortality - Data from the Aerobics Center Longitudinal Study. *Prog Cardiovasc Dis.* 2021;64:121-6.
36. Nauman J, Arena R, Zisko N, Sui X, Lavie CJ, Laukkanen JA, et al. Temporal changes in personal activity intelligence and mortality: Data from the Aerobics Center Longitudinal Study. *Prog Cardiovasc Dis.* 2021;64:127-34.
37. Keshvani N, Willis BL, Leonard D, Gao A, DeFina LF, McDermott MM, et al. Midlife cardiorespiratory fitness and the development of peripheral artery disease in later life. *J Am Heart Assoc.* 2021;10(23):e020841.
38. Harris WS, Leonard D, Radford NB, Barlow CE, Steele MR, Farrell SW, et al. Increases in erythrocyte DHA are not associated with increases in LDL-cholesterol: Cooper Center Longitudinal Study. *J Clin Lipidol.* 2021;15(1):212-7.
39. Gutierrez-Martinez L, Brellenthin AG, Lefferts EC, Lee DC, Sui X, Lavie CJ, et al. Resting heart rate and risk of cancer mortality. *Cancer Epidemiol Biomarkers Prev.* 2021;30(6):1072-8.

40. Gafni T, Shuval K, Weinstein G, Barlow CE, Gabriel KP, Willis BL, et al. Sitting time, physical activity, and cognitive impairment in midlife and older adults. *J Aging Phys Act.* 2021:1-9.
41. Farrell SW, Pavlovic A, Barlow CE, Leonard D, DeFina JR, Willis BL, et al. Functional movement screening performance and association with key health markers in older adults. *J Strength Cond Res.* 2021;35(11):3021-7.
42. Farrell SW, Leonard D, Shuval K, DeFina LF, Barlow CE, Pavlovic A, et al. Cardiorespiratory fitness, white blood cell count, and mortality in men and women. *J Sport Health Sci.* 2021.
43. Farrell SW, Leonard D, Barlow CE, Willis BL, Pavlovic A, Defina LF, et al. Cardiorespiratory fitness, serum vitamin D, and prevalence of metabolic syndrome in men. *Med Sci Sports Exerc.* 2021;53(1):68-73.
44. Farrell SW, DeFina LF, Tintle NL, Leonard D, Cooper KH, Barlow CE, et al. Association of the Omega-3 Index with incident prostate cancer with updated meta-analysis: The Cooper Center Longitudinal Study. *Nutrients.* 2021;13(2):384.
45. Coelho-Ravagnani CF, Almeida JA, Sui X, Ravagnani FCP, Pate RR, Blair SN. Changes in compliance with physical activity guidelines and cardiovascular disease mortality. *J Phys Act Health.* 2021:1-6.
46. Brellenthin AG, Lee DC, Bennie JA, Sui X, Blair SN. Resistance exercise, alone and in combination with aerobic exercise, and obesity in Dallas, Texas, US: A prospective cohort study. *PLoS Med.* 2021;18(6):e1003687.
47. Willis BL, Radford NB, Barlow CE, Leonard D, Franklin BA, DeFina LF. Divergent association of high levels of physical activity with cardiac versus noncardiac arterial calcification. *Am Heart J.* 2020;233:10-3.
48. Ortaglia A, McDonald SM, Supino C, Wirth MD, Sui X, Bottai M. Differential relationships between waist circumference and cardiorespiratory fitness among people with and without type 2 diabetes. *Prev Med Rep.* 2020;18:101083.
49. Nelms MW, Day AG, Sui X, Blair SN, Ross R. Waist circumference does not improve established cardiovascular disease risk prediction modeling. *PLoS One.* 2020;15(10):e0240214.
50. Kinser K, Barlow CE, Leonard D, Farrell SW, Pavlovic A, Kaporis HG, et al. Tanning bed use and depression in a preventive medicine cohort: The Cooper Center Longitudinal Study. *J Am Acad Dermatol.* 2020;83(4):1200-2.
51. Khan A, Leonard D, DeFina LF, Barlow CE, Willis BL, Brown ES. Association between C-reactive protein and depression in a population of healthy adults: The Cooper Center Longitudinal Study. *J Investig Med.* 2020;68(5):1019-23.
52. Farrell SW, Leonard D, Barlow CE, Willis BL, Pavlovic A, DeFina LF, et al. Cardiorespiratory fitness, serum vitamin D, and prevalence of metabolic syndrome in men. *Med Sci Sports Exerc.* 2020.
53. Farrell SW, DeFina LF, Tintle N, Barlow CE, Leonard D, Haskell WL, et al. Higher omega-3 index is associated with more rapid heart rate recovery in healthy men and women. *Prostaglandins Leukot Essent Fatty Acids.* 2020;163:102206.
54. Farrell SW, DeFina LF, Radford NB, Leonard D, Barlow CE, Pavlovic A, et al. Relevance of fitness to mortality risk in men receiving contemporary medical care. *J Am Coll Cardiol.* 2020;75(13):1538-47.
55. Farrell SW, Barlow CE, Willis BL, Leonard D, Pavlovic A, DeFina LF, et al. Cardiorespiratory fitness, different measures of adiposity, and cardiovascular disease mortality risk in women. *J Womens Health (Larchmt).* 2020;29(3):319-26.
56. DeFina LF, Radford NB, Leonard D, Wilson RK, Cooper TC, Clark SM, et al. Traditional signs and symptoms commonly attributed to hypogonadism do not correlate with testosterone levels: the Cooper Center Longitudinal Study Experience. *J Investig Med.* 2020;68(2):378-82.
57. Clarke SL, Reaven GM, Leonard D, Barlow CE, Haskell WL, Willis BL, et al. Cardiorespiratory fitness, body mass index, and markers of insulin resistance in apparently healthy women and men. *Am J Med.* 2020;133(7):825-30 e2.

2010-2019

58. Zhou J, Zhang J, McLain AC, Lu W, Sui X, Hardin JW. A varying-coefficient generalized odds rate model with time-varying exposure: An application to fitness and cardiovascular disease mortality. *Biometrics.* 2019;75(3):853-63.
59. Wang Y, Lee DC, Brellenthin AG, Sui X, Church TS, Lavie CJ, et al. Association of muscular strength and incidence of type 2 diabetes. *Mayo Clin Proc.* 2019;94(4):643-51.

60. Wang Y, Lee DC, Brellenthin AG, Eijsvogels TMH, Sui X, Church TS, et al. Leisure-time running reduces the risk of incident type 2 diabetes. *Am J Med.* 2019.
61. Ross LM, Barber JL, McLain AC, Weaver RG, Sui X, Blair SN, et al. The association of cardiorespiratory fitness and ideal cardiovascular health in the Aerobics Center Longitudinal Study. *J Phys Act Health.* 2019:1-8.
62. Rodriguez F, Leonard D, DeFina L, Barlow CE, Willis BL, Haskell WL, et al. Association of educational attainment and cardiovascular risk in Hispanic individuals: Findings from the Cooper Center Longitudinal Study. *JAMA Cardiol.* 2019;4(1):43-50.
63. Martinez-Miller EE, Kohl HW, 3rd, Barlow CE, Willis BL, DeFina LF. Metabolic syndrome and cognitive impairment among high socioeconomic, non-demented older US adults. *J Am Geriatr Soc.* 2019;67(7):1437-43.
64. Liu Y, Lee DC, Li Y, Zhu W, Zhang R, Sui X, et al. Associations of resistance exercise with cardiovascular disease morbidity and mortality. *Med Sci Sports Exerc.* 2019;51(3):499-508.
65. Lemes IR, Sui X, Fritz SL, Beattie PF, Lavie CJ, Turi-Lynch BC, et al. Cardiorespiratory fitness and risk of all-cause, cardiovascular disease, and cancer mortality in men with musculoskeletal conditions. *J Phys Act Health.* 2019:1-7.
66. Lee J, Chen B, Kohl HW, Barlow CE, Lee CD, Radford NB, et al. The association of physical activity with carotid intima media thickening in a healthy older population: Cooper Center Longitudinal Study. *J Aging Phys Act.* 2019:1-7.
67. Lee J, Chen B, Kohl HW, Barlow CE, Lee CD, Radford NB, et al. The association of self-reported muscle-strengthening activities with carotid intima-media thickness in older adults: Cooper Center Longitudinal Study. *J Aging Phys Act.* 2019:1-6.
68. Lee J, Chen B, Kohl HW, 3rd, Barlow CE, Lee CD, Radford NB, et al. The association of midlife cardiorespiratory fitness with later life carotid atherosclerosis: Cooper Center Longitudinal Study. *Atherosclerosis.* 2019;282:137-42.
69. Jiménez-Pavón D, Brellenthin AG, Lee DC, Sui X, Blair SN, Lavie CJ. Role of muscular strength on the risk of sudden cardiac death in men. *Mayo Clin Proc.* 2019;94(12):2589-91.
70. Guinter MA, Merchant AT, Tabung FK, Wirth MD, Shivappa N, Hurley TG, et al. Adiposity does not modify the effect of the dietary inflammatory potential on type 2 diabetes incidence among a prospective cohort of men. *J Nutr Intermed Metab.* 2019;16.
71. Farrell SW, Pavlovic A, Barlow CE, Leonard D, DeFina JR, Willis BL, et al. Functional movement screening performance and association with key health markers in older adults. *J Strength Cond Res.* 2019.
72. DeFina LF, Radford NB, Levine BD. Risks of high coronary artery calcium-Reply. *JAMA Cardiol.* 2019;4(7):713.
73. DeFina LF, Radford NB, Barlow CE, Willis BL, Leonard D, Haskell WL, et al. Association of all-cause and cardiovascular mortality with high levels of physical activity and concurrent coronary artery calcification. *JAMA Cardiol.* 2019;4(2):174-81.
74. de Lannoy L, Sui X, Blair SN, Ross R. All-cause mortality risk among active and inactive adults matched for cardiorespiratory fitness. *Eur J Prev Cardiol.* 2019;26(5):554-6.
75. Abdullah SM, Defina LF, Leonard D, Khera A. Response by Abdullah et al to Letters Regarding Article, "Long-Term Association of Low-Density Lipoprotein Cholesterol With Cardiovascular Mortality in Individuals at Low 10-Year Risk of Atherosclerotic Cardiovascular Disease: Results From the Cooper Center Longitudinal Study". *Circulation.* 2019;139(18):2192-3.
76. Willis BL, Leonard D, Barlow CE, Martin SB, DeFina LF, Trivedi MH. Association of midlife cardiorespiratory fitness with incident depression and cardiovascular death after depression in later life. *JAMA Psychiatry.* 2018;75(9):911-7.
77. Vaisar T, Couzens E, Hwang A, Russell M, Barlow CE, DeFina LF, et al. Type 2 diabetes is associated with loss of HDL endothelium protective functions. *PLoS One.* 2018;13(3):e0192616.
78. Shah NS, Leonard D, Finley CE, Rodriguez F, Sarraju A, Barlow CE, et al. Dietary patterns and long-term survival: a retrospective study of healthy primary care patients. *Am J Med.* 2018;131(1):48-55.
79. Radford NB, DeFina LF, Leonard D, Barlow CE, Willis BL, Gibbons LW, et al. Cardiorespiratory fitness, coronary artery calcium, and cardiovascular disease events in a cohort of generally healthy middle-age men: Results from the Cooper Center Longitudinal Study. *Circulation.* 2018;137(18):1888-95.

80. Pavlovic A, Abel K, Barlow CE, Farrell SW, Weiner M, DeFina LF. The association between serum vitamin d level and cognitive function in older adults: Cooper Center Longitudinal Study. *Prev Med.* 2018;113:57-61.
81. Meier NF, Lee DC, Sui X, Blair SN. Physical activity, cardiorespiratory fitness, and incident glaucoma. *Med Sci Sports Exerc.* 2018;50(11):2253-8.
82. Liu Y, Lee DC, Li Y, Zhu W, Zhang R, Sui X, et al. Associations of resistance exercise with cardiovascular disease morbidity and mortality. *Med Sci Sports Exerc.* 2018;51(3):499-508.
83. Leonard D, Shah NS, Barlow CE, DeFina LF, Willis BL, Maron DJ. The Reply. *Am J Med.* 2018;131(5):e211.
84. Kuk JL, Rotondi M, Sui X, Blair SN, Ardern CI. Individuals with obesity but no other metabolic risk factors are not at significantly elevated all-cause mortality risk in men and women. *Clin Obesity.* 2018;8(5):305-12.
85. Ho JS, Cannaday JJ, FitzGerald SJ, Leonard D, Finley CE, Wade WA, et al. Relation of coronary artery diameters with cardiorespiratory fitness. *Am J Cardiol.* 2018;121(9):1065-71.
86. Farrell SW, Abramowitz AR, Willis BL, Barlow CE, Weiner M, Falkowski J, et al. The relationship between cardiorespiratory fitness and Montreal Cognitive Assessment scores in older adults. *Gerontology.* 2018;64(5):440-5.
87. DeFina LF, Radford NB, Leonard D, Wilson RK, Cooper TC, Clark SM, et al. The association of cardiorespiratory fitness, body mass index, and age with testosterone levels at screening of healthy men undergoing preventive medical examinations: The Cooper Center Longitudinal Study. *Maturitas.* 2018;118:1-6.
88. de Lannoy L, Sui X, Lavie CJ, Blair SN, Ross R. Change in submaximal cardiorespiratory fitness and all-cause mortality. *Mayo Clin Proc.* 2018;93(2):184-90.
89. de Lannoy L, Sui X, Blair SN, Ross R. All-cause mortality risk among active and inactive adults matched for cardiorespiratory fitness. *Eur J Prev Cardiol.* 2018:2047487318809186.
90. Bakker EA, Lee DC, Sui X, Eijvogels TMH, Ortega FB, Lee IM, et al. Association of resistance exercise with the incidence of hypercholesterolemia in men. *Mayo Clin Proc.* 2018;93(4):419-28.
91. Abdullah SM, Defina LF, Leonard D, Barlow CE, Radford NB, Willis BL, et al. Long-term association of low-density lipoprotein cholesterol with cardiovascular mortality in individuals at low 10-year risk of atherosclerotic cardiovascular disease. *Circulation.* 2018;138(21):2315-25.
92. Zhang Y, Zhang J, Zhou J, Ernstsens L, Lavie CJ, Hooker SP, et al. Non-exercise estimated cardiorespiratory fitness and mortality due to all-causes and cardiovascular disease: The NHANES III Study. *Mayo Clin Proc Innov Qual Outcomes.* 2017;1(1):16-25.
93. Yan Y, Sui X, Yao B, Lavie CJ, Blair SN. Is there a dose-response relationship between tea consumption and all-cause, CVD, and cancer mortality? *J Am Coll Nutr.* 2017;36(4):281-6.
94. Sui X, Sarzynski MA, Lee DC, Lavie CJ, Zhang J, Kokkinos PF, et al. Longitudinal patterns of cardiorespiratory fitness predict the development of hypertension among men and women. *Am J Med.* 2017;130(4):469-76.e2.
95. Sui X, Ott J, Jr., Becofsky K, Lavie CJ, Ernstsens L, Zhang J, et al. Cardiorespiratory fitness and all-cause mortality in men with emotional distress. *Mayo Clin Proc.* 2017;92(6):918-24.
96. Rethorst CD, Leonard D, Barlow CE, Willis BL, Trivedi MH, DeFina LF. Effects of depression, metabolic syndrome, and cardiorespiratory fitness on mortality: results from the Cooper Center Longitudinal Study. *Psychol Med.* 2017;47(14):2414-20.
97. Reaven GM, Knowles JW, Leonard D, Barlow CE, Willis BL, Haskell WL, et al. Relationship between simple markers of insulin resistance and coronary artery calcification. *J Clin Lipid.* 2017;11(4):1007-12.
98. Pandey A, Cornwell WK, 3rd, Willis B, Neeland IJ, Gao A, Leonard D, et al. Body mass index and cardiorespiratory fitness in mid-life and risk of heart failure hospitalization in older age: Findings from the Cooper Center Longitudinal Study. *JACC Heart Fail.* 2017;5(5):367-74.
99. Li C, Mikus C, Ahmed A, Hu G, Xiong K, Zhang Y, et al. A cross-sectional study of cardiorespiratory fitness and gallbladder disease. *Ann Epidemiol.* 2017;27(4):269-73.e3.
100. Janak JC, Perez A, Alamgir H, Orman JA, Cooper SP, Shuval K, et al. U.S. military service and the prevalence of metabolic syndrome: Findings from a cross-sectional analysis of the Cooper Center Longitudinal Study, 1979-2013. *Prev Med.* 2017;95:52-8.

101. Harber MP, Kaminsky LA, Arena R, Blair SN, Franklin BA, Myers J, et al. Impact of cardiorespiratory fitness on all-cause and disease-specific mortality: advances since 2009. *Prog Cardiovasc Dis*. 2017.
102. Gander JC, Sui X, Hebert JR, Lavie CJ, Hazlett LJ, Cai B, et al. Addition of estimated cardiorespiratory fitness to the clinical assessment of 10-year coronary heart disease risk in asymptomatic men. *Prev Med Rep*. 2017;7:30-7.
103. Farrell SW, Finley CE, Barlow CE, Willis BL, DeFina LF, Haskell WL, et al. Moderate to high levels of cardiorespiratory fitness attenuate the effects of triglyceride to high-density lipoprotein cholesterol ratio on coronary heart disease mortality in men. *Mayo Clin Proc*. 2017;92(12):1763-71.
104. Westover AN, Nakonezny PA, Barlow CE, Adinoff B, Brown ES, Halm EA, et al. Heart rate recovery and systolic blood pressure recovery after maximal exercise in prevalent users of stimulant medications. *J Clin Psychopharmacol*. 2016;36(3):295-7.
105. Wainstein HM, Feldman M, Shen CL, Leonard D, Willis BL, Finley CE, et al. The relationship between cardiorespiratory fitness and bone mineral density in men: a cross-sectional study. *Mayo Clin Proc*. 2016;91(6):726-34.
106. Vega GL, Grundy SM, Barlow CE, Leonard D, Willis BL, DeFina LF, et al. Association of triglyceride-to-high density lipoprotein cholesterol ratio to cardiorespiratory fitness in men. *J Clin Lipidol*. 2016;10(6):1414-22 e1.
107. Sloan RA, Haaland BA, Sawada SS, Lee IM, Sui X, Lee DC, et al. A fit-fat index for predicting incident diabetes in apparently healthy men: a prospective cohort study. *PLoS One*. 2016;11(6):e0157703.
108. Ricketts TA, Sui X, Lavie CJ, Blair SN, Ross R. Addition of cardiorespiratory fitness within an obesity risk classification model identifies men at increased risk of all-cause mortality. *Am J Med*. 2016;129(5):536.e13-20.
109. Radford NB, DeFina LF, Barlow CE, Lakoski SG, Leonard D, Paixao AR, et al. Progression of CAC score and risk of incident CVD. *JACC Cardiovasc Imaging*. 2016;9(12):1420-9.
110. Pandey A, Patel MR, Willis B, Gao A, Leonard D, Das SR, et al. Association between midlife cardiorespiratory fitness and risk of stroke: the Cooper Center Longitudinal Study. *Stroke*. 2016;47(7):1720-6.
111. Ortega FB, Sui X, Lavie CJ, Blair SN. Body mass index, the most widely used but also widely criticized index: would a criterion standard measure of total body fat be a better predictor of cardiovascular disease mortality? *Mayo Clin Proc*. 2016;91(4):443-55.
112. Ortega FB, Lavie CJ, Blair SN. Obesity and cardiovascular disease. *Circ Res*. 2016;118(11):1752-70.
113. Lee DC, Lavie CJ, Sui X, Blair SN. Running and mortality: Is more actually worse? *Mayo Clin Proc*. 2016;91(4):534-6.
114. Jimenez-Pavon D, Artero EG, Lee DC, Espana-Romero V, Sui X, Pate RR, et al. Cardiorespiratory fitness and risk of sudden cardiac death in men and women in the United States: A prospective evaluation from the Aerobics Center Longitudinal Study. *Mayo Clin Proc*. 2016;91(7):849-57.
115. DeFina LF, Willis BL, Radford NB, Christenson RH, deFilippi CR, de Lemos JA. Cardiorespiratory fitness and highly sensitive cardiac troponin levels in a preventive medicine cohort. *J Am Heart Assoc*. 2016;5(12).
116. DeFina LF, Leonard D, Willis BL, Barlow CE, Finley CE, Jenkins MR, et al. High cardiorespiratory fitness is associated with reduced risk of low bone density in postmenopausal women. *J Womens Health (Larchmt)*. 2016;25(10):1073-80.
117. DeFina LF, Bassett MH, Finley CE, Barlow CE, Willis BL, Cooper T, et al. Association between omega-3 fatty acids and serum prostate-specific antigen. *Nutr Cancer*. 2016;68(1):58-62.
118. DeFina LF, Barlow CE, Radford NB, Leonard D, Willis BL. The association between midlife cardiorespiratory fitness and later life chronic kidney disease: The Cooper Center Longitudinal Study. *Prev Med*. 2016;89:178-83.
119. Breneman CB, Polinski K, Sarzynski MA, Lavie CJ, Kokkinos PF, Ahmed A, et al. The impact of cardiorespiratory fitness levels on the risk of developing atherogenic dyslipidemia. *Am J Med*. 2016;129(10):1060-6.
120. Barlow CE, Shuval K, Balasubramanian BA, Kendzor DE, Radford NB, DeFina LF, et al. Association between sitting time and cardiometabolic risk factors after adjustment for cardiorespiratory fitness, Cooper Center Longitudinal Study, 2010-2013. *Prev Chronic Dis*. 2016;13:E181.
121. Barlow CE, Shuval K, Balasubramanian BA, Kendzor DE, Pettee Gabriel K. Sitting time, physical activity, and cardiorespiratory fitness: Cooper Center Longitudinal Study cohort. *J Phys Act Health*. 2016;13(1):17-23.

122. Abdullah SM, Barkley KW, Bhella PS, Hastings JL, Matulevicius S, Fujimoto N, et al. Lifelong physical activity regardless of dose is not associated with myocardial fibrosis. *Circ Cardiovasc Imaging*. 2016;9(11).
123. Wirth MD, Blake CE, Hebert JR, Sui X, Blair SN. Metabolic syndrome and discrepancy between actual and self-identified good weight: Aerobics Center Longitudinal Study. *Body Image*. 2015;13:28-32.
124. Willis BL, DeFina LF, Bachmann JM, Franzini L, Shay CM, Gao A, et al. Association of ideal cardiovascular health and long-term healthcare costs. *Am J Prev Med*. 2015;49(5):678-85.
125. Westover AN, Nakonezny PA, Barlow CE, Vongpatanasin W, Adinoff B, Brown ES, et al. Exercise outcomes in prevalent users of stimulant medications. *J Psychiatr Res*. 2015;64:32-9.
126. Sui X, Brown WJ, Lavie CJ, West DS, Pate RR, Payne JP, et al. Associations between television watching and car riding behaviors and development of depressive symptoms: a prospective study. *Mayo Clin Proc*. 2015;90(2):184-93.
127. Shuval K, Finley CE, Barlow CE, Nguyen BT, Njike VY, Pettee Gabriel K. Independent and joint effects of sedentary time and cardiorespiratory fitness on all-cause mortality: the Cooper Center Longitudinal Study. *BMJ Open*. 2015;5(10):e008956.
128. Shuval K, Barlow CE, Finley CE, Gabriel KP, Schmidt MD, DeFina LF. Standing, obesity, and metabolic syndrome: findings from the Cooper Center Longitudinal Study. *Mayo Clin Proc*. 2015;90(11):1524-32.
129. Saleem Y, DeFina LF, Radford NB, Willis BL, Barlow CE, Gibbons LW, et al. Association of a favorable cardiovascular health profile with the presence of coronary artery calcification. *Circ Cardiovasc Imaging*. 2015;8(1).
130. Radford NB, DeFina LF, Barlow CE, Kerr A, Chakravorty R, Khera A, et al. Effect of fitness on incident diabetes from statin use in primary prevention. *Atherosclerosis*. 2015;239(1):43-9.
131. Peel AB, Barlow CE, Leonard D, DeFina LF, Jones LW, Lakoski SG. Cardiorespiratory fitness in survivors of cervical, endometrial, and ovarian cancers: the Cooper Center Longitudinal Study. *Gynecol Oncol*. 2015;138(2):394-7.
132. Park YM, Sui X, Liu J, Zhou H, Kokkinos PF, Lavie CJ, et al. The effect of cardiorespiratory fitness on age-related lipids and lipoproteins. *J Am Coll Cardiol*. 2015;65(19):2091-100.
133. Pandey A, Patel M, Gao A, Willis BL, Das SR, Leonard D, et al. Changes in mid-life fitness predicts heart failure risk at a later age independent of interval development of cardiac and noncardiac risk factors: The Cooper Center Longitudinal Study. *Am Heart J*. 2015;169(2):290-7 e1.
134. Paixao AR, Chakravorty R, Khera A, Leonard D, DeFina LF, Barlow CE, et al. Disagreement between different definitions of coronary artery calcium progression. *JACC Cardiovasc Imaging*. 2015;8(6):743-4.
135. Li H, Sui X, Huang S, Lavie CJ, Wang Z, Blair SN. Secular change in cardiorespiratory fitness and body composition of women: the Aerobics Center Longitudinal Study. *Mayo Clin Proc*. 2015;90(1):43-52.
136. Lakoski SG, Willis BL, Barlow CE, Leonard D, Gao A, Radford NB, et al. Midlife cardiorespiratory fitness, incident cancer, and survival after cancer in men: The Cooper Center Longitudinal Study. *JAMA Oncol*. 2015;1(2):231-7.
137. Kendzor DE, Finley CE, Barlow CE, Whitehurst TA, Businelle MS, Balasubramanian BA, et al. The association of fitness with reduced cardiometabolic risk among smokers. *Am J Prev Med*. 2015;48(5):561-9.
138. Huang X, Sui X, Ruiz JR, Hirth V, Ortega FB, Blair SN, et al. Parental history of premature cardiovascular disease, estimated GFR, and rate of estimated GFR decline: Results from the Aerobics Center Longitudinal Study. *Am J Kidney Dis*. 2015;65(5):692-700.
139. Ho JS, Cannaday JJ, Barlow CE, Reinhardt DB, Wade WA, Ellis JR. Low 25-OH vitamin D levels are not associated with coronary artery calcium or obstructive stenoses. *Coron Artery Dis*. 2015;26(6):521-5.
140. Greer AE, Sui X, Maslow AL, Greer BK, Blair SN. The effects of sedentary behavior on metabolic syndrome independent of physical activity and cardiorespiratory fitness. *J Phys Act Health*. 2015;12(1):68-73.
141. Gander JC, Sui X, Hebert JR, Hazlett LJ, Cai B, Lavie CJ, et al. Association of cardiorespiratory fitness with coronary heart disease in asymptomatic men. *Mayo Clin Proc*. 2015;90(10):1372-9.
142. Farrell SW, Finley CE, Haskell WL, Grundy SM. Is there a gradient of mortality risk among men with low cardiorespiratory fitness? *Med Sci Sports Exerc*. 2015;47(9):1825-32.
143. Drenowatz C, Sui X, Fritz S, Lavie CJ, Beattie PF, Church TS, et al. The association between resistance exercise and cardiovascular disease risk in women. *J Sci Med Sport*. 2015;18(6):632-6.

144. Dishman RK, Sui X, Church TS, Kline CE, Youngstedt SD, Blair SN. Decline in cardiorespiratory fitness and odds of incident sleep complaints. *Med Sci Sports Exerc.* 2015;47(5):960-6.
145. DeFina LF, Haskell WL, Willis BL, Barlow CE, Finley CE, Levine BD, et al. Physical activity versus cardiorespiratory fitness: two (partly) distinct components of cardiovascular health? *Prog Cardiovasc Dis.* 2015;57(4):324-9.
146. Becofsky KM, Sui X, Lee DC, Wilcox S, Zhang J, Blair SN. A prospective study of fitness, fatness, and depressive symptoms. *Am J Epidemiol.* 2015;181(5):311-20.
147. Becofsky KM, Sui X, Lee DC. Three Authors Reply. *Am J Epidemiol.* 2015;182(3):279.
148. Becofsky KM, Shook RP, Sui X, Wilcox S, Lavie CJ, Blair SN. Influence of the source of social support and size of social network on all-cause mortality. *Mayo Clin Proc.* 2015;90(7):895-902.
149. Bachmann JM, DeFina LF, Franzini L, Gao A, Leonard DS, Cooper KH, et al. Cardiorespiratory fitness in middle age and health care costs in later life. *J Am Coll Cardiol.* 2015;66(17):1876-85.
150. Zhang P, Sui X, Hand GA, Hebert JR, Blair SN. Association of changes in fitness and body composition with cancer mortality in men. *Med Sci Sports Exerc.* 2014;46(7):1366-74.
151. Wirth MD, Blake CE, Hebert JR, Sui X, Blair SN. Chronic dissatisfaction predicts type 2 diabetes risk: Aerobics Center Longitudinal Study. *Health Psychol.* 2014;33(8):912-9.
152. Wickramasinghe CD, Ayers CR, Das S, de Lemos JA, Willis BL, Berry JD. Prediction of 30-year risk for cardiovascular mortality by fitness and risk factor levels: The Cooper Center Longitudinal Study. *Circ Cardiovasc Qual Outcomes.* 2014;7(4):597-602.
153. Vega GL, Barlow CE, Grundy SM, Leonard D, Defina LF. Triglyceride-to-high-density-lipoprotein-cholesterol ratio is an index of heart disease mortality and of incidence of type 2 diabetes mellitus in men. *J Investig Med.* 2014;62(2):345-9.
154. Trojan TD, Khan DA, Defina LF, Akpotaire O, Goodwin RD, Brown ES. Asthma and depression: the Cooper Center Longitudinal Study. *Ann Allergy Asthma Immunol.* 2014;112(5):432-6.
155. Shuval K, Finley CE, Barlow CE, Gabriel KP, Leonard D, Kohl HW, 3rd. Sedentary behavior, cardiorespiratory fitness, physical activity, and cardiometabolic risk in men: The Cooper Center Longitudinal Study. *Mayo Clin Proc.* 2014;89(8):1052-62.
156. Senechal M, McGavock JM, Church TS, Lee DC, Earnest CP, Sui X, et al. Cut points of muscle strength associated with metabolic syndrome in men. *Med Sci Sports Exerc.* 2014;46(8):1475-81.
157. Schneider CM, Repka CP, Brown JM, Lalonde TL, Dallow KT, Barlow CE, et al. Demonstration of the need for cardiovascular and pulmonary normative data for cancer survivors. *Int J Sports Med.* 2014;35(13):1134-7.
158. Sandler RD, Sui X, Church TS, Fritz SL, Beattie PF, Blair SN. Are flexibility and muscle-strengthening activities associated with a higher risk of developing low back pain? *J Sci Med Sport.* 2014;17(4):361-5.
159. Puett R, Teas J, Espana-Romero V, Artero EG, Lee DC, Baruth M, et al. Physical activity: Does environment make a difference for tension, stress, emotional outlook, and perceptions of health status? *J Phys Act Health.* 2014;11(8):1503-11.
160. Prasad VK, Hand GA, Sui X, Shrestha D, Lee DC, Lavie CJ, et al. Association of exercise heart rate response and incidence of hypertension in men. *Mayo Clin Proc.* 2014;89(8):1101-7.
161. Moliner-Urdiales D, Artero EG, Sui X, Espana-Romero V, Lee D, Blair SN. Body adiposity index and incident hypertension: The Aerobics Center Longitudinal Study. *Nutr Metab Cardiovasc Dis.* 2014;24(9):969-75.
162. McAuley PA, Artero EG, Sui X, Lavie CJ, Almeida MJ, Blair SN. Fitness, fatness, and survival in adults with prediabetes. *Diabetes Care.* 2014;37(2):529-36.
163. Liu J, Sui X, Lavie CJ, Zhou H, Park YM, Cai B, et al. Effects of cardiorespiratory fitness on blood pressure trajectory with aging in a cohort of healthy men. *J Am Coll Cardiol.* 2014;64(12):1245-53.
164. Liu J, Sui X, Blair SN, Lavie CJ. In reply--is coffee harmful? If looking for longevity, say yes to the coffee, no to the sugar. *Mayo Clin Proc.* 2014;89(4):577.
165. Lee DC, Pate RR, Lavie CJ, Sui X, Church TS, Blair SN. Leisure-time running reduces all-cause and cardiovascular mortality risk. *J Am Coll Cardiol.* 2014;64(5):472-81.

166. Kozlitina J, Smagris E, Stender S, Nordestgaard BG, Zhou HH, Tybjaerg-Hansen A, et al. Exome-wide association study identifies a TM6SF2 variant that confers susceptibility to nonalcoholic fatty liver disease. *Nat Genet.* 2014;46(4):352-6.
167. Hardee JP, Porter RR, Sui X, Archer E, Lee IM, Lavie CJ, et al. The effect of resistance exercise on all-cause mortality in cancer survivors. *Mayo Clin Proc.* 2014;89(8):1108-15.
168. Gander J, Sui X, Hazlett LJ, Cai B, Hebert JR, Blair SN. Factors related to coronary heart disease risk among men: validation of the Framingham Risk Score. *Prev Chronic Dis.* 2014;11:E140.
169. Gada E, Khan DA, DeFina LF, Brown ES. The relationship between asthma and self-reported anxiety in a predominantly healthy adult population. *Ann Allergy Asthma Immunol.* 2014;112(4):329-32.
170. Farrell SW, Finley CE, Jackson AW, Vega GL, Morrow JR, Jr. Association of multiple adiposity exposures and cardiorespiratory fitness with all-cause mortality in men: The Cooper Center Longitudinal Study. *Mayo Clin Proc.* 2014;89(6):772-80.
171. DeFina L, Radford N, Leonard D, Gibbons L, Khera A. Cardiorespiratory fitness and coronary artery calcification in women. *Atherosclerosis.* 2014;233(2):648-53.
172. Cuenca-Garcia M, Artero EG, Sui X, Lee DC, Hebert JR, Blair SN. Dietary indices, cardiovascular risk factors and mortality in middle-aged adults: Findings from the Aerobics Center Longitudinal Study. *Ann Epidemiol.* 2014;24(4):297-303 e2.
173. Brinker SK, Pandey A, Ayers CR, Barlow CE, DeFina LF, Willis BL, et al. Association of cardiorespiratory fitness with left ventricular remodeling and diastolic function: the Cooper Center Longitudinal Study. *JACC Heart Fail.* 2014;2(3):238-46.
174. Artero EG, Jackson AS, Sui X, Lee DC, O'Connor DP, Lavie CJ, et al. Longitudinal algorithms to estimate cardiorespiratory fitness: associations with nonfatal cardiovascular disease and disease-specific mortality. *J Am Coll Cardiol.* 2014;63(21):2289-96.
175. Sui X, Zhang J, Lee DC, Church TS, Lu W, Liu J, et al. Physical activity/fitness peaks during perimenopause and BMI change patterns are not associated with baseline activity/fitness in women: a longitudinal study with a median 7-year follow-up. *Br J Sports Med.* 2013;47(2):77-82.
176. Sui X, Li H, Zhang J, Chen L, Zhu L, Blair SN. Percentage of deaths attributable to poor cardiovascular health lifestyle factors: Findings from the Aerobics Center Longitudinal Study. *Epidemiol Res Int.* 2013;2013.
177. Stoutenberg M, Lee DC, Sui X, Hooker S, Horigian V, Perrino T, et al. Prospective study of alcohol consumption and the incidence of the metabolic syndrome in US men. *Brit J Nutr.* 2013;110(5):901-10.
178. Shuval K, Chiu CY, Barlow CE, Gabriel KP, Kendzor DE, Businelle MS, et al. Family history of chronic disease and meeting public health guidelines for physical activity: The Cooper Center Longitudinal Study. *Mayo Clin Proc.* 2013;88(6):588-92.
179. Saxena A, Minton D, Lee DC, Sui X, Fayad R, Lavie CJ, et al. Protective role of resting heart rate on all-cause and cardiovascular disease mortality. *Mayo Clin Proc.* 2013;88(12):1420-6.
180. Ortega FB, Lee DC, Katzmarzyk PT, Ruiz JR, Sui X, Church TS, et al. The intriguing metabolically healthy but obese phenotype: cardiovascular prognosis and role of fitness. *Eur Heart J.* 2013;34(5):389-97.
181. Moliner-Urdiales D, Artero EG, Lee DC, Espana-Romero V, Sui X, Blair SN. Body adiposity index and all-cause and cardiovascular disease mortality in men. *Obesity (Silver Spring).* 2013;21(9):1870-6.
182. Liu J, Sui X, Lavie CJ, Hebert JR, Earnest CP, Zhang J, et al. Association of coffee consumption with all-cause and cardiovascular disease mortality. *Mayo Clin Proc.* 2013;88(10):1066-74.
183. Liu J, Sui X, Blair SN, Lavie CJ. In reply--Association of coffee consumption with all-cause and cardiovascular disease mortality. *Mayo Clin Proc.* 2013;88(12):1493-4.
184. Lakoski SG, Barlow CE, Koelwyn GJ, Hornsby WE, Hernandez J, Defina LF, et al. The influence of adjuvant therapy on cardiorespiratory fitness in early-stage breast cancer seven years after diagnosis: The Cooper Center Longitudinal Study. *Breast Cancer Res Treat.* 2013;138(3):909-16.

185. Howard EN, Frierson GM, Willis BL, Haskell WL, Powell-Wiley TM, Defina LF. The impact of race and higher socioeconomic status on cardiorespiratory fitness. *Med Sci Sports Exerc.* 2013;45(12):2286-91.
186. Hoehner CM, Allen P, Barlow CE, Marx CM, Brownson RC, Schootman M. Understanding the independent and joint associations of the home and workplace built environments on cardiorespiratory fitness and body mass index. *Am J Epidemiol.* 2013;178(7):1094-105.
187. Ho JS, Cannaday JJ, Barlow CE, Reinhardt DB, Wade WA, Ellis JR. Utility of high-sensitivity C-reactive protein versus coronary artery calcium for the detection of obstructive stenoses in stable patients. *Am J Cardiol.* 2013;111(3):328-32.
188. Farrell SW, Finley CE, Radford NB, Haskell WL. Cardiorespiratory fitness, body mass index, and heart failure mortality in men: Cooper Center Longitudinal Study. *Circ Heart Fail.* 2013;6(5):898-905.
189. Espana-Romero V, Artero EG, Lee DC, Sui X, Baruth M, Ruiz JR, et al. A prospective study of ideal cardiovascular health and depressive symptoms. *Psychosomatics.* 2013;54(6):525-35.
190. Earnest CP, Artero EG, Sui X, Lee DC, Church TS, Blair SN. Maximal estimated cardiorespiratory fitness, cardiometabolic risk factors, and metabolic syndrome in the Aerobics Center Longitudinal Study. *Mayo Clin Proc.* 2013;88(3):259-70.
191. DeFina LF, Willis BL, Radford NB, Gao A, Leonard D, Haskell WL, et al. The association between midlife cardiorespiratory fitness levels and later-life dementia: A cohort study. *Ann Intern Med.* 2013;158(3):162-8.
192. Caldera-Alvarado G, Khan DA, Defina LF, Pieper A, Brown ES. Relationship between asthma and cognition: the Cooper Center Longitudinal Study. *Allergy.* 2013;68(4):545-8.
193. Blake CE, Hebert JR, Lee DC, Adams SA, Steck SE, Sui X, et al. Adults with greater weight satisfaction report more positive health behaviors and have better health status regardless of BMI. *J Obes.* 2013;2013:291371.
194. Berry JD, Pandey A, Gao A, Leonard D, Farzaneh-Far R, Ayers C, et al. Physical fitness and risk for heart failure and coronary artery disease. *Circ Heart Fail.* 2013;6(4):627-34.
195. Willis BL, Gao A, Leonard D, Defina LF, Berry JD. Midlife fitness and the development of chronic conditions in later life. *Arch Intern Med.* 2012;172(17):1333-40.
196. Vigen R, Ayers C, Willis B, DeFina L, Berry JD. Association of cardiorespiratory fitness with total, cardiovascular, and noncardiovascular mortality across 3 decades of follow-up in men and women. *Circ Cardiovasc Qual Outcomes.* 2012;5(3):358-64.
197. Sui X, Jackson AS, Church TS, Lee DC, O'Connor DP, Liu J, et al. Effects of cardiorespiratory fitness on aging: glucose trajectory in a cohort of healthy men. *Ann Epidemiol.* 2012;22(9):617-22.
198. Sieverdes JC, Ray BM, Sui X, Lee DC, Hand GA, Baruth M, et al. Association between leisure time physical activity and depressive symptoms in men. *Med Sci Sports Exerc.* 2012;44(2):260-5.
199. Shuval K, Finley CE, Chartier KG, Balasubramanian BA, Gabriel KP, Barlow CE. Cardiorespiratory fitness, alcohol intake, and metabolic syndrome incidence in men. *Med Sci Sports Exerc.* 2012;44(11):2125-31.
200. Shuval K, Barlow CE, Chartier KG, Gabriel KP. Cardiorespiratory fitness, alcohol, and mortality in men: the Cooper Center longitudinal study. *Am J Prev Med.* 2012;42(5):460-7.
201. Shook RP, Lee DC, Sui X, Prasad V, Hooker SP, Church TS, et al. Cardiorespiratory fitness reduces the risk of incident hypertension associated with a parental history of hypertension. *Hypertension.* 2012;59(6):1220-4.
202. McDonald JG, Smith DD, Stiles AR, Russell DW. A comprehensive method for extraction and quantitative analysis of sterols and secosteroids from human plasma. *J Lipid Res.* 2012;53(7):1399-409.
203. McAuley PA, Artero EG, Sui X, Lee DC, Church TS, Lavie CJ, et al. The obesity paradox, cardiorespiratory fitness, and coronary heart disease. *Mayo Clin Proc.* 2012;87(5):443-51.
204. Liu R, Sui X, Laditka JN, Church TS, Colabianchi N, Hussey J, et al. Cardiorespiratory fitness as a predictor of dementia mortality in men and women. *Med Sci Sports Exerc.* 2012;44(2):253-9.
205. Lee DC, Sui X, Church TS, Lavie CJ, Jackson AS, Blair SN. Changes in fitness and fatness on the development of cardiovascular disease risk factors hypertension, metabolic syndrome, and hypercholesterolemia. *J Am Coll Cardiol.* 2012;59(7):665-72.

206. Jackson AS, Sui X, O'Connor DP, Church TS, Lee DC, Artero EG, et al. Longitudinal cardiorespiratory fitness algorithms for clinical settings. *Am J Prev Med.* 2012;43(5):512-9.
207. Jackson AS, Janssen I, Sui X, Church TS, Blair SN. Longitudinal changes in body composition associated with healthy ageing: men, aged 20-96 years. *Brit J Nutr.* 2012;107(7):1085-91.
208. Hoehner CM, Barlow CE, Allen P, Schootman M. Commuting distance, cardiorespiratory fitness, and metabolic risk. *Am J Prev Med.* 2012;42(6):571-8.
209. Ho JS, Cannaday JJ, Barlow CE, Reinhardt DB, Wade WA. Computed tomography detection of carotid calcium and subclinical carotid atherosclerosis. *Int J Cardiovasc Imaging.* 2012;28(6):1601-7.
210. Heroux M, Janssen I, Lee DC, Sui X, Hebert JR, Blair SN. Clustering of unhealthy behaviors in the Aerobics Center Longitudinal Study. *Prev Sci.* 2012;13(2):183-95.
211. Gu P, DeFina LF, Leonard D, John S, Weiner MF, Brown ES. Relationship between serum homocysteine levels and depressive symptoms: The Cooper Center Longitudinal Study. *J Clin Psychiatry.* 2012;73(5):691-5.
212. Grundy SM, Barlow CE, Farrell SW, Vega GL, Haskell WL. Cardiorespiratory fitness and metabolic risk. *Am J Cardiol.* 2012;109(7):988-93.
213. Goodrich KM, Crowley SK, Lee DC, Sui XS, Hooker SP, Blair SN. Associations of cardiorespiratory fitness and parental history of diabetes with risk of type 2 diabetes. *Diabetes Res Clin Pract.* 2012;95(3):425-31.
214. Frierson GM, Howard EN, DeFina LF, Powell-Wiley TM, Willis BL. Effect of race and socioeconomic status on cardiovascular risk factor burden: The Cooper Center Longitudinal Study. *Ethn Dis.* 2012;23(1):35-42.
215. Farrell SW, Willis BL. Cardiorespiratory fitness, adiposity, and serum 25-dihydroxyvitamin D levels in women: The Cooper Center Longitudinal Study. *J Womens Health (Larchmt).* 2012;21(1):80-6.
216. Farrell SW, Finley CE, Grundy SM. Cardiorespiratory fitness, LDL cholesterol, and CHD mortality in men. *Med Sci Sports Exerc.* 2012;44(11):2132-7.
217. Dishman RK, Sui X, Church TS, Hand GA, Trivedi MH, Blair SN. Decline in cardiorespiratory fitness and odds of incident depression. *Am J Prev Med.* 2012;43(4):361-8.
218. DeFina LF, Vega GL, Leonard D, Grundy SM. Fasting glucose, obesity, and metabolic syndrome as predictors of type 2 diabetes: the Cooper Center Longitudinal Study. *J Investig Med.* 2012;60(8):1164-8.
219. Barlow CE, Defina LF, Radford NB, Berry JD, Cooper KH, Haskell WL, et al. Cardiorespiratory fitness and long-term survival in "low-risk" adults. *J Am Heart Assoc.* 2012;1(4):e001354.
220. Bachmann JM, Willis BL, Ayers CR, Khera A, Berry JD. Association between family history and coronary heart disease death across long-term follow-up in men: The Cooper Center Longitudinal Study. *Circulation.* 2012;125(25):3092-8.
221. Artero EG, Lee DC, Lavie CJ, Espana-Romero V, Sui X, Church TS, et al. Effects of muscular strength on cardiovascular risk factors and prognosis. *J Cardiopulm Rehabil Prev.* 2012;32(6):351-8.
222. Willis BL, Morrow JR, Jr., Jackson AW, Defina LF, Cooper KH. Secular change in cardiorespiratory fitness of men: Cooper Center Longitudinal Study. *Med Sci Sports Exerc.* 2011;43(11):2134-9.
223. Truesdale KP, Stevens J, Cai J. Differences in cardiovascular disease risk factors by weight history: The Aerobics Center Longitudinal Study. *Obesity (Silver Spring).* 2011;19(10):2063-8.
224. Sui X, Lavie CJ, Hooker SP, Lee DC, Colabianchi N, Lee CD, et al. A prospective study of fasting plasma glucose and risk of stroke in asymptomatic men. *Mayo Clin Proc.* 2011;86(11):1042-9.
225. Sieverdes JC, Sui X, Blair SN. Associations between physical activity and submaximal cardiorespiratory and pulmonary responses in men. *J Sports Med Dopng Stud.* 2011;1(1).
226. Ortega FB, Brown WJ, Lee DC, Baruth M, Sui X, Blair SN. In fitness and health? A prospective study of changes in marital status and fitness in men and women. *Am J Epidemiol.* 2011;173(3):337-44.
227. Mitchell T, Barlow CE. Review of the role of exercise in improving quality of life in healthy individuals and in those with chronic diseases. *Curr Sports Med Rep.* 2011;10(4):211-6.
228. Maslow AL, Price AE, Sui X, Lee DC, Vuori I, Blair SN. Fitness and adiposity as predictors of functional limitation in adults. *J Phys Act Health.* 2011;8(1):18-26.

229. Lee DC, Sui X, Ortega FB, Kim YS, Church TS, Winett RA, et al. Comparisons of leisure-time physical activity and cardiorespiratory fitness as predictors of all-cause mortality in men and women. *Br J Sports Med.* 2011;45(6):504-10.
230. Lee DC, Sui X, Artero EG, Lee IM, Church TS, McAuley PA, et al. Long-term effects of changes in cardiorespiratory fitness and body mass index on all-cause and cardiovascular disease mortality in men: The Aerobics Center Longitudinal Study. *Circulation.* 2011;124(23):2483-90.
231. Lee CD, Sui X, Hooker SP, Hebert JR, Blair SN. Combined impact of lifestyle factors on cancer mortality in men. *Ann Epidemiol.* 2011;21(10):749-54.
232. Lakoski SG, Barlow CE, Farrell SW, Berry JD, Morrow JR, Jr., Haskell WL. Impact of body mass index, physical activity, and other clinical factors on cardiorespiratory fitness (from the Cooper Center Longitudinal Study). *Am J Cardiol.* 2011;108(1):34-9.
233. Howie EK, Sui X, Lee DC, Hooker SP, Hebert JR, Blair SN. Alcohol consumption and risk of all-cause and cardiovascular disease mortality in men. *J Aging Res.* 2011;2011:805062.
234. Hoehner CM, Handy SL, Yan Y, Blair SN, Berrigan D. Association between neighborhood walkability, cardiorespiratory fitness and body-mass index. *Soc Sci Med.* 2011;73(12):1707-16.
235. Hoang MT, DeFina LF, Willis BL, Leonard DS, Weiner MF, Brown ES. Association between low serum 25-hydroxyvitamin d and depression in a large sample of healthy adults: The Cooper Center Longitudinal Study. *Mayo Clin Proc.* 2011;86(11):1050-5.
236. Gupta S, Rohatgi A, Ayers CR, Willis BL, Haskell WL, Khera A, et al. Cardiorespiratory fitness and classification of risk of cardiovascular disease mortality. *Circulation.* 2011;123(13):1377-83.
237. Gander J, Lee DC, Sui X, Hebert JR, Hooker SP, Blair SN. Self-rated health status and cardiorespiratory fitness as predictors of mortality in men. *Br J Sports Med.* 2011;45(14):1095-100.
238. Farrell SW, Finley CE, McAuley PA, Frierson GM. Cardiorespiratory fitness, different measures of adiposity, and total cancer mortality in women. *Obesity (Silver Spring).* 2011;19(11):2261-7.
239. Farrell SW, Cleaver JP, Willis BL. Cardiorespiratory fitness, adiposity, and serum 25-dihydroxyvitamin d levels in men. *Med Sci Sports Exerc.* 2011;43(2):266-71.
240. Byun W, Sui X, Hebert JR, Church TS, Lee IM, Matthews CE, et al. Cardiorespiratory fitness and risk of prostate cancer: findings from the Aerobics Center Longitudinal Study. *Cancer Epidemiol.* 2011;35(1):59-65.
241. Berry JD, Willis B, Gupta S, Barlow CE, Lakoski SG, Khera A, et al. Lifetime risks for cardiovascular disease mortality by cardiorespiratory fitness levels measured at ages 45, 55, and 65 years in men. The Cooper Center Longitudinal Study. *J Am Coll Cardiol.* 2011;57(15):1604-10.
242. Bernstein IH, Lacritz L, Barlow CE, Weiner MF, DeFina LF. Psychometric evaluation of the Montreal Cognitive Assessment (MoCA) in three diverse samples. *Clin Neuropsychol.* 2011;25(1):119-26.
243. Baruth M, Lee DC, Sui X, Church TS, Marcus BH, Wilcox S, et al. Emotional outlook on life predicts increases in physical activity among initially inactive men. *Health Educ Behav.* 2011;38(2):150-8.
244. Artero EG, Lee DC, Ruiz JR, Sui X, Ortega FB, Church TS, et al. A prospective study of muscular strength and all-cause mortality in men with hypertension. *J Am Coll Cardiol.* 2011;57(18):1831-7.
245. Warren TY, Barry V, Hooker SP, Sui X, Church TS, Blair SN. Sedentary behaviors increase risk of cardiovascular disease mortality in men. *Med Sci Sports Exerc.* 2010;42(5):879-85.
246. Vega GL, Barlow CE, Grundy SM. Prevalence of the metabolic syndrome as influenced by the measure of obesity employed. *Am J Cardiol.* 2010;105(9):1306-12.
247. Sui X, Lee DC, Matthews CE, Adams SA, Hebert JR, Church TS, et al. Influence of cardiorespiratory fitness on lung cancer mortality. *Med Sci Sports Exerc.* 2010;42(5):872-8.
248. Sieverdes JC, Sui X, Lee DC, Church TS, McClain A, Hand GA, et al. Physical activity, cardiorespiratory fitness and the incidence of type 2 diabetes in a prospective study of men. *Br J Sports Med.* 2010;44(4):238-44.
249. Ortega FB, Lee DC, Sui X, Ruiz JR, Cheng YJ, Church TJ, et al. Cardiorespiratory fitness, adiposity, and incident asthma in adults. *J Allergy Clin Immunol.* 2010;125(1):271-3 e1-5.

250. Ortega FB, Lee DC, Sui X, Kubzansky LD, Ruiz JR, Baruth M, et al. Psychological well-being, cardiorespiratory fitness, and long-term survival. *Am J Prev Med.* 2010;39(5):440-8.
251. Mitchell JA, Bornstein DB, Sui X, Hooker SP, Church TS, Lee CD, et al. The impact of combined health factors on cardiovascular disease mortality. *Am Heart J.* 2010;160(1):102-8.
252. Mertz KJ, Lee DC, Sui X, Powell KE, Blair SN. Falls among adults: the association of cardiorespiratory fitness and physical activity with walking-related falls. *Am J Prev Med.* 2010;39(1):15-24.
253. Matthews CE, Sui X, LaMonte MJ, Adams SA, Hebert JR, Blair SN. Metabolic syndrome and risk of death from cancers of the digestive system. *Metabolism.* 2010;59(8):1231-9.
254. Maslow AL, Sui X, Colabianchi N, Hussey J, Blair SN. Muscular strength and incident hypertension in normotensive and prehypertensive men. *Med Sci Sports Exerc.* 2010;42(2):288-95.
255. Lyerly GW, Sui X, Church TS, Lavie CJ, Hand GA, Blair SN. Maximal exercise electrocardiographic responses and coronary heart disease mortality among men with metabolic syndrome. *Mayo Clin Proc.* 2010;85(3):239-46.
256. Johannsen NM, Priest EL, Dixit VD, Earnest CP, Blair SN, Church TS. Association of white blood cell subfraction concentration with fitness and fatness. *Br J Sports Med.* 2010;44(8):588-93.
257. Jackson AW, Lee DC, Sui X, Morrow JR, Jr., Church TS, Maslow AL, et al. Muscular strength is inversely related to prevalence and incidence of obesity in adult men. *Obesity (Silver Spring).* 2010;18(10):1988-95.
258. Ho JS, FitzGerald SJ, Barlow CE, Cannaday JJ, Kohl HW, 3rd, Haskell WL, et al. Risk of mortality increases with increasing number of abnormal non-ST parameters recorded during exercise testing. *Eur J Cardiovasc Prev Rehabil.* 2010;17(4):462-8.
259. Ho JS, Barlow CE, Reinhardt DB, Wade WA, Cannaday JJ. Effect of increasing body mass index on image quality and positive predictive value of 100-kV coronary computed tomographic angiography. *Am J Cardiol.* 2010;106(8):1182-6.
260. Héroux M, Janssen I, Lam M, Lee DC, Hebert JR, Sui X, et al. Dietary patterns and the risk of mortality: Impact of cardiorespiratory fitness. *Int J Epidemiol.* 2010;39(1):197-209.
261. Finley CE, Barlow CE, Halton TL, Haskell WL. Glycemic index, glycemic load, and prevalence of the metabolic syndrome in the Cooper Center Longitudinal Study. *J Am Diet Assoc.* 2010;110(12):1820-9.
262. Farrell SW, FitzGerald SJ, McAuley PA, Barlow CE. Cardiorespiratory fitness, adiposity, and all-cause mortality in women. *Med Sci Sports Exerc.* 2010;42(11):2006-12.
263. East C, Willis BL, Barlow CE, Grannemann BD, FitzGerald SJ, DeFina LF, et al. Depressive symptoms and metabolic syndrome in preventive healthcare: The Cooper Center Longitudinal Study. *Metab Syndr Relat Disord.* 2010;8(5):451-7.
264. Byun W, Sieverdes JC, Sui X, Hooker SP, Lee CD, Church TS, et al. Effect of positive health factors and all-cause mortality in men. *Med Sci Sports Exerc.* 2010;42(9):1632-8.
265. Banda JA, Hutto B, Feeney A, Pfeiffer KA, McIver K, Lamonte MJ, et al. Comparing physical activity measures in a diverse group of midlife and older adults. *Med Sci Sports Exerc.* 2010;42(12):2251-7.
266. Banda JA, Clouston K, Sui X, Hooker SP, Lee CD, Blair SN. Protective health factors and incident hypertension in men. *Am J Hypertens.* 2010;23(6):599-605.

2000-2009

267. Sui X, Laditka JN, Church TS, Hardin JW, Chase N, Davis K, et al. Prospective study of cardiorespiratory fitness and depressive symptoms in women and men. *J Psychiatr Res.* 2009;43(5):546-52.
268. Ruiz JR, Sui X, Lobelo F, Lee DC, Morrow JR, Jr., Jackson AW, et al. Muscular strength and adiposity as predictors of adulthood cancer mortality in men. *Cancer Epidemiol Biomarkers Prev.* 2009;18(5):1468-76.
269. Peel JB, Sui X, Matthews CE, Adams SA, Hebert JR, Hardin JW, et al. Cardiorespiratory fitness and digestive cancer mortality: Findings from the Aerobics Center Longitudinal Study. *Cancer Epidemiol Biomarkers Prev.* 2009;18(4):1111-7.
270. Peel JB, Sui X, Adams SA, Hebert JR, Hardin JW, Blair SN. A prospective study of cardiorespiratory fitness and breast cancer mortality. *Med Sci Sports Exerc.* 2009;41(4):742-8.

271. McAuley PA, Sui X, Church TS, Hardin JW, Myers JN, Blair SN. The joint effects of cardiorespiratory fitness and adiposity on mortality risk in men with hypertension. *Am J Hypertens*. 2009;22(10):1062-9.
272. Lyerly GW, Sui X, Lavie CJ, Church TS, Hand GA, Blair SN. The association between cardiorespiratory fitness and risk of all-cause mortality among women with impaired fasting glucose or undiagnosed diabetes mellitus. *Mayo Clin Proc*. 2009;84(9):780-6.
273. Lee DC, Sui X, Church TS, Lee IM, Blair SN. Associations of cardiorespiratory fitness and obesity with risks of impaired fasting glucose and type 2 diabetes in men. *Diabetes Care*. 2009;32(2):257-62.
274. Lee C, Sui X, Blair SN. Combined effects of cardiorespiratory fitness, not smoking, and normal waist girth on morbidity and mortality in men. *Arch Intern Med*. 2009;169(22):2096-101.
275. Kuk JL, Ardern CI, Church TS, Hebert JR, Sui X, Blair SN. Ideal weight and weight satisfaction: Association with health practices. *Am J Epidemiol*. 2009;170(4):456-63.
276. Jagers JR, Sui X, Hooker SP, LaMonte MJ, Matthews CE, Hand GA, et al. Metabolic syndrome and risk of cancer mortality in men. *Eur J Cancer*. 2009;45(10):1831-8.
277. Jackson AS, Sui X, Hebert JR, Church TS, Blair SN. Role of lifestyle and aging on the longitudinal change in cardiorespiratory fitness. *Arch Intern Med*. 2009;169(19):1781-7.
278. Ho JS, Cannaday JJ, Barlow CE, Willis B, Haskell WL, FitzGerald SJ. Comparative relation of general, central, and visceral adiposity measures for coronary artery calcium in subjects without previous coronary events. *Am J Cardiol*. 2009;104(7):943-6.
279. Church TS, Thompson AM, Katzmarzyk PT, Sui X, Johannsen N, Earnest CP, et al. Metabolic syndrome and diabetes, alone and in combination, as predictors of cardiovascular disease mortality among men. *Diabetes Care*. 2009;32(7):1289-94.
280. Thompson AM, Church TS, Janssen I, Katzmarzyk PT, Earnest CP, Blair SN. Cardiorespiratory fitness as a predictor of cancer mortality among men with pre-diabetes and diabetes. *Diabetes Care*. 2008;31(4):764-9.
281. Sui X, Hooker SP, Lee IM, Church TS, Colabianchi N, Lee CD, et al. A prospective study of cardiorespiratory fitness and risk of type 2 diabetes in women. *Diabetes Care*. 2008;31(3):550-5.
282. Shuger SL, Sui X, Church TS, Meriwether RA, Blair SN. Body mass index as a predictor of hypertension incidence among initially healthy normotensive women. *Am J Hypertens*. 2008;21(6):613-9.
283. Ruiz JR, Sui X, Lobelo F, Morrow JR, Jr., Jackson AW, Sjostrom M, et al. Association between muscular strength and mortality in men: Prospective cohort study. *BMJ*. 2008;337:a439.
284. Lyerly GW, Sui X, Church TS, Lavie CJ, Hand GA, Blair SN. Maximal exercise electrocardiography responses and coronary heart disease mortality among men with diabetes mellitus. *Circulation*. 2008;117(21):2734-42.
285. Hooker SP, Sui X, Colabianchi N, Vena J, Laditka J, LaMonte MJ, et al. Cardiorespiratory fitness as a predictor of fatal and nonfatal stroke in asymptomatic women and men. *Stroke*. 2008;39(11):2950-7.
286. Ho JS, FitzGerald SJ, Stolfus LL, Wade WA, Reinhardt DB, Barlow CE, et al. Relation of a coronary artery calcium score higher than 400 to coronary stenoses detected using multidetector computed tomography and to traditional cardiovascular risk factors. *Am J Cardiol*. 2008;101(10):1444-7.
287. Ho JS, Cannaday JJ, Barlow CE, Mitchell TL, Cooper KH, FitzGerald SJ. Relation of the number of metabolic syndrome risk factors with all-cause and cardiovascular mortality. *Am J Cardiol*. 2008;102(6):689-92.
288. Van Wye G, Dubin JA, Blair SN, DiPietro L. Adult obesity does not predict 6-year weight gain in men: The Aerobics Center Longitudinal Study. *Obesity (Silver Spring)*. 2007;15(6):1571-7.
289. Van Wye G, Dubin JA, Blair SN, Di Pietro L. Weight cycling and 6-year weight change in healthy adults: The Aerobics Center Longitudinal Study. *Obesity (Silver Spring)*. 2007;15(3):731-9.
290. Sui X, LaMonte MJ, Laditka JN, Hardin JW, Chase N, Hooker SP, et al. Cardiorespiratory fitness and adiposity as mortality predictors in older adults. *JAMA*. 2007;298(21):2507-16.
291. Sui X, LaMonte MJ, Blair SN. Cardiorespiratory fitness and risk of nonfatal cardiovascular disease in women and men with hypertension. *Am J Hypertens*. 2007;20(6):608-15.

292. Sui X, LaMonte MJ, Blair SN. Cardiorespiratory fitness as a predictor of nonfatal cardiovascular events in asymptomatic women and men. *Am J Epidemiol.* 2007;165(12):1413-23.
293. Sui X, Laditka JN, Hardin JW, Blair SN. Estimated functional capacity predicts mortality in older adults. *J Am Geriatr Soc.* 2007;55(12):1940-7.
294. Rankinen T, Church TS, Rice T, Bouchard C, Blair SN. Cardiorespiratory fitness, BMI, and risk of hypertension: The HYPGENE study. *Med Sci Sports Exerc.* 2007;39(10):1687-92.
295. McMillan KP, Kuk JL, Church TS, Blair SN, Ross R. Independent associations between liver fat, visceral adipose tissue, and metabolic risk factors in men. *Appl Physiol Nutr Metab.* 2007;32(2):265-72.
296. Jackson AW, Morrow JR, Jr., Bowles HR, FitzGerald SJ, Blair SN. Construct validity evidence for single-response items to estimate physical activity levels in large sample studies. *Res Q Exerc Sport.* 2007;78(2):24-31.
297. Farrell SW, Cortese GM, LaMonte MJ, Blair SN. Cardiorespiratory fitness, different measures of adiposity, and cancer mortality in men. *Obesity (Silver Spring).* 2007;15(12):3140-9.
298. Eisenmann JC, Welk GJ, Wickel EE, Blair SN. Combined influence of cardiorespiratory fitness and body mass index on cardiovascular disease risk factors among 8-18 year old youth: The Aerobics Center Longitudinal Study. *Int J Pediatr Obes.* 2007;2(2):66-72.
299. LaMonte MJ, Chumlea WC. Obesity and health: Survival of the fittest? *Int J Body Compos Res.* 2006;4(1):19-25.
300. Kuk JL, Katzmarzyk PT, Nichaman MZ, Church TS, Blair SN, Ross R. Visceral fat is an independent predictor of all-cause mortality in men. *Obesity* 2006;14(2):336-41.
301. Kuk JL, Church TS, Blair SN, Ross R. Does measurement site for visceral and abdominal subcutaneous adipose tissue alter associations with the metabolic syndrome? *Diabetes Care.* 2006;29(3):679-84.
302. Katzmarzyk PT, Janssen I, Ross R, Church TS, Blair SN. The importance of waist circumference in the definition of metabolic syndrome: Prospective analyses of mortality in men. *Diabetes Care.* 2006;29(2):404-9.
303. Galper DI, Trivedi MH, Barlow CE, Dunn AL, Kampert JB. Inverse association between physical inactivity and mental health in men and women. *Med Sci Sports Exerc.* 2006;38(1):173-8.
304. Finley CE, LaMonte MJ, Waslien CI, Barlow CE, Blair SN, Nichaman MZ. Cardiorespiratory fitness, macronutrient intake, and the metabolic syndrome: The Aerobics Center Longitudinal Study. *J Am Diet Assoc.* 2006;106(5):673-9.
305. Davidson LE, Kuk JL, Church TS, Ross R. Protocol for measurement of liver fat by computed tomography. *J Appl Physiol.* 2006;100:864-8.
306. Church TS, Kuk JL, Ross R, Priest EL, Biltoff E, Blair SN. Association of cardiorespiratory fitness, body mass index, and waist circumference to nonalcoholic fatty liver disease. *Gastroenterology.* 2006;130(7):2023-30.
307. Barlow CE, LaMonte MJ, Fitzgerald SJ, Kampert JB, Perrin JL, Blair SN. Cardiorespiratory fitness is an independent predictor of hypertension incidence among initially normotensive healthy women. *Am J Epidemiol.* 2006;163(2):142-50.
308. Mason C, Katzmarzyk PT, Blair SN. Eligibility for obesity treatment and risk of mortality in men. *Obes Res.* 2005;13(10):1803-9.
309. LaMonte MJ, FitzGerald SJ, Church TS, Barlow CE, Radford NB, Levine BD, et al. Coronary artery calcium score and coronary heart disease events in a large cohort of asymptomatic men and women. *Am J Epidemiol.* 2005;162(5):421-9.
310. LaMonte MJ, Barlow CE, Jurca R, Kampert JB, Church TS, Blair SN. Cardiorespiratory fitness is inversely associated with the incidence of metabolic syndrome: a prospective study of men and women. *Circulation.* 2005;112(4):505-12.
311. Jurca R, LaMonte MJ, Durstine JL. Physical activity and nontraditional CHD risk factors: New pathways for primordial prevention of coronary heart disease. *Pres Counc Phys Fit Sports Res Dig.* 2005;6(4):1-8.
312. Jurca R, Lamonte MJ, Barlow CE, Kampert JB, Church TS, Blair SN. Association of muscular strength with incidence of metabolic syndrome in men. *Med Sci Sports Exerc.* 2005;37(11):1849-55.
313. Jurca R, Jackson AS, LaMonte MJ, Morrow JR, Jr., Blair SN, Wareham NJ, et al. Assessing cardiorespiratory fitness without performing exercise testing. *Am J Prev Med.* 2005;29(3):185-93.

314. Jurca R. Fitness and physical activity as predictors of mortality in unhealthy men (Commentary). *Clin J Sport Med*. 2005;15(6):462-3.
315. Janssen I, Katzmarzyk PT, Church TS, Blair SN. The Cooper Clinic Mortality Risk Index: clinical score sheet for men. *Am J Prev Med*. 2005;29(3):194-203.
316. Eisenmann JC, Wickel EE, Welk GJ, Blair SN. Relationship between adolescent fitness and fatness and cardiovascular disease risk factors in adulthood: The Aerobics Center Longitudinal Study (ACLS). *Am Heart J*. 2005;149(1):46-53.
317. Church TS, LaMonte MJ, Barlow CE, Blair SN. Cardiorespiratory fitness and body mass index as predictors of cardiovascular disease mortality among men with diabetes. *Arch Intern Med*. 2005;165(18):2114-20.
318. Ardern CI, Katzmarzyk PT, Janssen I, Church TS, Blair SN. Revised Adult Treatment Panel III Guidelines and cardiovascular disease mortality in men attending a preventive medical clinic. *Circulation*. 2005;112:1481-8.
319. Wong SL, Katzmarzyk P, Nichaman MZ, Church TS, Blair SN, Ross R. Cardiorespiratory fitness is associated with lower abdominal fat independent of body mass index. *Med Sci Sports Exerc*. 2004;36(2):286-91.
320. Mitchell TL, Gibbons LW, Devers SM, Earnest CP. Effects of cardiorespiratory fitness on healthcare utilization. *Med Sci Sports Exerc*. 2004;36(12):2088-92.
321. Kuk JL, Nichaman MZ, Church TS, Blair SN, Ross R. Liver fat is not a marker of metabolic risk in lean premenopausal women. *Metabolism*. 2004;53(8):1066-71.
322. Katzmarzyk PT, Church TS, Blair SN. Cardiorespiratory fitness attenuates the effects of the metabolic syndrome on all-cause and cardiovascular disease mortality in men. *Arch Intern Med*. 2004;164(10):1092-7.
323. Jurca R, LaMonte MJ, Church TS, Earnest CP, FitzGerald SJ, Barlow CE, et al. Associations of muscle strength and aerobic fitness with metabolic syndrome in men. *Med Sci Sports Exerc*. 2004;36(8):1301-7.
324. Jackson AS, Kampert JB, Barlow CE, Morrow JR, Jr., Church TS, Blair SN. Longitudinal changes in cardiorespiratory fitness: measurement error or true change? *Med Sci Sports Exerc*. 2004;36(7):1175-80.
325. Hootman JM, FitzGerald S, Macera CA, Blair SN. Lower extremity muscle strength and risk of self-reported hip or knee osteoarthritis. *J Phys Act Health*. 2004;1:321-30.
326. Farrell SW, Cheng YJ, Blair SN. Prevalence of the metabolic syndrome across cardiorespiratory fitness levels in women. *Obes Res*. 2004;12(5):824-30.
327. Church TS, Cheng YJ, Earnest CP, Barlow CE, Gibbons LW, Priest EL, et al. Exercise capacity and body composition as predictors of mortality among men with diabetes. *Diabetes Care*. 2004;27(1):83-8.
328. Williams PT. The illusion of improved physical fitness and reduced mortality. *Med Sci Sports Exerc*. 2003;35(5):736-40.
329. Nguyen-Duy TB, Nichaman MZ, Church TS, Blair SN, Ross R. Visceral fat and liver fat are independent predictors of metabolic risk factors in men. *Am J Physiol Endocrinol Metab*. 2003;284(6):E1065-71.
330. Hootman JM, Macera CA, Helmick CG, Blair SN. Influence of physical activity-related joint stress on the risk of self-reported hip/knee osteoarthritis: A new method to quantify physical activity. *Prev Med*. 2003;36(5):636-44.
331. Cheng YJ, Macera CA, Addy CL, Sy FS, Wieland D, Blair SN. Effects of physical activity on exercise tests and respiratory function. *Br J Sports Med*. 2003;37(6):521-8.
332. Cheng YJ, Lauer MS, Earnest CP, Church TS, Kampert JB, Gibbons LW, et al. Heart rate recovery following maximal exercise testing as a predictor of cardiovascular disease and all-cause mortality in men with diabetes. *Diabetes Care*. 2003;26(7):2052-7.
333. Cheng YJ, Church TS, Kimball TE, Nichaman MZ, McGuire DK, Blair SN. Comparison of coronary artery calcium detected by electron beam tomography in patients with to those without symptomatic coronary heart disease. *Am J Cardiol*. 2003;92(5):498-503.
334. Rogers LQ, Macera CA, Hootman JM, Ainsworth BE, Blair SN. The association between joint stress from physical activity and self-reported osteoarthritis: An analysis of the Cooper Clinic data. *Osteoarthr Cartil*. 2002;10(8):617-22.
335. Lee CD, Blair SN. Cardiorespiratory fitness and stroke mortality in men. *Med Sci Sports Exerc*. 2002;34(4):592-5.

336. Lee CD, Blair SN. Cardiorespiratory fitness and smoking-related and total cancer mortality in men. *Med Sci Sports Exerc.* 2002;34(5):735-9.
337. Hootman JM, Macera CA, Ainsworth BE, Martin M, Addy CL, Blair SN. Predictors of lower extremity injury among recreationally active adults. *Clin J Sport Med.* 2002;12(2):99-106.
338. Hootman JM, Macera CA, Ainsworth BE, Addy CL, Martin M, Blair SN. Epidemiology of musculoskeletal injuries among sedentary and physically active adults. *Med Sci Sports Exerc.* 2002;34(5):838-44.
339. Farrell SW, Braun L, Barlow CE, Cheng YJ, Blair SN. The relation of body mass index, cardiorespiratory fitness, and all-cause mortality in women. *Obes Res.* 2002;10(6):417-23.
340. Church TS, Finley CE, Earnest CP, Kampert JB, Gibbons LW, Blair SN. Relative associations of fitness and fatness to fibrinogen, white blood cell count, uric acid and metabolic syndrome. *Int J Obes (Lond).* 2002;26:805-13.
341. Church TS, Barlow CE, Earnest CP, Kampert JB, Priest EL, Blair SN. Associations between cardiorespiratory fitness and C-reactive protein in men. *Arterioscler Thromb Vasc Biol.* 2002;22(11):1869-76.
342. Cheng YJ, Macera CA, Church TS, Blair SN. Heart rate reserve as a predictor of cardiovascular and all-cause mortality in men. *Med Sci Sports Exerc.* 2002;34(12):1873-8.
343. Hootman JM, Macera CA, Ainsworth BE, Martin M, Addy CL, Blair SN. Association among physical activity level, cardiorespiratory fitness, and risk of musculoskeletal injury. *Am J Epidemiol.* 2001;154(3):251-8.
344. Drake DA. A longitudinal study of physical activity and breast cancer prediction. *Cancer Nurs.* 2001;24(5):371-7.
345. Church TS, Kampert JB, Gibbons LW, Barlow CE, Blair SN. Usefulness of cardiorespiratory fitness as a predictor of all-cause and cardiovascular disease mortality in men with systemic hypertension. *Am J Cardiol.* 2001;88(6):651-6.
346. Brodney S, McPherson RS, Carpenter RA, Welten D, Blair SN. Nutrient intake of physically fit and unfit men and women. *Med Sci Sports Exerc.* 2001;33(3):459-67.
347. Welten DC, Carpenter RA, McPherson RS, Brodney S, Douglass D, Kampert JB, et al. Comparison of a dietary record using reported portion size versus standard portion size for assessing nutrient intake. *Public Health Nutr.* 2000;3(2):151-8.
348. Wei M, Schwertner HA, Blair SN. The association between physical activity, physical fitness, and type 2 diabetes mellitus. *Compr Ther.* 2000;26(3):176-82.
349. Wei M, Gibbons LW, Mitchell TL, Kampert JB, Stern MP, Blair SN. Low fasting plasma glucose level as a predictor of cardiovascular disease and all-cause mortality. *Circulation.* 2000;101(17):2047-52.
350. Wei M, Gibbons LW, Mitchell TL, Kampert JB, Blair SN. Chronotropic incompetence during maximal exercise testing as a predictor of cardiovascular disease (CVD) and all-cause mortality in 8,795 women and 25,972 men. *Arch Intern Med.* 2000;32(5 Supplement):S201.
351. Wei M, Gibbons LW, Mitchell TL, Kampert JB, Blair SN. Alcohol intake and incidence of type 2 diabetes in men. *Diabetes Care.* 2000;23(1):18-22.
352. Wei M, Gibbons LW, Kampert JB, Nichaman MZ, Blair SN. Low cardiorespiratory fitness and physical inactivity as predictors of mortality in men with type 2 diabetes. *Ann Intern Med.* 2000;132(8):605-11.
353. Gibbons LW, Mitchell TL, Wei M, Blair SN, Cooper KH. Maximal exercise test as a predictor of risk for mortality from coronary heart disease in asymptomatic men. *Am J Cardiol.* 2000;86(1):53-8.
354. Cheng Y, Macera CA, Davis DR, Blair SN. Physical activity and peptic ulcers. Does physical activity reduce the risk of developing peptic ulcers? *West J Med.* 2000;173(2):101-7.
355. Cheng Y, Macera CA, Davis DR, Blair SN. Does physical activity reduce the risk of developing peptic ulcers? *Br J Sports Med.* 2000;34(2):116-21.
356. Cheng Y, Macera CA, Davis DR, Ainsworth BE, Troped PJ, Blair SN. Physical activity and self-reported, physician-diagnosed osteoarthritis: is physical activity a risk factor? *J Clin Epidemiol.* 2000;53(3):315-22.
357. Brill PA, Macera CA, Davis DR, Blair SN, Gordon N. Muscular strength and physical function. *Med Sci Sports Exerc.* 2000;32(2):412-6.
358. Blair SN, Wei M. Sedentary habits, health, and function in older women and men. *Am J Health Promot.* 2000;15(1):1-8.

1990-1999

359. Whaley MH, Kampert JB, Kohl HW, III, Blair SN. Physical fitness and clustering of risk factors associated with the metabolic syndrome. *Med Sci Sports Exerc.* 1999;31(2):287-93.
360. Wei M, Kampert JB, Barlow CE, Nichaman MZ, Gibbons LW, Paffenbarger RS, Jr., et al. Relationship between low cardiorespiratory fitness and mortality in normal-weight, overweight, and obese men. *JAMA.* 1999;282(16):1547-53.
361. Wei M, Gibbons LW, Mitchell TL, Kampert JB, Lee CD, Blair SN. The association between cardiorespiratory fitness and impaired fasting glucose and type 2 diabetes mellitus in men. *Ann Intern Med.* 1999;130(2):89-96.
362. Lee CD, Blair SN, Jackson AS. Cardiorespiratory fitness, body composition, and all-cause and cardiovascular disease mortality in men. *Am J Clin Nutr.* 1999;69(3):373-80.
363. Wei M, Gibbons LW, Mitchell TL, Kampert JB, Blair SN. Undiagnosed diabetes and impaired fasting glucose as predictors of cardiovascular disease and all-cause mortality. *CVD Prevention.* 1998;1(2):123-8.
364. Wei M, Gibbons LW, Mitchell TL, Kampert JB, Blair SN. Baseline fasting plasma glucose (FPG) levels and cardiovascular disease (CVD) and all-cause mortality. *Circulation.* 1998;97(8):815-.
365. Stofan JR, DiPietro L, Davis D, Kohl HW, 3rd, Blair SN. Physical activity patterns associated with cardiorespiratory fitness and reduced mortality: The Aerobics Center Longitudinal Study. *Am J Public Health.* 1998;88(12):1807-13.
366. Matthews CE, Pate RR, Jackson KL, Ward DS, Macera CA, Kohl HW, et al. Exaggerated blood pressure response to dynamic exercise and risk of future hypertension. *J Clin Epidemiol.* 1998;51(1):29-35.
367. Lloyd PJ, Hoover MW, Wheeler RJ, Blair SN. Managing the bottom line via managing employee stress. *Psychol Manag J.* 1998;2(1):83-92.
368. Lee CD, Jackson AS, Blair SN. US weight guidelines: Is it also important to consider cardiorespiratory fitness? *Int J Obes Relat Metab Disord.* 1998;22(suppl 2):S2-S7.
369. Jackson AW, Morrow JR, Jr., Brill PA, Kohl HW, III, Gordon NF, Blair SN. Relations of sit-up and sit-and-reach tests to low back pain in adults. *J Orthop Sports Phys Ther.* 1998;27(1):22-6.
370. Huang Y, Macera CA, Blair SN, Brill PA, Kohl HW, III, Kronenfeld JJ. Physical fitness, physical activity, and functional limitation in adults aged 40 and older. *Med Sci Sports Exerc.* 1998;30(9):1430-5.
371. Haddock BL, Hopp HP, Mason JJ, Blix G, Blair SN. Cardiorespiratory fitness and cardiovascular disease risk factors in postmenopausal women. *Med Sci Sports Exerc.* 1998;30(6):893-8.
372. Farrell SW, Kampert JB, Kohl HW, 3rd, Barlow CE, Macera CA, Paffenbarger RS, Jr., et al. Influences of cardiorespiratory fitness levels and other predictors on cardiovascular disease mortality in men. *Med Sci Sports Exerc.* 1998;30(6):899-905.
373. DiPietro L, Kohl HW, 3rd, Barlow CE, Blair SN. Improvements in cardiorespiratory fitness attenuate age-related weight gain in healthy men and women: the Aerobics Center Longitudinal Study. *Int J Obes Relat Metab Disord.* 1998;22(1):55-62.
374. Blair SN, Wei M, Lee CD. Cardiorespiratory fitness determined by exercise heart rate as a predictor of mortality in the Aerobics Center Longitudinal Study. *J Sports Sci.* 1998;16:S47-S55.
375. Wei M, Macera CA, Hornung CA, Blair SN. Changes in lipids associated with change in regular exercise in free-living men. *J Clin Epidemiol.* 1997;50(10):1137-42.
376. Oliveria SA, Kohl HW, III, Trichopoulos D, Blair SN. The association between cardiorespiratory fitness and prostate cancer. *Med Sci Sports Exerc.* 1996;28(1):97-104.
377. Kohl HW, III, Nichaman MZ, Frankowski RF, Blair SN. Maximal exercise hemodynamics and risk of mortality in apparently healthy men and women. *Med Sci Sports Exerc.* 1996;28(5):601-9.
378. Kampert JB, Blair SN, Barlow CE, Kohl HW, 3rd. Physical activity, physical fitness, and all-cause and cancer mortality: a prospective study of men and women. *Ann Epidemiol.* 1996;6(5):452-7.
379. Wei M, Macera CA, Hornung CA, Blair SN. The impact of changes in coffee consumption on serum cholesterol. *J Clin Epidemiol.* 1995;48(10):1189-96.

380. Gordon NF, Kohl HW, III, Pollock ML, Vaandrager H, Gibbons LW, Blair SN. Cardiovascular safety of maximal strength testing in healthy adults. *Am J Cardiol*. 1995;76:851-3.
381. Blair SN, Kohl HW, 3rd, Barlow CE, Paffenbarger RS, Jr., Gibbons LW, Macera CA. Changes in physical fitness and all-cause mortality. A prospective study of healthy and unhealthy men. *JAMA*. 1995;273(14):1093-8.
382. Barlow CE, Kohl HW, 3rd, Gibbons LW, Blair SN. Physical fitness, mortality and obesity. *Int J Obes Relat Metab Disord*. 1995;19 Suppl 4:S41-4.
383. Wei M, Macera CA, Davis DR, Hornung CA, Nankin HR, Blair SN. Total cholesterol and high density lipoprotein cholesterol as important predictors of erectile dysfunction. *Am J Epidemiol*. 1994;140(10):930-7.
384. Blair SN, Kohl HW, Barlow CE. Physical activity, physical fitness, and all-cause mortality in women: do women need to be active? *J Am Coll Nutr*. 1993;12(4):368-71.
385. Blair SN. Physical activity, physical fitness, and health. *Res Q Exerc Sport*. 1993;64:365-76.
386. Kohl HW, III, Powell KE, Gordon NF, Blair SN, Paffenbarger RS, Jr. Physical activity, physical fitness, and sudden cardiac death. *Epidemiol Rev*. 1992;14:37-58.
387. Kohl HW, Gordon NF, Villegas JA, Blair SN. Cardiorespiratory fitness, glycemic status, and mortality risk in men. *Diabetes Care*. 1992;15(2):184-92.
388. Kohl HW, III, Gordon NF, Scott CB, Vaandrager H, Blair SN. Musculoskeletal strength and serum lipid levels in men and women. *Med Sci Sports Exerc*. 1992;24(10):1080-7.
389. Brill PA, Kohl HW, Blair SN. Anxiety, depression, physical fitness, and all-cause mortality in men. *J Psychosom Res*. 1992;36(3):267-73.
390. Blair SN, Kohl HW, Gordon NF, Paffenbarger RS, Jr. How much physical activity is good for health? *Ann Rev Public Health*. 1992;13:99-126.
391. Blair SN, Kohl HW, III, Gordon NF. Physical activity and health: a lifestyle approach. *Med Exerc Nutr Health*. 1992;1:54-7.
392. Blair SN, Kohl HW, 3rd, Barlow CE, Gibbons LW. Physical fitness and all-cause mortality in hypertensive men. *Ann Med*. 1991;23(3):307-12.
393. Macera CA, Jackson KL, Davis DR, Kronenfeld JJ, Blair SN. Patterns of non-response to a mail survey. *J Clin Epidemiol*. 1990;43(12):1427-30.
394. Kohl HW, III, Gibbons LW, Gordon NF, Blair SN. An empirical evaluation of the ACSM guidelines for exercise testing. *Med Sci Sports Exerc*. 1990;22(4):533-9.
395. Hartung GH, Kohl HW, Blair SN, Lawrence SJ, Harrist RB. Exercise tolerance and alcohol intake. Blood pressure relation. *Hypertension*. 1990;16(5):501-7.
396. Gordon NF, Scott CB, Wilkinson WJ, Duncan JJ, Blair SN. Exercise and mild essential hypertension: recommendations for adults. *Sports Med*. 1990;10:390-404.

1976-1989

397. Macera CA, Jackson KL, Hagenmaier GW, Kronenfeld JJ, Kohl HW, Blair SN. Age, physical activity, physical fitness, body composition, and incidence of orthopedic problems. *Res Q Exerc Sport*. 1989;60(3):225-33.
398. Gibbons L, Blair SN, Kohl HW, Cooper K. The safety of maximal exercise testing. *Circulation*. 1989;80(4):846-52.
399. Brill PA, Burkhalter HE, Kohl HW, Blair SN, Goodyear NN. The impact of previous athleticism on exercise habits, physical fitness, and coronary heart disease risk factors in middle-aged men. *Res Q Exerc Sport*. 1989;60(3):209-15.
400. Blair SN, Kohl HW, 3rd, Paffenbarger RS, Jr., Clark DG, Cooper KH, Gibbons LW. Physical fitness and all-cause mortality. A prospective study of healthy men and women. *JAMA*. 1989;262(17):2395-401.
401. Blair SN, Kannel WB, Kohl HW, Goodyear N, Wilson PWF. Surrogate measures of physical activity and physical fitness: Evidence for sedentary traits of resting tachycardia, obesity, and low vital capacity. *Am J Epidemiol*. 1989;129(6):1145-56.

402. Kohl HW, Blair SN, Paffenbarger RS, Jr., Macera CA, Kronenfeld JJ. A mail survey of physical activity habits as related to measured physical fitness. *Am J Epidemiol.* 1988;127(6):1228-39.
403. Blair SN, Ludwig DA, Goodyear NN. A canonical analysis of central and peripheral subcutaneous fat distribution and coronary heart disease risk factors in men and women aged 18-65 years. *Hum Biol.* 1988;60(1):111-22.
404. Blair SN, Mulder RT, Kohl HW. Reaction to "secular trends in adult physical activity: Exercise boom or bust?". *Res Q Exerc Sport.* 1987;58(2):106-10.
405. Blair SN, Kohl HW, Goodyear NN. Rates and risks for running and exercise injuries: studies in three populations. *Res Q Exerc Sport.* 1987;58 221-8.
406. Blair SN, Lavey RS, Goodyear N, Gibbons LW, Cooper KH. Physiologic responses to maximal graded exercise testing in apparently healthy white women aged 18-75 years. *J Cardiac Rehabil.* 1984;4:459-68.
407. Blair SN, Goodyear NN, Wynne KL, Saunders RP. Comparison of dietary and smoking habit changes in physical fitness improvers and nonimprovers. *Prev Med.* 1984;13(4):411-20.
408. Blair SN, Goodyear NN, Gibbons LW, Cooper KH. Physical fitness and incidence of hypertension in healthy normotensive men and women. *JAMA.* 1984;252(4):487-90.
409. Gibbons LW, Blair SN, Cooper KH, Smith M. Association between coronary heart disease risk factors and physical fitness in healthy adult women. *Circulation.* 1983;67(5):977-83.
410. Blair SN, Cooper KH, Gibbons LW, Gettman LR, Lewis S, Goodyear N. Changes in coronary heart disease risk factors associated with increased treadmill time in 753 men. *Am J Epidemiol.* 1983;118(3):352-9.
411. Wilson NV, Meyer BM. Early prediction of hypertension using exercise blood pressure. *Prev Med.* 1981;10(1):62-8.
412. Cook KA, Meyer BM. Blood pressure and body composition changes in women. *Prev Med.* 1981;10(5):639-44.
413. Cooper KH, Pollock ML, Martin RP, White SR, Linnerud AC, Jackson A. Physical fitness levels vs selected coronary risk factors. A cross-sectional study. *JAMA.* 1976;236(2):166-9.