





# WeHero Glockenspiel Manual

Create musical instruments for individuals with  
developmental disabilities/mental wellbeing  
needs.



# Glockenspiel Construction Kit



- Kit for children
- Beginner instrument
- Pitch range: c3 - g4
- Sound bars in Boomwhackers colours on a birch plywood base plate incl. wooden beater
- Required material:  
glue/all-purpose adhesive,  
nails 1.4 mm × 13 mm
- Dimensions (W × H × D):  
320 mm × 32 mm × 130 mm
- Weight: 0.5 kg

## Scope of supply




- 1 × wooden base plate
- 1 × clip-on bar
- 1 × holding bar
- 2 × felt strips
- 12 × coloured sound bars
- 1 × wooden beater

## Mounting

1. Apply glue or all-purpose adhesive on both wooden bars on the base plate.




2. Attach the clip-on bar with the round nubs on the upper wooden bar and the holding bar with the oblong nubs flush on the lower wooden bar. Ensure that the nubs are placed on the outsides of the wooden bars. Let the glue dry.



3. Fix the clip-on and holdings bars beginning from the outside with 7 - 10 nails each evenly on the wooden bars. Ensure that you fix the nails between the nubs.



4. Apply the glue or all-purpose adhesive on the clip-on and holding bars.



Ensure that plastic bags, packaging, etc. are disposed of properly and are not within reach of babies and young children. Choking hazard!




Risk of injury! When using a hammer, pay attention not to squeeze your fingers/hands.



For the transport and protective packaging, environmentally friendly materials have been chosen that can be supplied to normal recycling. Ensure that plastic bags, packaging, etc. are properly disposed of. Do not just dispose of these materials with your normal household waste, but make sure that they are collected for recycling. Please follow the notes and markings on the packaging.

5. Attach the felt strips on the inside flush on top of the clip-on and holding bars. Cut off the excess of the felt strips using scissors or a knife and let the glue or all-purpose adhesive dry for at least one hour.



6. After the drying time you can place the sound bars. Clip the oblong holes of the sound bars on the nubs of the clip-on bar and put the sound bars with the round holes between the nubs of the holding bar.

