

## Your modern compounding pharmacy. ™

This standardized order form helps ensure accurate, safe, and efficient prescribing of customized compounded medications. Please review the brief instructions below before completing or submitting any form.

## For Prescribers

#### 1. Select the Formulation

Fill in the bubble next to the intended compounded product.

#### 2. Choose Directions/SIG

Select one of the provided SIG options or write custom instructions.

## 3. Complete Patient Information

Include full name, DOB, address, phone number, and other information.

#### 4. Fill in Prescriber Information

Include your NPI, DEA (if required), phone, fax, and address.

## 5. Sign and Date

Unsigned forms cannot be processed.

## 6. Fax Completed Forms

Send to (401) 284-4506 or (401) 210-2757.

# For Patients & Caregivers

- **Give this form directly to your healthcare provider**. They must complete and sign it before Bayview Pharmacy can prepare your medication.
- You may receive this form from a provider or facility; bring it to your next appointment if it has not yet been completed.
- Do not fill out the prescriber sections yourself. Your provider will enter your dosing instructions and clinical details.
- After we receive the prescription, we will reach out to the patient to go over the medication, allergies, shipping/pickup, and payment.





ast Name ddress			First Name	First Name		MI
						Apt.#
у	State	ZIP		Phone Number		
te of Birth (mm/dd/yyyy)	of Birth (mm/dd/yyyy) Sex			M O F Email		
Prescriber and Prescription	nformation	า ่				
escriber's Name		i				
one Number			Fax Numbe	Fax Number		
reet Address						
y			State		ZIP	
P			DEA	DEA		
				ation ).1% Vaginal Crea	am	
○ Estradiol 0.1					am	
○ Estradiol 0.1	%/Triamo	cinolone	Acetonide C		am	
© Estradiol 0.1	%/Triamo	daily at b	e Acetonide C	0.1% Vaginal Crea	am	
Oirections/SIG  O Apply 1 g intravagina  O Apply a thin layer to	%/Triamo	daily at b	e Acetonide Control of the Acetonide Control o	0.1% Vaginal Crea		
Oirections/SIG  Apply 1 g intravagina	%/Triamo	daily at b	e Acetonide Control of the Acetonide Control o	0.1% Vaginal Crea		
O Estradiol 0.1  Directions/SIG  O Apply 1 g intravagina  O Apply a thin layer to	%/Triamo	daily at b	eAcetonide Control of the Acetonide Control of the Acetonic of the Acetoni	directed.	nce.	
O Estradiol 0.15  Directions/SIG  Apply 1 g intravagina  Apply a thin layer to  Apply 0.5-1 g intrav	%/Triamo	daily at b	eAcetonide Control of the Acetonide Control of the Acetonic of the Acetoni	directed.	nce.	
Directions/SIG  Apply 1 g intravagina  Apply a thin layer to  Apply 0.5-1 g intrav  Other  Quantity	%/Triamo	daily at b	eAcetonide Control of	directed. ekly for maintenar	nce.	
Directions/SIG  Apply 1 g intravagina  Apply a thin layer to  Apply 0.5-1 g intrav  Other	%/Triamo	daily at b	eAcetonide Control of	directed. ekly for maintenar	nce.	
Directions/SIG  Apply 1 g intravagina  Apply a thin layer to  Apply 0.5–1 g intrav  Other  Quantity  30 g 0 45 g	%/Triamo	daily at b	eAcetonide Control of	directed. ekly for maintenar	nce.	

We are currently licensed to service patients residing in RI, MA, CT, NY, NJ, NH, and FL.

Unfortunately, we are unable to fulfill prescriptions for patients outside of our service area.