

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

27.4%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

31.3%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


30.0%

GOAL: 20.2%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


96.6

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

33.3%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

76.9%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

39.9%

GOAL: 20.2%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


95.7

MEAN SCORE

PREVENTATIVE CARE




CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

N/A

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

N/A

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

26.5%

GOAL: 20.2%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


95.6

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

29.0%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

45.0%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


32.0%

GOAL: 20.2%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


98.1

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized



% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal



% of patients (18 and over) who were immunized with Flu vaccine each flu season.



WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


97.6



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

14.3%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

53.9%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

28.4%

GOAL: 20.2%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


98

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

25.0%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

33.3%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

30.8%

GOAL: 20.2%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


98.6

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

40.3%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

48.6%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

24.7%

GOAL: 20.2%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


95.1

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

40.3%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

64.9%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

13.3%

GOAL: 20.2%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


98

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

20.0%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

37.5%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

19.3%

GOAL: 20.2%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


99.2

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

38.5%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

52.6%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

31.8%

GOAL: 20.2%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


98.8

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

20.8%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

58.9%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

31.9%

GOAL: 20.2%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


97

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

21.6%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

66.7%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

32.9%

GOAL: 20.2%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


98.8

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

37.5%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

60.0%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

37.5%

GOAL: 20.2%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


94.2

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

N/A

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

N/A

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


43.0%

GOAL: 20.2%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results

97.9

MEAN SCORE

PREVENTATIVE CARE



% of patients ages 18+ who had a medical visit in the last 1 year

89.9%

GOAL: 78.1%

% patients ages 12 and older who were screened for depression and if positive, had a follow-up plan documented since Jan 1st

96.3%

GOAL: 71.2%

% of patients ages 15 to 65 will be screened for HIV at least once

81.9%

GOAL: 72.0%

% of patients who received one or more screenings for colorectal cancer

62.4%

GOAL: 41.4%

CHRONIC DISEASE MANAGEMENT

% of patients ages 18-75 w/DM dx, who had a HbA1c Test completed in the last year

96.8%
GOAL: 89.0%

% of patients ages 18-75, w/DM dx, whose HbA1c < 9% at the time of the last reading in the last year

73.4%
GOAL: 60.6%

% of patients ages 18-75 w/DM who received a retinal eye exam in the last 1 year

48.9%
GOAL: 56.4%

% of pts ages 18-75 w/DM who received a foot exam in the last 1 year

69.4%
GOAL: 50.0%

% of patients ages 18-75 w/DM who received nephropathy screening or monitoring test done during the last 1 year

81.3%
GOAL: 56.0%

% of patients ages 18-85 w/HTN whose last blood pressure (BP) is <140/90 in the last 1 year

64.9%
GOAL: 67.9%

% of patients with a diagnosis of CVD or at risk for CVD, taking a statin medication to reduce their cholesterol and risk of heart attack and stroke


95.9%
GOAL: 81.6%

% of patients with a diagnosis of (IVD) or a risk of IVD take aspirin or an antiplatelet medication to lower their risk of heart attack or stroke

88.0%
GOAL: 83.0%

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

45.6%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

59.7%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

14.3%

GOAL: 20.2%

WOMEN'S HEALTH

% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



CHRONIC DISEASE MANAGEMENT



% of patients ages 18-85 w/HTN whose last blood pressure (BP) is <140/90 in the last 1 year

PATIENT SATISFACTION



Patient Satisfaction & Experience Survey results

97.2

MEAN SCORE

PREVENTATIVE CARE



% of patients ages 0-17 who had a medical visit in the last 1 year **79.3%** **GOAL 78.1%**

% of patients ages 18+ who had a medical visit in the last 1 year **54.6%** **GOAL 78.1%**

% of patients who had at least one lead screening by their second birthday **94.2%** **GOAL 70.0%**

% of patients ages 0 -15 months who've had one medical visit during the last 12 months **68.6%** **GOAL 63.4%**

% of patients ages 15-30 months who've had one medical visit during the last 12 months **N/A** **GOAL 72.3%**

% of patients ages 3-21 who've had one medical visit during the last 12 months **86.2%** **GOAL 55.4%**

% of patients ages 3-17 who had a documented BMI percentile & counseling on nutrition or a referral for education in the last 1 year **88.9%** **GOAL 73.5%**

% of patients ages 3-17 who had a documented BMI percentile & counseling for physical activity or a referral for education in the last 1 year **87.8%** **GOAL 69.7%**

% patients ages 12 and older who were screened for depression and if positive, had a follow-up plan documented since Jan 1st **82.6%** **GOAL 71.2%**

% of patients ages 15 to 65 will be screened for HIV at least once **77.3%** **GOAL 72.0%**

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

N/A

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

33.3%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

43.1%

GOAL: 20.2%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


98.2

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

24.4%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

40.7%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

27.5%

GOAL: 20.2%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


96.5

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

58.7%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

83.3%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

28.1%

GOAL: 20.2%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results

98.2

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT

