

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

27.1%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

36.7%


GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


56.9%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


98.9

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

57.1%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

72.7%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


61.0%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


95

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

N/A

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

N/A

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

39.3%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


98.2

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

22.7%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

48.5%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


47.8%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


98.1

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT




PCMH Quality of Care Indicators


IMMUNIZATIONS




% of patients (turning the age of 2) who were fully immunized



% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal




% of patients (18 and over) who were immunized with Flu vaccine each flu season.




WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


97.3



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

28.6%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

57.1%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


39.4%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


97.9

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

N/A

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

30.8%


GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


43.9%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


98.1

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

23.9%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

45.6%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


38.9%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


97.8

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

42.1%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

67.5%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


31.7%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


99.1

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

14.3%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

41.4%


GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


39.3%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


99

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

47.1%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

52.8%


GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


46.5%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


96.9

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

18.9%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

64.4%


GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


51.0%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


97.1

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

18.9%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

64.7%


GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


47.3%

GOAL: 20.2%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


98.9

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

34.2%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

54.2%


GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


55.3%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


95.4

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

N/A

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

N/A

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


54.8%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION



Patient Satisfaction & Experience Survey results

98

MEAN SCORE

PREVENTATIVE CARE



% of patients ages 18+ who had a medical visit in the last 1 year

73.7%

GOAL: 78.1%

% patients ages 12 and older who were screened for depression and if positive, had a follow-up plan documented since Jan 1st

96.9%

GOAL: 71.2%

% of patients ages 15 to 65 will be screened for HIV at least once

84.5%

GOAL: 72.0%

% of patients who received one or more screenings for colorectal cancer

60.4%

GOAL: 41.4%

CHRONIC DISEASE MANAGEMENT

% of patients ages 18-75 w/DM dx, who had a HbA1c Test completed in the last year

96.8%

GOAL: 89.0%

% of patients ages 18-75, w/DM dx, whose HbA1c < 9% at the time of the last reading in the last year

71.2%

GOAL: 60.6%

% of patients ages 18-75 w/DM who received a retinal eye exam in the last 1 year

49.1%

GOAL: 56.4%

% of pts ages 18-75 w/DM who received a foot exam in the last 1 year

67.0%

GOAL: 50.0%

% of patients ages 18-75 w/DM who received nephropathy screening or monitoring test done during the last 1 year

85.7%

GOAL: 56.0%

% of patients ages 18-85 w/HTN whose last blood pressure (BP) is <140/90 in the last 1 year

68.8%

GOAL: 67.9%

% of patients with a diagnosis of CVD or at risk for CVD, taking a statin medication to reduce their cholesterol and risk of heart attack and stroke

96.7%

GOAL: 81.6%

% of patients with a diagnosis of (IVD) or a risk of IVD take aspirin or an antiplatelet medication to lower their risk of heart attack or stroke

87.5%

GOAL: 83.0%

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

N/A

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

56.1%

GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

26.7%

GOAL: 20.2%

WOMEN'S HEALTH

% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



CHRONIC DISEASE MANAGEMENT



% of patients ages 18-85 w/HTN whose last blood pressure (BP) is <140/90 in the last 1 year

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results

96.4



PREVENTATIVE CARE



% of patients ages 0-17 who had a medical visit in the last 1 year **43.7%** **GOAL 78.1%**

% of patients ages 18+ who had a medical visit in the last 1 year **29.2%** **GOAL 78.1%**

% of patients who had at least one lead screening by their second birthday **93.7%** **GOAL 70.0%**

% of patients ages 0 -15 months who've had one medical visit during the last 12 months **67.6%** **GOAL 63.4%**

% of patients ages 15-30 months who've had one medical visit during the last 12 months **29.2%** **GOAL 72.3%**

% of patients ages 3-21 who've had one medical visit during the last 12 months **82.6%** **GOAL 55.4%**

% of patients ages 3-17 who had a documented BMI percentile & counseling on nutrition or a referral for education in the last 1 year **84.0%** **GOAL 73.5%**

% of patients with obesity ages 3-17 who had a documented BMI percentile & counseling on nutrition or a referral for education in the last 1 year **84.5%** **GOAL 73.5%**


% of patients ages 3-17 who had a documented BMI percentile & counseling for physical activity or a referral for education in the last 1 year **84.0%** **GOAL 69.7%**

% patients ages 12 and older who were screened for depression and if positive, had a follow-up plan documented since Jan 1st **74.3%** **GOAL 71.2%**


% of patients ages 15 to 65 will be screened for HIV at least once **73.0%** **GOAL 72.0%**

PCMH Quality of Care Indicators


IMMUNIZATIONS




WOMEN'S HEALTH




PATIENT SATISFACTION



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

21.7%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

37.5%


GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


53.7%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results


97.3

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

58.3%

GOAL: 23.9%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

68.4%


GOAL: 34.1%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


41.8%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION




Patient Satisfaction & Experience Survey results

97.5

MEAN SCORE

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT

