

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age of 2)
who were
fully immunized

25.5%

GOAL: 23.9%

% of patients
(turning the age of 13)
who received Tdap,
HPV, and
meningococcal

44.4%


GOAL: 34.1%

% of patients
(18 and over) who
were immunized
with Flu vaccine
each flu season.


62.2%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients
ages 16-24 who are
sexually active
have a chlamydia
screening every
12 months



% of female
patients ages 21-64
have a pap test
every 3 years
Ages 30-64
have a pap test with
HPV (co-test)
every 5 years



% of female patients
ages 50-74 have a
mammogram in the
last 2 years

PATIENT SATISFACTION



Patient Satisfaction
& Experience Survey results

98.4

**MEAN
SCORE**

PREVENTATIVE CARE

GOAL
78.1%

56.4%

% of patients ages 0-17 who had a medical
visit in the last 1 year

% of patients ages 18+ who had
a medical visit in the last 1 year

61.6%

GOAL
78.1%

GOAL
70.0%

76.5%

% of patients who had at least one
lead screening by their second birthday

% of patients ages 0-15 months who
had a well child in the last 1 year

81.8%

GOAL
63.4%

GOAL
72.3%

21.3%

% of patients ages 15-30 months who
had a well child in the last 1 year

% of patients ages 3-21 who had a
well child in the last 1 year

71.0%

GOAL
55.4%

GOAL
73.5%

76.5%

% of patients ages 3-17 who had a
documented BMI percentile & counseling
on nutrition or a referral for education
in the last 1 year

% of patients with obesity ages 3-17 who had a
documented BMI percentile & counseling
on nutrition or a referral for education in the last 1 year

85.0%

GOAL
73.5%

GOAL
69.7%

76.1%

% of patients ages 3-17 who had a documented
BMI percentile & counseling for physical activity
or a referral for education in the last 1 year

% patients ages 12 and older who were
screened for depression and if positive, had a
follow-up plan documented since Jan 1st

78.1%

GOAL
71.2%

GOAL
72.0%

88.0%

% of patients ages 15 to 65 will be
screened for HIV at least once

% of patients who received one or more
screenings for colorectal cancer

61.6%

GOAL
41.4%

CHRONIC DISEASE MANAGEMENT

% of patients ages 18-75
w/DM dx, who had a
HbA1c Test completed
in the last year

94.8%
GOAL:
89.0%

% of patients ages 18-75,
w/DM dx, whose HbA1c < 9%
at the time of the last reading
in the last year

% of patients ages 18-75
w/DM who received a
retinal eye exam
in the last 1 year

72.6%
GOAL:
60.6%

% of pts ages 18-75 w/DM
who received a foot exam
in the last 1 year

38.7%
GOAL:
56.4%

62.1%
GOAL:
50.0%

% of patients ages 18-75 w/DM
who received nephropathy
screening or monitoring test
done during the last 1 year

69.7%
GOAL:
56.0%

% of patients ages 18-85
w/HTN whose last blood
pressure (BP) is <140/90 in
the last 1 year

74.8%
GOAL:
67.9%

% of patients with a diagnosis of CVD
or at risk for CVD, taking a statin
medication to reduce their cholesterol
and risk of heart attack and stroke

88.8%
GOAL:
81.6%

% of patients with a diagnosis of
(IVD) or a risk of IVD take aspirin or
an antiplatelet medication to lower
their risk of heart attack or stroke

100.0%
GOAL:
83.0%

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age of 2)
who were
fully immunized

66.7%

GOAL: 23.9%

% of patients
(turning the age of 13)
who received Tdap,
HPV, and
meningococcal

42.9%


GOAL: 34.1%

% of patients
(18 and over) who
were immunized
with Flu vaccine
each flu season.


60.7%

GOAL: 20.2%


PREVENTATIVE CARE




WOMEN'S HEALTH



% of female patients
ages 16-24 who are
sexually active
have a chlamydia
screening every
12 months



% of female
patients ages 21-64
have a pap test
every 3 years
Ages 30-64
have a pap test with
HPV (co-test)
every 5 years



% of female patients
ages 50-74 have a
mammogram in the
last 2 years

PATIENT SATISFACTION




Patient Satisfaction
& Experience Survey results

96.3

**MEAN
SCORE**

CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age of 2)
who were
fully immunized

N/A

GOAL: 23.9%

% of patients
(turning the age of 13)
who received Tdap,
HPV, and
meningococcal

N/A

GOAL: 34.1%

% of patients
(18 and over) who
were immunized
with Flu vaccine
each flu season.


40.1%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients
ages 16-24 who are
sexually active
have a chlamydia
screening every
12 months



% of female
patients ages 21-64
have a pap test
every 3 years
Ages 30-64
have a pap test with
HPV (co-test)
every 5 years



% of female patients
ages 50-74 have a
mammogram in the
last 2 years

PATIENT SATISFACTION




Patient Satisfaction
& Experience Survey results


92.5

**MEAN
SCORE**

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age of 2)
who were
fully immunized

27.7%

GOAL: 23.9%

% of patients
(turning the age of 13)
who received Tdap,
HPV, and
meningococcal

47.6%


GOAL: 34.1%

% of patients
(18 and over) who
were immunized
with Flu vaccine
each flu season.


50.0%

GOAL: 20.2%


PREVENTATIVE CARE




CHRONIC DISEASE MANAGEMENT




WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION



Patient Satisfaction
& Experience Survey results

97.2

**MEAN
SCORE**

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age of 2)
who were
fully immunized

N/A

GOAL: 23.9%

% of patients
(turning the age of 13)
who received Tdap,
HPV, and
meningococcal

18.2%


GOAL: 34.1%

% of patients
(18 and over) who
were immunized
with Flu vaccine
each flu season.


40.2%

GOAL: 20.2%


PREVENTATIVE CARE




WOMEN'S HEALTH



% of female patients
ages 16-24 who are
sexually active
have a chlamydia
screening every
12 months



% of female
patients ages 21-64
have a pap test
every 3 years
Ages 30-64
have a pap test with
HPV (co-test)
every 5 years



% of female patients
ages 50-74 have a
mammogram in the
last 2 years

PATIENT SATISFACTION




Patient Satisfaction
& Experience Survey results

96.7

**MEAN
SCORE**

CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age of 2)
who were
fully immunized

33.3%

GOAL: 23.9%

% of patients
(turning the age of 13)
who received Tdap,
HPV, and
meningococcal

77.8%

GOAL: 34.1%

% of patients
(18 and over) who
were immunized
with Flu vaccine
each flu season.


38.0%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients
ages 16-24 who are
sexually active
have a chlamydia
screening every
12 months



% of female
patients ages 21-64
have a pap test
every 3 years
Ages 30-64
have a pap test with
HPV (co-test)
every 5 years



% of female patients
ages 50-74 have a
mammogram in the
last 2 years

PATIENT SATISFACTION



Patient Satisfaction
& Experience Survey results

98.3

**MEAN
SCORE**

PREVENTATIVE CARE

GOAL: 78.1%

55.9%

% of patients ages 0-17 who had a medical visit in the last 1 year

% of patients ages 18+ who had a medical visit in the last 1 year

61.0%

GOAL: 78.1%

GOAL: 70.0%

66.7%

% of patients who had at least one lead screening by their second birthday

% of patients ages 0-15 months who had a well child in the last 1 year

73.9%

GOAL: 63.4%

GOAL: 72.3%

36.4%

% of patients ages 15-30 months who had a well child in the last 1 year

% of patients ages 3-21 who had a well child in the last 1 year

59.3%

GOAL: 55.4%

GOAL: 73.5%

77.8%

% of patients ages 3-17 who had a documented BMI percentile & counseling on nutrition or a referral for education in the last 1 year

% of patients with obesity ages 3-17 who had a documented BMI percentile & counseling on nutrition or a referral for education in the last 1 year

71.4%

GOAL: 73.5%

GOAL: 69.7%

77.3%

% of patients ages 3-17 who had a documented BMI percentile & counseling for physical activity or a referral for education in the last 1 year

% patients ages 12 and older who were screened for depression and if positive, had a follow-up plan documented since Jan 1st

72.4%

GOAL: 71.2%

GOAL: 72.0%

79.1%

% of patients ages 15 to 65 will be screened for HIV at least once

% of patients who received one or more screenings for colorectal cancer

60.0%

GOAL: 41.4%

CHRONIC DISEASE MANAGEMENT

% of patients ages 18-75 w/DM dx, who had a HbA1c Test completed in the last year

94.3%

GOAL: 89.0%

% of patients ages 18-75, w/DM dx, whose HbA1c < 9% at the time of the last reading in the last year

70.1%

GOAL: 60.6%

% of patients ages 18-75 w/DM who received a retinal eye exam in the last 1 year

28.7%

GOAL: 56.4%

% of pts ages 18-75 w/DM who received a foot exam in the last 1 year

53.9%

GOAL: 50.0%

% of patients ages 18-75 w/DM who received nephropathy screening or monitoring test done during the last 1 year

72.5%

GOAL: 56.0%

% of patients ages 18-85 w/HTN whose last blood pressure (BP) is <140/90 in the last 1 year

69.4%

GOAL: 67.9%

% of patients with a diagnosis of CVD or at risk for CVD, taking a statin medication to reduce their cholesterol and risk of heart attack and stroke

93.9%

GOAL: 81.6%

% of patients with a diagnosis of (IVD) or a risk of IVD take aspirin or an antiplatelet medication to lower their risk of heart attack or stroke

90.0%

GOAL: 83.0%

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age of 2)
who were
fully immunized

0.0%

GOAL: 23.9%

% of patients
(turning the age of 13)
who received Tdap,
HPV, and
meningococcal

31.3%

GOAL: 34.1%

% of patients
(18 and over) who
were immunized
with Flu vaccine
each flu season.


53.5%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients
ages 16-24 who are
sexually active
have a chlamydia
screening every
12 months



% of female
patients ages 21-64
have a pap test
every 3 years
Ages 30-64
have a pap test with
HPV (co-test)
every 5 years



% of female patients
ages 50-74 have a
mammogram in the
last 2 years

PATIENT SATISFACTION




Patient Satisfaction
& Experience Survey results


98

**MEAN
SCORE**

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age of 2)
who were
fully immunized

28.6%

GOAL: 23.9%

% of patients
(turning the age of 13)
who received Tdap,
HPV, and
meningococcal

50.8%

GOAL: 34.1%

% of patients
(18 and over) who
were immunized
with Flu vaccine
each flu season.

39.2%

GOAL: 20.2%

PREVENTATIVE CARE



GOAL
78.1%

60.0%

% of patients ages 0-17 who had a medical visit in the last 1 year

% of patients ages 18+ who had a medical visit in the last 1 year

72.4%

GOAL
78.1%

GOAL
70.0%

82.9%

% of patients who had at least one lead screening by their second birthday

% of patients ages 0-15 months who had a well child in the last 1 year

70.7%

GOAL
63.4%

GOAL
72.3%

28.8%

% of patients ages 15-30 months who had a well child in the last 1 year

% of patients ages 3-21 who had a well child in the last 1 year

72.3%

GOAL
55.4%

GOAL
73.5%

84.3%

% of patients ages 3-17 who had a documented BMI percentile & counseling on nutrition or a referral for education in the last 1 year

% of patients with obesity ages 3-17 who had a documented BMI percentile & counseling on nutrition or a referral for education in the last 1 year

89.2%

GOAL
73.5%

GOAL
69.7%

80.2%

% of patients ages 3-17 who had a documented BMI percentile & counseling for physical activity or a referral for education in the last 1 year

% patients ages 12 and older who were screened for depression and if positive, had a follow-up plan documented since Jan 1st

82.1%

GOAL
71.2%

GOAL
72.0%

86.1%

% of patients ages 15 to 65 will be screened for HIV at least once

% of patients who received one or more screenings for colorectal cancer

63.0%

GOAL
41.4%

CHRONIC DISEASE MANAGEMENT

% of patients ages 18-75 w/DM dx, who had a HbA1c Test completed in the last year

94.5%

GOAL:
89.0%

% of patients ages 18-75, w/DM dx, whose HbA1c < 9% at the time of the last reading in the last year

65.3%

GOAL:
60.6%

% of patients ages 18-75 w/DM who received a retinal eye exam in the last 1 year

34.2%

GOAL:
56.4%

% of pts ages 18-75 w/DM who received a foot exam in the last 1 year

64.5%

GOAL:
50.0%

% of patients ages 18-75 w/DM who received nephropathy screening or monitoring test done during the last 1 year

71.1%

GOAL:
56.0%

% of patients ages 18-85 w/HTN whose last blood pressure (BP) is <140/90 in the last 1 year

70.7%

GOAL:
67.9%

% of patients with a diagnosis of CVD or at risk for CVD, taking a statin medication to reduce their cholesterol and risk of heart attack and stroke

94.5%


GOAL:
81.6%

% of patients with a diagnosis of (IVD) or a risk of IVD take aspirin or an antiplatelet medication to lower their risk of heart attack or stroke

89.2%


GOAL:
83.0%

WOMEN'S HEALTH




53.6%
GOAL:
56.3%

% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



72.7%
GOAL:
52.3%

% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



51.7%
GOAL:
55.9%

% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION



Patient Satisfaction
& Experience Survey results

96.6

**MEAN
SCORE**

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age of 2)
who were
fully immunized

45.9%

GOAL: 23.9%

% of patients
(turning the age of 13)
who received Tdap,
HPV, and
meningococcal

65.8%

GOAL: 34.1%

% of patients
(18 and over) who
were immunized
with Flu vaccine
each flu season.


36.8%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients
ages 16-24 who are
sexually active
have a chlamydia
screening every
12 months



% of female
patients ages 21-64
have a pap test
every 3 years
Ages 30-64
have a pap test with
HPV (co-test)
every 5 years



% of female patients
ages 50-74 have a
mammogram in the
last 2 years

PATIENT SATISFACTION




Patient Satisfaction
& Experience Survey results


98.8

**MEAN
SCORE**

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age of 2)
who were
fully immunized

0.0%

GOAL: 23.9%

% of patients
(turning the age of 13)
who received Tdap,
HPV, and
meningococcal

26.5%


GOAL: 34.1%

% of patients
(18 and over) who
were immunized
with Flu vaccine
each flu season.


39.5%

GOAL: 20.2%


PREVENTATIVE CARE




CHRONIC DISEASE MANAGEMENT




WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION



Patient Satisfaction
& Experience Survey results

95

**MEAN
SCORE**

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age of 2)
who were
fully immunized

46.2%

GOAL: 23.9%

% of patients
(turning the age of 13)
who received Tdap,
HPV, and
meningococcal

62.9%


GOAL: 34.1%

% of patients
(18 and over) who
were immunized
with Flu vaccine
each flu season.


46.0%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients
ages 16-24 who are
sexually active
have a chlamydia
screening every
12 months



% of female
patients ages 21-64
have a pap test
every 3 years
Ages 30-64
have a pap test with
HPV (co-test)
every 5 years



% of female patients
ages 50-74 have a
mammogram in the
last 2 years

PATIENT SATISFACTION




Patient Satisfaction
& Experience Survey results


98.1

**MEAN
SCORE**

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age of 2)
who were
fully immunized

34.5%

GOAL: 23.9%

% of patients
(turning the age of 13)
who received Tdap,
HPV, and
meningococcal

64.2%


GOAL: 34.1%

% of patients
(18 and over) who
were immunized
with Flu vaccine
each flu season.

51.6%

GOAL: 20.2%


PREVENTATIVE CARE



WOMEN'S HEALTH



% of female patients
ages 16-24 who are
sexually active
have a chlamydia
screening every
12 months



% of female
patients ages 21-64
have a pap test
every 3 years
Ages 30-64
have a pap test with
HPV (co-test)
every 5 years



% of female patients
ages 50-74 have a
mammogram in the
last 2 years

PATIENT SATISFACTION




Patient Satisfaction
& Experience Survey results

97.6

**MEAN
SCORE**

CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age of 2)
who were
fully immunized

19.4%

GOAL: 23.9%

% of patients
(turning the age of 13)
who received Tdap,
HPV, and
meningococcal

55.6%


GOAL: 34.1%

% of patients
(18 and over) who
were immunized
with Flu vaccine
each flu season.

50.7%

GOAL: 20.2%


PREVENTATIVE CARE




WOMEN'S HEALTH



% of female patients
ages 16-24 who are
sexually active
have a chlamydia
screening every
12 months



% of female
patients ages 21-64
have a pap test
every 3 years
Ages 30-64
have a pap test with
HPV (co-test)
every 5 years



% of female patients
ages 50-74 have a
mammogram in the
last 2 years

PATIENT SATISFACTION




Patient Satisfaction
& Experience Survey results

98.1

**MEAN
SCORE**

CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age of 2)
who were
fully immunized

23.7%

GOAL: 23.9%

% of patients
(turning the age of 13)
who received Tdap,
HPV, and
meningococcal

59.2%


GOAL: 34.1%

% of patients
(18 and over) who
were immunized
with Flu vaccine
each flu season.


54.9%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients
ages 16-24 who are
sexually active
have a chlamydia
screening every
12 months



% of female
patients ages 21-64
have a pap test
every 3 years
Ages 30-64
have a pap test with
HPV (co-test)
every 5 years



% of female patients
ages 50-74 have a
mammogram in the
last 2 years

PATIENT SATISFACTION




Patient Satisfaction
& Experience Survey results


92.7

**MEAN
SCORE**

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age of 2)
who were
fully immunized

N/A

GOAL: 23.9%

% of patients
(turning the age of 13)
who received Tdap,
HPV, and
meningococcal

N/A


GOAL: 34.1%

% of patients
(18 and over) who
were immunized
with Flu vaccine
each flu season.

52.5%

GOAL: 20.2%

PREVENTATIVE CARE



% of patients ages 18+ who had a medical visit in the last 1 year

82.3%

GOAL: 78.1%

% patients ages 12 and older who were screened for depression
and if positive, had a follow-up plan documented since Jan 1st

97.5%

GOAL: 71.2%

% of patients ages 15 to 65 will be screened for HIV at least once

85.9%

GOAL: 72.0%

% of patients who received one or more screenings for colorectal cancer

62.8%

GOAL: 41.4%

CHRONIC DISEASE MANAGEMENT

% of patients ages 18-75
w/DM dx, who had a
HbA1c Test completed
in the last year

96.2%

GOAL: 89.0%

% of patients ages 18-75,
w/DM dx, whose HbA1c < 9%
at the time of the last reading
in the last year

73.2%

GOAL: 60.6%

% of patients ages 18-75
w/DM who received a
retinal eye exam
in the last 1 year

50.0%

GOAL: 56.4%

71.9%

GOAL: 50.0%

% of pts ages 18-75 w/DM
who received a foot exam
in the last 1 year

% of patients ages 18-75 w/DM
who received nephropathy
screening or monitoring test
done during the last 1 year

84.6%

GOAL: 56.0%

% of patients ages 18-85
w/HTN whose last blood
pressure (BP) is <140/90 in
the last 1 year

69.7%

GOAL: 67.9%

% of patients with a diagnosis of CVD
or at risk for CVD, taking a statin
medication to reduce their cholesterol
and risk of heart attack and stroke

97.2%

GOAL: 81.6%

% of patients with a diagnosis of
(IVD) or a risk of IVD take aspirin or
an antiplatelet medication to lower
their risk of heart attack or stroke

83.8%


GOAL: 83.0%

WOMEN'S HEALTH




100%
GOAL: 56.3%

% of female patients
ages 16-24 who are
sexually active
have a chlamydia
screening every
12 months



77.2%
GOAL: 52.3%

% of female
patients ages 21-64
have a pap test
every 3 years
Ages 30-64
have a pap test with
HPV (co-test)
every 5 years



60.9%
GOAL: 55.9%

% of female patients
ages 50-74 have a
mammogram in the
last 2 years

PATIENT SATISFACTION



Patient Satisfaction
& Experience Survey results

98.7

**MEAN
SCORE**

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age of 2)
who were
fully immunized

46.8%

GOAL: 23.9%

% of patients
(turning the age of 13)
who received
Tdap, HPV, and
meningococcal

57.3%

GOAL: 34.1%


% of patients
(18 and over) who were
immunized with Flu
vaccine each
flu season.

50.0%

GOAL: 20.2%

WOMEN'S HEALTH

% of female patients
ages 16-24 who are
sexually active have a
chlamydia screening
every 12 months




CHRONIC DISEASE MANAGEMENT



% of patients ages 18-85
w/HTN whose last blood
pressure (BP) is <140/90 in
the last 1 year

PREVENTATIVE CARE



% of patients ages 0-17 who had a medical visit in the last 1 year

58.1%

GOAL 78.1%

% of patients ages 18+ who had a medical visit in the last 1 year

50.0%

GOAL 78.1%

% of patients who had at least one lead screening by
their second birthday

92.1%

GOAL 70.0%

% of patients ages 0 -15 months who've had one medical visit
during the last 12 months

70.9%

GOAL 63.4%

% of patients ages 15-30 months who've had one medical visit
during the last 12 months

25.9%

GOAL 72.3%

% of patients ages 3-21 who've had one medical visit
during the last 12 months

81.9%

GOAL 55.4%

% of patients ages 3-17 who had a documented BMI percentile &
counseling on nutrition or a referral for education in the last 1 year

84.5%

GOAL 73.5%

% of patients with obesity ages 3-17 who had a documented BMI percentile
& counseling on nutrition or a referral for education in the last 1 year

89.6%

GOAL 73.5%

% of patients ages 3-17 who had a documented BMI percentile &
counseling for physical activity or a referral for education in the last 1 year

82.8%

GOAL 69.7%

% patients ages 12 and older who were screened for depression
and if positive, had a follow-up plan documented since Jan 1st

77.1%

GOAL 71.2%

% of patients ages 15 to 65 will be screened for HIV at least once

77.9%

GOAL 72.0%

PATIENT SATISFACTION



Patient Satisfaction
& Experience Survey results

99.6

**MEAN
SCORE**

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age of 2)
who were
fully immunized

N/A

GOAL: 23.9%

% of patients
(turning the age of 13)
who received Tdap,
HPV, and
meningococcal

50.0%


GOAL: 34.1%

% of patients
(18 and over) who
were immunized
with Flu vaccine
each flu season.


78.1%

GOAL: 20.2%


WOMEN'S HEALTH



% of female patients
ages 16-24 who are
sexually active
have a chlamydia
screening every
12 months



% of female
patients ages 21-64
have a pap test
every 3 years
Ages 30-64
have a pap test with
HPV (co-test)
every 5 years



% of female patients
ages 50-74 have a
mammogram in the
last 2 years

PATIENT SATISFACTION



Patient Satisfaction
& Experience Survey results

99.1

**MEAN
SCORE**

PREVENTATIVE CARE

GOAL
78.1%

59.7%

% of patients ages 0-17 who had a medical
visit in the last 1 year

% of patients ages 18+ who had
a medical visit in the last 1 year

68.7%

GOAL
78.1%

GOAL
70.0%

N/A

% of patients who had at least one
lead screening by their second birthday

% of patients ages 0-15 months who
had a well child in the last 1 year

N/A

GOAL
63.4%

GOAL
72.3%

N/A

% of patients ages 15-30 months who
had a well child in the last 1 year

% of patients ages 3-21 who had a
well child in the last 1 year

74.3%

GOAL
55.4%

GOAL
73.5%

83.8%

% of patients ages 3-17 who had a
documented BMI percentile & counseling
on nutrition or a referral for education
in the last 1 year

% of patients with obesity ages 3-17 who had a
documented BMI percentile & counseling
on nutrition or a referral for education in the last 1 year

100.0%

GOAL
73.5%

GOAL
69.7%

81.1%

% of patients ages 3-17 who had a documented
BMI percentile & counseling for physical activity
or a referral for education in the last 1 year

% patients ages 12 and older who were
screened for depression and if positive, had a
follow-up plan documented since Jan 1st

77.0%

GOAL
71.2%

GOAL
72.0%

93.2%

% of patients ages 15 to 65 will be
screened for HIV at least once

% of patients who received one or more
screenings for colorectal cancer

56.7%

GOAL
41.4%

CHRONIC DISEASE MANAGEMENT

% of patients ages 18-75
w/DM dx, who had a
HbA1c Test completed
in the last year

94.4%

GOAL:
89.0%

% of patients ages 18-75,
w/DM dx, whose HbA1c < 9%
at the time of the last reading
in the last year

% of patients ages 18-75
w/DM who received a
retinal eye exam
in the last 1 year

69.0%

GOAL:
60.6%

61.2%

GOAL:
56.4%

% of pts ages 18-75 w/DM
who received a foot exam
in the last 1 year

% of patients ages 18-75 w/DM
who received nephropathy
screening or monitoring test
done during the last 1 year

77.4%

GOAL:
50.0%

76.6%

GOAL:
56.0%

% of patients ages 18-85
w/HTN whose last blood
pressure (BP) is <140/90 in
the last 1 year

% of patients with a diagnosis of CVD
or at risk for CVD, taking a statin
medication to reduce their cholesterol
and risk of heart attack and stroke

73.1%

GOAL:
67.9%

96.9%

GOAL:
81.6%

% of patients with a diagnosis of
(IVD) or a risk of IVD take aspirin or
an antiplatelet medication to lower
their risk of heart attack or stroke

90.0%

GOAL:
83.0%

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age of 2)
who were
fully immunized

28.3%

GOAL: 23.9%

% of patients
(turning the age of 13)
who received Tdap,
HPV, and
meningococcal

36.1%

GOAL: 34.1%

% of patients
(18 and over) who
were immunized
with Flu vaccine
each flu season.

55.0%

GOAL: 20.2%

PREVENTATIVE CARE



GOAL
78.1%

56.6%

% of patients ages 0-17 who had a medical visit in the last 1 year

% of patients ages 18+ who had a medical visit in the last 1 year

59.9%

GOAL
78.1%

GOAL
70.0%

80.4%

% of patients who had at least one lead screening by their second birthday

% of patients ages 0-15 months who had a well child in the last 1 year

68.4%

GOAL
63.4%

GOAL
72.3%

22.2%

% of patients ages 15-30 months who had a well child in the last 1 year

% of patients ages 3-21 who had a well child in the last 1 year

58.3%

GOAL
55.4%

GOAL
73.5%

77.4%

% of patients ages 3-17 who had a documented BMI percentile & counseling on nutrition or a referral for education in the last 1 year

% of patients with obesity ages 3-17 who had a documented BMI percentile & counseling on nutrition or a referral for education in the last 1 year

80.7%

GOAL
73.5%

GOAL
69.7%

72.8%

% of patients ages 3-17 who had a documented BMI percentile & counseling for physical activity or a referral for education in the last 1 year

% patients ages 12 and older who were screened for depression and if positive, had a follow-up plan documented since Jan 1st

66.7%

GOAL
71.2%

GOAL
72.0%

83.3%

% of patients ages 15 to 65 will be screened for HIV at least once

% of patients who received one or more screenings for colorectal cancer

66.8%

GOAL
41.4%

CHRONIC DISEASE MANAGEMENT

% of patients ages 18-75 w/DM dx, who had a HbA1c Test completed in the last year

91.8%

GOAL:
89.0%

% of patients ages 18-75, w/DM dx, whose HbA1c < 9% at the time of the last reading in the last year

70.6%

GOAL:
60.6%

% of patients ages 18-75 w/DM who received a retinal eye exam in the last 1 year

17.8%

GOAL:
56.4%

% of pts ages 18-75 w/DM who received a foot exam in the last 1 year

58.3%

GOAL:
50.0%

% of patients ages 18-75 w/DM who received nephropathy screening or monitoring test done during the last 1 year

56.1%

GOAL:
56.0%

% of patients ages 18-85 w/HTN whose last blood pressure (BP) is <140/90 in the last 1 year

72.8%

GOAL:
67.9%

% of patients with a diagnosis of CVD or at risk for CVD, taking a statin medication to reduce their cholesterol and risk of heart attack and stroke

84.1%

GOAL:
81.6%

% of patients with a diagnosis of (IVD) or a risk of IVD take aspirin or an antiplatelet medication to lower their risk of heart attack or stroke

85.7%

GOAL:
83.0%

PATIENT SATISFACTION



Patient Satisfaction
& Experience Survey results

96.4

**MEAN
SCORE**

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age of 2)
who were
fully immunized

57.1%

GOAL: 23.9%

% of patients
(turning the age of 13)
who received Tdap,
HPV, and
meningococcal

86.7%


GOAL: 34.1%

% of patients
(18 and over) who
were immunized
with Flu vaccine
each flu season.


42.4%

GOAL: 20.2%


PREVENTATIVE CARE




CHRONIC DISEASE MANAGEMENT




WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

PATIENT SATISFACTION



Patient Satisfaction
& Experience Survey results

98.7

**MEAN
SCORE**