

A man wearing a Seago Active 450 life vest and sunglasses is steering a boat. The background shows a marina with other boats. The entire image has a blue tint.

seago®

Equip for *adventure*

MARINE PRODUCTS

FULL RANGE CATALOGUE



With *spirit*

Without risk there is no adventure.
But the best equipment minimises risk
while expanding horizons.

*This spirit lives in everything we do,
design, make and maintain.*

Our aim is to equip you as we would a friend,
as many of our customers are, with what you
need to be safe, in pursuit of your adventure.
We seek the best of life — the near and

nurtured coupled with the unknown
and the horizon-expanding.

We are our customers' companion in this
adventure. Mutual safety is our first priority.

*Our equipment is meticulously designed and
crafted to push the boundaries of sea safety
- to go further, reach higher - and allow our
customers to do the same.*

Equipped for *adventure*
Founded on *friendships*



Lifejackets

6

And accessories. Featuring our full range + Servicing on page 15



Life rafts

20

And accessories. ISO certified range + Servicing on page 32



Recovery / Flares

34

Including our new range of flares



Fire extinguishers

38

Including SOLAS and MED approved



Tenders

40

Wide selection — recently extended



Kayaks

50

Robust inflatable kayaks



Fenders

52

New colour ways



Wire & chain

60

Our new extended range



Accessories

62

General accessories including bags

New




new

Compact Heavy Duty Dinghy Wheels

Low profile stainless steel removable dinghy wheels
with pneumatic tyres
Page 48

New



new

MOB Rescue Hoist

A great way to get a man overboard back on the
vessel. Compact, easy deployment & highly visible
Page 37



*“Never fear quarrels,
but seek hazardous
adventures.”*

Alexandre Dumas, The Three Musketeers

A new dimension in
Lifejackets

innovation as standard

Three ways we redesigned the lifejacket

Recently we had a rethink. We focused our thoughts on what it means to work, to create and sell products. We challenged ourselves to understand why we do this, why

our founders did it, and why we continue passionately today. The simple answer is **friendships and adventure** - and we now understand this as the **Seago Spirit**.

This process helped us to redesign our core product, the life jacket, as a reflection of our true values. Here are three of the leading features which illustrate our rethink and new course.



Buckles

Every lifejacket in the Seago range has been rethought to be safer, more comfortable and more convenient. Buckles are used at least twice every wear. We set out to make this experience virtually effortless in all conditions. The **Rapid Buckle** on the new 3Dynamic is 5X faster during in-house testing. On the Active range new Easy Fit & Release design dramatically speeds up the same process.



3Dynamic



Active Pro



Cylinder safe

We set out to address one shocking fact about lifejacket cylinders: CO² cylinders can loosen when lifejackets are worn. Less than 100% secure cylinders can mean your lifejacket

may not inflate putting your life in danger. For us, that's a problem you simply can't leave unaddressed. Fitted as standard to every lifejacket in our range is **Cylinder Safe**, a unique innovation

which greatly reduces cylinder loosening.



S-lung

Excellent turn speed



Excellent buoyancy



S-Design Lung technology



Recovery assist



The **S Design lung** is about one thing only: increased safety in the water to prolong survival. A standard lung shape on traditional lifejackets allows water to flow along the centre channel towards the face adding to the risk of secondary drowning. This seems counter-intuitive to us, especially because adrenaline can cause users to breathe quickly. We invented the S Design lung to guide wash away from the wearer's mouth.

Seago's unique S Design lung also includes these features:



Unique wash redirection S Design

Oral tube

Light and whistle



SOLAS reflective tape

Cylinder Safe



3Dynamic

Part numbers		
3D	190	Pro
3D	300	Pro

Models (with harness)	Pro Elite		
Buoyancy (n)	190		
	300		
ISO	12402-3		
	12402-2		
Rearming			
Part number			Kit no
PERK	38	Auto	15
PERK	60	Auto	16



 Black / Carbon (190n)



 Carbon / Black (300n)

3Dynamic

Seago's completely redesigned flagship lifejacket. Our design team have combined a range of new features in one lifejacket that ensures elite performance and safety, together with maximum comfort.

The **3Dynamic** incorporates innovative design and technology advances, bringing to the world's sailing community the Rapid Buckle, Cylinder Safe and S Design lung together with LED multi flash light, spray hood and pocket for your knife. This means everything customers (pro and enthusiast) tell us they need is close at hand. The team is incredibly proud of the advanced design features which make the 3Dynamic a market forerunner.

Full specification on charts at end of section



Rapid release (1)
Fast on and off



Superior buoyancy
As standard



Splash defence (2)
S Design lung and spray hood standard



Cylinder Safe
Secures cylinder



Water resistant pocket (3)
Ideal for knife/PLB



SOS Light (4)
Water activated



3D contour fit
Complete freedom of movement



Burst zip
Improves speed of inflation



Status window (5)
Instantly check jacket status



Double crutch strap
Fitted as standard

Active PRO

Part numbers		
AC	190	PS

Models (with harness)	Pro Elite		
Buoyancy (n)	190		
ISO	12402-3		
Rearming			
Part number			Kit no
PERK	38	Auto	15



 Sky blue



 Navy



 Red

Active Pro

For those looking for the complete lifejacket package the **Active Pro** is all that you need. The Active Pro has all the usual Seago safety features of the standard Active model but with the addition of some key features such as integrated spray hood and SOLAS LED light.

The UM Pro elite firing system with a clear view status window to give you the reassurance that your lifejacket is always ready for use.

Full specification on charts at end of section



Cylinder Safe
Secures cylinder



Easy fit & release
Simplified donning



Superior buoyancy
As standard



Splash defence (1)
S Design lung and spray hood standard



Double crutch strap
Fitted as standard



SOS Light (2)
Water activated



3D contour fit
Complete freedom of movement



Burst zip
Improves speed of inflation



Status window (3)
Instantly check jacket status

Active 190



Sky blue



Navy



Red

Part numbers		
AC	190	M
AC	190	A
AC	190	AH

Models	Automatic		
	Automatic + harness		
	Manual		
Buoyancy (n)	190		
ISO	12402-3		
Rearming			
Part number			Kit no
ARK	38	Auto	7
MRK	38	Man	6

Active 190

The new range of **Active** lifejackets from Seago have been designed to combine maximum comfort with outstanding performance. You won't know you're wearing it until it's needed.

High volume buoyancy together with unique safety features make this jacket the first choice for those with safety and convenience in mind. The introduction of Cylinder Safe and S Design lung features demonstrate Seago's ongoing investment in safety innovation. The 3D contour design reduces the surface area in contact with your body offering unparalleled freedom of movement for both men and women.



Cylinder Safe
Secures cylinder



Double crutch strap
Fitted as standard



Superior buoyancy
As standard



Burst zip
Improves speed of inflation



3D contour fit
Complete freedom of movement



Firing options
Hammar or MK5

Full specification on charts at end of section

Active 300



Navy

Part numbers		
AC	300	AH

Model	Automatic + harness		
Buoyancy (n)	300		
ISO	12402-2		
Rearming			
Part number			Kit no
ARK	60	Auto	11

Active 300

The new range of **Active** lifejackets from Seago have been designed to combine maximum comfort with outstanding performance. You won't know you're wearing it until it's needed.

High volume buoyancy together with unique safety features make this jacket the first choice for those with safety and convenience in mind. The introduction of Cylinder Safe and S Design lung features demonstrate Seago's ongoing investment in safety innovation. The 3D contour design reduces the surface area in contact with your body offering unparalleled freedom of movement for both men and women.



Cylinder Safe
Secures cylinder



Double crutch strap
Fitted as standard



Easy fit & release (1)
Simplified donning



Burst zip
Improves speed of inflation




Superior buoyancy
As standard



Firing options
Hammar or MK5



3D contour fit
Complete freedom of movement



Maximum comfort (2)
Super soft neckline material

Full specification on charts at end of section

WAVEGUARD JUNIOR-150



Red

Part numbers			
WG	100	J	

Models	Pro sensor + harness		
Buoyancy (n)	100		
ISO	12402-3		
Rearming			
Part number			Kit no
PERK	24	Auto	17

Waveguard Junior

The new Seago **Waveguard Junior** lifejacket is a revelation in design, comfort and safety, incorporating the S Design lung and easy fit buckle as well as upgraded material.

The pro-sensor firing mechanism with viewing window as standard ensures you can visibly assess the status of your child's lifejacket. This, together with the cylinder safe fitted as standard, illustrates safety as Seago's first priority.

The lifejacket design features a neoprene collar to maximise comfort, with a high visibility lifejacket colour to ensure additional safety.

Full specification on charts at end of section



Status window (1)
Parent/trainer instant check



Easy fit & release
Simple for young and old



Maximum comfort (2)
Super soft neckline material



Lightweight D-ring
Secure junior to the craft easily



Cylinder Safe
Secures cylinder



Buoyancy
ISO 12402-3 approved and surpassed



S Design Lung
Protection from sea wash



Double crutch strap
Fitted as standard



Retro fit capability
For life jacket light



Pro elite firing (3)
Automatic with status indicator

SEAGUARD



Models & colours	Automatic	Manual	Auto/Harness
Grey/black	✓	✓	✓
Green	✓	✓	
Blue	✓	✓	✓

Buoyancy (n)		165	
ISO		12402-3	
Rearming			
Part number		Kit no	
ARK	33	Auto	4
MRK	33	Man	3

Seaguard 165

The versatile **Seaguard 165** is an updated design of a popular lifejacket model that Seago has been selling for more than a decade.

The comfortable contoured neck design and its light weight combine to make this lifejacket one of the most preferred entry level models.

Full specification on charts at end of section

The abrasion resistant cover, together with a newly designed buckle and lightweight D-ring makes the Seaguard 165 an all round lifejacket.

- Semi integrated lung
- Contoured neck design
- Lightweight
- New colourways
- Wipe clean model



new

Wipe clean



Orange



Navy



Red



Grey/black

Sea Bright - Lifeflight light

The Seago Sea Bright lifeflight light is extreme compact with no cable and includes a bracket for easy attachment to a lifeflight oral tube. Automatically activates on contact with water with the ability to switch off in daylight.

- SOLAS and USG approved
- Test facility
- Easy attachment to any lifeflight
- Flashes 50-70 times per minute
- Alkaline battery
- 5 Year battery

new

Part number
SEA-BRIGHT



Spray hood

The Seago spray hood is the second line of defence to a person in the water wearing a lifeflight. The high visibility hood is deployed from the rear of a lifeflight (when fitted) so it can be quickly pulled over the head and attached to the underside of the lifeflight lung. The spray hood is compact and will not add bulk to the neck of your lifeflight

- Enhances lifeflight value
- Retro-fits on most lifeflights
- Protects from secondary drowning
- Simple to deploy in the water
- High visibility yellow

Part number
S— HOOD



Safety lines

All Seago safety lines are ISO certified and conforms to latest PPE regulation (EU) 2016/425, EN ISO 12401 :2009 requirements.

We have colour coded these to make choosing the right line easy. All Seago safety lines have the following features:

- Seago safety lines have high visibility overload indicators as standard
- High performance narrow gauge lightweight safety line webbing
- UV protected and low water absorption
- Marine grade stainless steel 316 suitable for harsh environments
- Mesh bag to help store, keep dry and protect your product

1HCH	1 Safety hook with cow hitch standard webbing
1HECH	1 Safety hook with cow hitch elasticated webbing
2H	2 Safety hooks with standard webbing
2HE	2 Safety hooks with elasticated webbing
2HECH	2 Safety hooks with cow hitch elasticated webbing
3HE	3 Safety hooks with elasticated webbing



1HCH



1HECH



2H




2HE



2HECH



3HE



seago® Lifeflight SERVICING

Seago can service: SEAGO • SPINLOCK • BALTIC branded lifeflights at our fully equipped service centre by our highly qualified service technicians.

See our fixed prices now: seagogroup.com/leisure/service-detail



	<i>Dynamic</i>		<i>Active</i> <i>PRO</i>			<i>WAVEGUARD</i> <small>JUNIOR-150</small>	
Part number (colour letter goes at end)	3D-190-PRO	3D-300-PRO	AC-190-PS			WG-100-J	
	CB	BC	R	B	N	R	
Model	3D	3D	190 pro			Jnr	
Firing Head	Pro Sensor	Pro Sensor	Pro Sensor			Pro Sensor	
Buoyancy (N)	190	300	190			100	
Harness							
Lung design	Stype	Stype	Stype			Stype	
Neoprene collar							
Cylinder Safe							
Double Crutch Strap							
Water Resistant Pocket							
Spray Hood							
Light						Retro fit	
Add PLB?							
Burst Mechanism	ZIP	ZIP	ZIP			Velcro	
Rearming Kit Number	8	12	8			2	
Weight (kg)	40+	40+	40+			20-50	
Chest (cm)	55-140	55-140	55-140			55-140	
Whistle							


	<i>Active</i>										<i>SEAGUARD</i>		
Part number (colour letter goes at end)	AC-190-M			AC-190-A			AC-190-AH			AC-300-AH	SG-165-M	SG-165-A	SG-165-AH
	R	B	N	R	B	N	R	B	N	N	CB/N/G	CB/N/G	CB/N
Model	190			190			190			300	165	165	165
Firing Head	Manual			MK5 Auto			MK5 Auto			MK5 Auto	Man	Man/Auto	Man/Auto
Buoyancy (N)	190			190			190			300	165	165	165
Harness													
Lung design	Stype			Stype			Stype			Stype	Semi Integrated	Semi Integrated	Semi Integrated
Neoprene collar													
Cylinder Safe													
Double Crutch Strap													
Water Resistant Pocket													
Spray Hood	Retro fit			Retro fit			Retro fit			Retro fit	Retro fit	Retro fit	Retro fit
Light	Retro fit			Retro fit			Retro fit			Retro fit	Retro fit	Retro fit	Retro fit
Add PLB?													
Burst Mechanism	ZIP			ZIP			ZIP			ZIP	Velcro	Velcro	Velcro
Rearming Kit Number	6			7			7			11	3	4	4
Weight (kg)	40+			40+			40+			40+	40+	40+	40+
Chest (cm)	55-140			55-140			55-140			55-140	55-140	55-140	55-140
Whistle													



Register your lifejacket at seagogroup.com to activate our unique **warranty and servicing schedule** - essential for lifejacket maintenance.



Register your lifejacket at seagogroup.com to activate our unique **warranty and servicing schedule** - essential for lifejacket maintenance.



*“He who lets the sea
hull him into a sense of
security is in very grave
danger.”*

Hammond Ines, Novelist



Life rafts
Recovery & Fire extinguishers



STORAGE

Easily attach externally for maximum safety*



INFLATES

Safely and in seconds



PLATFORM

For easy boarding via a ladder*



BALLAST

Pockets fill fast for stability in harsh conditions



THERMAL

Floor offers protection in cold seas



STROBE LIGHT

And porthole for flare deployment



1. Deployment

FLEXIBLE: From the vessel or water when necessary

*Internal storage option also available

2. Boarding

FAST: In cold water seconds can be lifesaving

*ISO 1 version shown above includes boarding ramp, ISO 1 & 2 have ladder

3. Rescue

ENDURING: Staying warm and raising alarm

innovation as standard

Rethinking the life raft, step-by-step

At Seago in the last few years we've been taking a step back; looking at each of our core products with fresh eyes. Our mission is to deliver an ever improving brand of sea safety we would wish for a friend, as many of our customers are. With life rafts we started with a blank page. Every element has been challenged and, where possible, refined to create the most compact and yet safest life rafts we have ever produced. They will deploy, help you out of the water and assist rescue aiming to save absolutely crucial seconds at every step.

Cold water survival chart

Water Temperature (Fahrenheit)	Exhaustion or Unconsciousness (minutes / hours)	Expected Time of Survival (minutes / hours)
32.5	Under 15m	Under 15-45m
32.5 - 40	15-30m	30-90m
40 - 50	30 to 60m	1 to 3h
50 - 60	1 to 2h	1 to 6h
60 - 70	2 to 7h	2 to 4h
70 - 80	2 to 12h	3h to indefinite
Over 80	Indefinite	Indefinite

ISO 9650-1

sea Master-Plus

For ocean & charter

The SeaMaster Plus conforms to the latest ISO9650-1 TYPE 1 standard and is the perfect partner for offshore sailing on recreational or coded craft. Designed and refined over many years in partnership with professionals.

We have worked with users from a variety of backgrounds to design and vigorously test this raft, which, as a result, has become one of the flagship Seago products.

For a brand which has built its reputation on giving a close knit community of sailors what they need to remain safe in pursuit of adventures big and small, the SeaMaster Plus truly embodies the Seago Spirit.



Internal & external lights

Flashing exterior light draws attention



Inflates in seconds

Minimising exposure, improving odds



NEW ISO Safety Pack as standard

Includes water and Thermal protective aids
See end of section for details



Hand-over-hand grab lines

Aiding fast boarding



Durable Seago rubber chambers

We believe the safest and strongest material in life raft design



Over pressure valve


Preventing over inflation

Full spec at end of section



Easy boarding

When boarding from the water every second really is essential. Body temperature and survival chances will decrease fast in cold conditions. Seago's inflatable step makes it easier and faster.



Independent chambers

The rubber used to make the life raft chambers is exceptionally strong, but in the unlikely event one chamber is punctured the other will remain inflated and support a raft filled to capacity.



Fresh water collection system

Drinking water is one of the main necessities of survival. This collection system ensures that rain is not wasted but captured and retained



Thermal layer

Once safely inside the raft the Seago thermal layer will offer occupants essential protection from icy seas. The layer keeps body heat inside the life raft while reducing the cooling impact of the water temperature, day and night.



Ballast pockets

The raft is equipped with 4 x 55L ballast pockets that are crucial in stabilising the raft and help prevent the raft from overturning in challenging sea conditions.



APPROVED
MMF NUMBER



TYPE: ISO 9650-1 TYPE 1 Pack 2

Packed	Part no.	Capacity (Person)	L(mm)	W(mm)	H(mm)	Weight (kg)
Canister	4C-MASTER-PLUS	4	730	490	280	40
	6C-MASTER-PLUS	6	750	510	320	46
	8C-MASTER-PLUS	8	750	510	320	53
	10C-MASTER-PLUS	10	780	530	350	62
	12C-MASTER-PLUS	12	830	560	380	66
	14C-MASTER-PLUS	14	880	600	400	75
Valise	4V-MASTER-PLUS	4	600	280	400	36
	6V-MASTER-PLUS	6	700	270	400	42
	8V-MASTER-PLUS	8	700	290	450	48
	10V-MASTER-PLUS	10	700	280	500	54

NOTE: Valise dimensions are approximate and can vary due to vacuum forming.



STORAGE: Valise or canister and cradle available - see accessories page 29

ISO 9650-1

sea

Cruiser - Plus

For coast & cruising

The all new Sea Cruiser Plus liferaft is certified to the latest ISO 96501-1. Specification not only complies with ISO9650-1 TYPE 2 but surpasses its requirements in certain critical areas.

As part of our continuing design review we have identified the importance of a thermally insulated floor to prevent hypothermia, even when used in coastal conditions.

Therefore all Sea Cruiser Plus liferafts have a thermally insulated floor, this surpasses the basic requirements of the ISO 9650-1 TYPE 2 that does not specify one.



Independent chambers

Stays afloat with puncture in one chamber



Inflates in seconds

Minimising exposure, improving odds



ISO Safety Pack as standard

Includes 2 parachute rockets
See p30 for details



Hand-over-hand grab lines

Aiding fast boarding



Durable Seago rubber chambers

We believe to be the safest and strongest material



Over pressure valve


Preventing over inflation

Full spec at end of section



Ladder boarding

When boarding from the water every second really is essential. Body temperature and survival chances can drop rapidly in colder conditions. This new boarding ramp and ladder makes it easier and faster.



Internal & external light

A powerful external flashing light can be seen for miles in good conditions, maximising the chance of rescue, while the internal light helps to maintain essential night time visibility.



Fresh water collection system

Drinking water is one of the main necessities of survival. This collection system ensures that rain is not wasted but captured and retained



Thermal layer

Once safely inside the raft the Seago thermal layer will offer occupants essential protection from icy seas. The layer keeps body heat inside the life raft while reducing the cooling impact of the water temperature, day and night.



Ballast pockets

The raft is equipped with 4 x 55L ballast pockets that are crucial in stabilising the raft and help prevent the raft from overturning in challenging sea conditions.



APPROVED
MMF NUMBER



TYPE: ISO 9650-1 TYPE 2 Pack 2

Packed	Part no.	Capacity (Person)	L(mm)	W(mm)	H(mm)	Weight(kg)
Canister	4C-CRUISER-PLUS	4	680	430	260	35
	6C-CRUISER-PLUS	6	730	490	280	40
	8C-CRUISER-PLUS	8	750	510	320	43
	10C-CRUISER-PLUS	10	780	530	350	49
Valise	4V-CRUISER-PLUS	4	600	280	400	30
	6V-CRUISER-PLUS	6	700	270	400	35
	8V-CRUISER-PLUS	8	700	290	400	37
	10V-CRUISER-PLUS	10	700	280	500	41

NOTE: Valise dimensions are approximate and can vary due to vacuum forming.

STORAGE: Valise or canister and cradle available - see accessories page 29

Safety packs

The Seago safety pack and the life raft conforms to the **ISO-9650** requirements.

The safety pack can easily be upgraded to meet the requirements of a >24hr Pack or SOLAS B Pack. **All the items listed adjacent in PACK 2 are standard in Seago life rafts**, the most comprehensive life raft on the market. Approved by Bureau Vertias and RINA.



- = Qty in Safety Pack 2
- = Additional to Safety Pack 2



Staydry 50l
dry bag

All items in 24h Pack or SOLAS B pack if not included within the liferaft will come in a Staydry 50l bag



	 Cruiser-Plus	 Master-Plus		
	Safety Pack 2	Safety Pack 2	+ 24h Pack	SOLAS B Pack
Parachute rockets	• •	• •		
Buoyant bailer	•	•		
Sponge	• •	• •		
Whistle	•	•		
Day light signalling mirror	•	•		
Sea sickness bag per person	•	•		
Illustration of survival signals	•	•		
Hand pump	•	•		
Repair kit	•	•		
Operation manual	•	•		
Paddles	• •	• •		
Rescue quoit	•	•		
Knife	•	•		
Sea sickness patches per person	• • • • •	• • • • •		
Wet note book	•	•		
Red hand flares	• • •	• • •	• • •	
Torch (inc spare batteries / bulb)	•	•	•	
Sea anchor	•	•		•
First aid kit			•	•
Thermal protective aid		• •	• •	• •
10,000 K/j food ration per person			•	
1.5 Litres of water per person			•	
0.5 Litres of water per person		•		
Buoyant smoke signal				•
Radar reflector				•

Life raft specification chart


	SeaMaster Plus	SeaCruiser Plus
Approval type	ISO 9650 - 1 TYPE 1	ISO 9650 - 1 TYPE 2
Lowest firing temperature	-15°C	0°C
Max capacity	12	10
Fixed Storage	✓	✓
Portable Storage	✓	✓
Boarding ramp and ladder	—	✓
Inflatable platform boarding	✓	—
Ballast pockets	✓	✓
Thermal Layer	✓	✓
Reflective Tape	✓	✓
Viewing Portal	✓	✓
Over Pressure Valves	✓	✓
Hand-over-hand grab lines	✓	✓
Righting Strop	✓	✓
Drinking Water Collection System	✓	✓
Independent Canopy	✓	✓
Independent Inflation Chambers	✓	✓
External Light (Flashing)	✓	✓
Internal Light (Static)	✓	✓
Safety Pack (ORC)	—	—
Safety Pack (ISO Pack 1)	Optional	Optional
Safety Pack (ISO Pack 2)	✓	✓
Safety Pack (Solas)	—	—
Thermal Protective Aid (x2)	✓	—
0.5 Litres of water (per person))	✓	—
Warranty (Years)	18	18
Service Intervals	3*	3*
Capacity options		
4 🧑🧑🧑🧑	•	•
6 🧑🧑🧑🧑🧑🧑	•	•
8 🧑🧑🧑🧑🧑🧑🧑🧑	•	•
10 🧑🧑🧑🧑🧑🧑🧑🧑🧑🧑	•	•
12 🧑🧑🧑🧑🧑🧑🧑🧑🧑🧑🧑🧑	•	
14 🧑🧑🧑🧑🧑🧑🧑🧑🧑🧑🧑🧑🧑🧑	•	

* After 12 years servicing should be annual.

Premium cradle

This premium product is made from high strength marine grade 316 stainless steel. The frame is fully adjustable to accept most life rafts from sizes 4 to 12 person and can be mounted on the pushpit, deck or coach roof. Adjust the mounting brackets on the frame by sliding in both horizontal and vertical directions to cater for most pushpit configurations. The life raft is securely retained by a high strength polyester webbing strap. The raft can be quickly released using the quick release buckle. Hydrostatic release mechanisms can also be fitted.

- Universal fixing mechanism
- Quick release buckle
- Adjustable rail mount
- Heavy duty 316 stainless steel
- Adjustable webbing straps
- Market leading specification
- Suitable for 4-12 man raft



The Premium liferaft cradle once fitted correctly to the boat is ready for deployment. To release the liferaft just flick the stainless steel loop on the quick release buckle (Stenhouse link) to open, allowing the liferaft to drop into the water. Follow the instructions of the liferaft to inflate.


Always connect the painter line of the liferaft to a strong point on the boat before setting sail.

Part number		W (mm)	D (mm)	H (mm)	Capacity
LRC-PREM	Cradle	680-900	260	430	4-12 Person

Premium vertical cradle

The new Premium Vertical Cradles are made from highly polished marine grade 316 stainless steel with high grade polyester webbing straps for securing the raft. These vertical cradles allows rafts from 4 person to 16 person capacity (depending on model) to be housed perfectly. The Premium Vertical Cradles will ensure any liferaft is 100% secure using pre-drilled holes for adjustment, and locking nuts and bolts to fasten the adjustable sections in place. All fittings supplied are of the highest quality precision engineering.

- Vertical or deck mount
- Quick release buckle
- Fully universal adjustment
- Heavy duty polished 316 stainless steel
- 30mm tube diameter
- Adjustable webbing straps
- Market leading specification
- Suitable for 4-8 man raft (Model VS)
- Suitable for 10-16 man raft (Model VL)



The Premium Vertical Cradle allows for multiple adjustment of the depth and width to accommodate a range of liferaft models and sizes.

Securing the liferaft in place is achieved with the simple width and depth adjustments. Using the long webbing straps to adjust the tension for the final fit.

Part number		W (mm)	D (mm)	H (mm)	Capacity
LRC-PREM VS	Cradle	490-675	375	695	4-8 Person
LRC-PREM VL	Cradle	490-675	475	695	10-16 Person

Deck straps

The Seago Liferaft Deck Strap is designed for secure and accessible liferaft mounting on the deck or coachroof of a vessel. Ideal for sailors seeking a reliable and quick-access solution, the strap system features a quick-release securing hook mechanism, allowing immediate liferaft deployment in emergency situations.

All components are manufactured from 316 marine-grade stainless steel, ensuring long-term resistance to corrosion and harsh marine environments. The strap assembly includes a quick-release link, which can be integrated with a hydrostatic release system, enabling automatic liferaft deployment if submerged.

This system provides both manual and automatic release options, enhancing safety and compliance with offshore safety standards. Its robust construction and intuitive design make it a dependable choice for liferaft stowage on a wide range of vessels.



Part number
LR DECK-STRAP

Hammar hydrostatic release

The Hammar H20 is the best-selling HRU in the world, and it has been saving lives on the oceans for more than 30 years. Its safe, reliable, and simple design has earned more worldwide approval than any other unit. The H20 needs no annual service, maintenance, or spare parts. You simply install a new unit and dispose of the old once it has reached the end of service life.

If the vessel sinks, the increasing water pressure activates the Hammar H20. It automatically releases the liferafts, EPIRBs (Emergency Position Indicating Radio Beacons), or other life-saving appliances it is connected to.

- Easy to install.
- 2-year Operational Service Life
- No servicing requirements
- SOLAS Approved
- 4-12 Person (HR-0200)
- 6-150 Person (HR-0100)



Part number
HR-0100
HR-0200

FIXED PRICE SERVICING Life raft & recovery

Seago changed the liferaft industry 20 years ago by bringing a liferaft to market 70% cheaper than the existing manufacturers. This increased the uptake of sailors having a proper liferaft onboard. We believe Seago has increased the number of lives saved at sea because of this.

We at Seago have also revolutionised the way a liferaft is serviced by introducing a fixed cost. Gone are the days of paying an inspection fee, then to be told there are additional costs for equipment to be replaced.

A Seago fixed cost liferaft service covers:

- Inspection fee
- Replacement of all consumable items
- We do not charge inspection fee if the liferaft cannot be serviced

All Seago liferaft should be serviced at Seago by Seago technicians
We can collect from anywhere in the UK and offer extremely competitive carriage charges

An unserviced raft may let you down the only time you need it. Seago prides itself on high quality servicing using experienced personnel and we only use genuine OEM parts.

To maintain the warranty of your Seago life raft the servicing schedule set out needs to be adhered to – normally every 3 years.

Maritime and
Coastguard Agency

seago®

Maritime and Coastguard Agency

A P P R O V E D

SeaGo Flares

Recovery



Parachute rocket

For night time distress signalling purposes on ship, lifeboats, life rafts and for pleasure craft. The launching tube is made of resistant plastic to ensure protection in severe marine weather conditions.

The signal is approved in conformity to the last updating of the normative: SOLAS 74/96 • MED 96/98 EC • Directive 2012|32|EU • IMO Res. MSC. 81 (70) as amended.

Part No.	PARA-ROCKET
Height (mm)	261
Width (mm)	50
Weight (g)	410
Ejection height (m)	300
Burning time (s)	40
Light intensity (cd)	30,000
Expiry	3 Year minimum



Red hand

For night - time distress signalling purposes on ships, lifeboats, life rafts and for pleasure craft. Tube is made of corrosion-resistant steel with a shockproof plastic handle.

The signal is approved in conformity to the last updating of the normative: SOLAS 74/96 • MED 96/98 EC • Directive 2013|32|EU • IMO Res. MSC. 81 (70) as amended.

Part No.	RED HAND
Height (mm)	235
Width (mm)	25
Weight (g)	200
Ejection height (m)	-
Burning time (s)	> 60
Light intensity (cd)	15,000
Expiry	3 Year minimum



Floating smoke

For daylight distress signalling purposes on ship, lifeboats, life rafts and for pleasure craft. The case is made of corrosion-resistant steel

The signal is approved in conformity to the last updating of the normative: SOLAS 74/96 • MED 96/98 EC • Directive 2012|32|EU • IMO Res. MSC. 81 (70) as amended.

Part No.	FLOATING – OR
Height (mm)	115
Width (mm)	75
Weight (g)	390
Smoke duration time (s)	180
Expiry	3 Year minimum



Orange hand smoke

A daylight smoke signal Ideal for personal use on small boats, kayaks, paddle boards and windsurfers. Shockproof plastic tube.

The signal is approved in conformity to the last updating of the normative CE: Directive 2013|29|EU

Part No.	HAND SMOKE – OR
Height (mm)	137
Diameter (mm)	42
Weight (g)	116
Ejection height (m)	-
Burning time (s)	60
Light intensity (cd)	-
Expiry	3 Year minimum



White hand

Used as a collision flare (signal of sighting) external use only.

The signal is approved in conformity to the last updating of the normative CE: Directive 2013|29|EU

Part No.	WHITE HAND
Height (mm)	235
Width (mm)	25
Weight (g)	200
Ejection height (m)	-
Burning time (s)	> 60
Light intensity (cd)	15,000
Expiry	3 Year minimum



2 Star signal

For daylight distress signalling purposes on ships, lifeboats, life rafts and for pleasure craft it's also useful for divers, windsurfers, trekking people and for any other emergency. The case is made of corrosion-resistant plastic waterproof.

The signal of a type approved by ministry of transport and navigation.

Part No.	TWO STAR
Height (mm)	148
Width (mm)	39
Weight (g)	95
Ejection height (m)	80
Burning time (s)	6
Light intensity (cd)	5,000
Expiry	3 Year minimum



Night & day

A combined day and night signal of sighting. Ideal for personal use on small boats, kayaks, paddle boards and windsurfers. Shockproof plastic tube

The signal is approved in conformity to the last updating of the normative CE: Directive 2013|29|EU

Part No.	NIGHT-DAY
Height (mm)	1385
Diameter (mm)	42
Weight (g)	200
Smoke burning time (s)	20
Flare burning time (s)	20
Light intensity (cd)	15,000
Expiry	3 Year minimum

QTY FLARES IN PACK	Inshore	Aerial	Coastal	Offshore	RORC	MCA
Parachute rocket			2	4	4	4
Red hand	2	2	2	4	4	6
Floating smoke				2	2	2
Orange hand smoke	2	2	2			
White hand					2	
2 Star signal		2				
Day & night						

Water resistant poly bottle available.

SeaGo
Flare
disposal
service

Please call
the number
below for
details.

Recovery

3 in 1 Recovery system

The Seago 3 in 1 Recovery system is a compact marker buoy with lifebuoy and recovery strop which is the perfect solution for a man overboard situation. The 3 in 1 Recovery system is the ideal replacement for a traditional foam-filled horseshoe buoy and rigid danbuoy. The 3 in 1 is weighted and has a sea anchor all packed in a neat waterproof container that fits to a pushpit with a simple clamp system provided. Simply remove the 3 in 1 from the weatherproof case and throw towards the man overboard. The 3 in 1 is inflated with a Hammar Hydrostatic mechanism.

Part number
3in1

- 1. Danbuoy
- 2. Lifebuoy
- 3. Recovery strop

- RORC Approved
- Neat compact container (mm): H300 x W250 x D130
- Robust stainless steel fittings
- Burst hinge protects container and 3 in 1
- Automatic light
- Oral top-up tube
- Rail mountable storage container
- Rapid deployment setup
- Sea drogue



Rearm using 60g Auto rearming kit

Part number	Kit no.
HAM 60	18



SB3 Danbuoy

The SB3 inflatable danbuoy is the newest version of our inflatable danbuoy range with a super stable design that ensures even in the strongest winds and roughest sea it will always return to its upright position. The new design uses a ball like base to achieve its stability. The SB3 has an automatic Hammar Hydrostatic inflation system meaning when the SB3 is thrown into the water it will inflate. The storage unit that the SB3 comes with is watertight keeping the SB3 away from the elements.

Part number
SB3

- 1. Automatic light and flag
- 2. Stable base
- 3. Weighted throw bag

- Neat compact container (mm): H300 x W250 x D130
- Robust stainless steel fittings
- Burst hinge protects container and SB3
- Automatic light
- Hammar inflation system
- Weighted ball base
- Rapid deployment
- Simple to maintain
- Reusable



Rearm using 60g Auto rearming kit

Part number	Kit no.
HAM 60	18





Rescue sling

The Seago Rescue Sling is a user-friendly man overboard recovery system, stored in a waterproof bag with emergency instructions printed externally for quick reference. It mounts securely to rails using a Velcro fastening, allowing for rapid deployment.

The sling features a large, buoyant yellow loop with reinforced webbing for added strength and durability. A simple slide-adjuster enables fast and secure fitting, ensuring effective use in urgent situations.

- 30m floating line
- Large floating sling
- Rail mountable
- Slide adjuster on belt

Part number	
FL	SLING WHITE
FL	SLING YELLOW

Throw line

Provides rapid and accessible MOB recovery. The stainless steel bracket mounts securely to rails using supplied fittings, allowing fast deployment of the weighted throw bag. Includes 30m of bright floating line for easy retrieval.

- 30m floating line
- Stainless steel holder
- Weighted throw bag

Part number	
THROW	SS



new

Throw line pro

The Seago Throw Line Pro is engineered to maximise MOB recovery efficiency. It features a high-visibility bag containing 20m of Reflector floating line, woven with a reflective strand for enhanced visibility under low-light conditions.

- 20m Reflector line
- Highly visible bag
- Floating bag
- Mounting straps

Part number	
THROW	LP



Stainless steel holder optional extra

Compact rigid danbuoy

The new compact telescopic Danbuoy is only 1.4m when not extended making this the most compact rigid marker buoy on the market. The danbuoy complies with RORC and ISAF racing regulations (when extended). Complete with high visibility red and yellow OSCAR man overboard flag and 5 metres of floating yellow safety line. High visibility LED, with multi flash function, test facility and minimum 8hrs run time. Built in weight ballast to keep it upright and a very durable PVC flotation device. Stainless Steel Holder (pushpit mountable) for telescopic Dan-buoy available.

- Telescopic (1.4m when stowed)
- RORC and ISAF compliant
- Durable, inflatable float
- Concealed ballast weight
- Bright yellow to attract attention
- High strength fibreglass construction
- Replaceable light
- Five meter floating line included
- Spare light and flag also available

Part number	
ODB	2

Part number	
ODB	H

new




Extremely stable in use



3 Mast system

Compact 1.4m



Stainless steel holder optional


Horseshoe lifebuoy set

A traditional horseshoe lifebuoy foam filled with wipe clean cover. The horseshoe is available on its own or with a SOLAS approved LED light with lithium battery and mounting bracket.

This is the perfect set with highly effective automatic light system. Available in 2 colours.

- Horseshoe lifebuoy
- Automatic SOLAS LED light with lithium battery
- Aluminium mounting bracket
- White or yellow options

Part number	
HS	LB-SET-W
HS	LB-SET-Y
HS	LB-W
HS	LB-Y
HS	LB-LIGHT
HS	LB-DROGUE
HS	LB-BRACKET



MOB Rescue hoist

MOB Rescue Hoist – Fast, Visible, Life-Saving Recovery
Be ready when seconds count. The MOB Rescue Hoist is your ultimate man overboard recovery solution engineered for speed, visibility, and versatility.

Whether the person overboard is able to climb or needs assistance, this system delivers. In moments of crisis, it transforms into a sling hoist using a halyard attachment, making recovery possible even if the individual is incapacitated.

Pre-positioned before departure, the hoist is instantly deployable with minimal effort, because when lives are on the line, there's no time to waste.

Crafted from neon yellow water-resistant polyester and enhanced with reflective tape strips, the MOB Rescue Hoist ensures maximum visibility day or night, even in rough conditions.

All of this comes neatly packed in a sleek, compact zip-access bag ready to go when you are.

- Material: Polyester, tested according to EN 471
- Light weight, high tensile strength
- Carrying capacity: 160 kg
- Retro-reflective stripes in the visible zone
- Integrated steps
- Integrated holding straps
- Protective hold all bag 60cm x 23cm x 17cm

Dimension: 200cm x 300cm x 300cm
Colour: Bright yellow
Weight: 5,4 kg

Part number	
MOB-HOIST	

new



Clean agent extinguishers

Used to protect machinery/plant and where there is a risk of fire such as in boat/vehicle engine compartments. Ideal for use in sensitive locations and are a suitable option to protect high-value assets such as precious items storage, computing technology and telecommunications facilities. The unit required is determined by the gross volume of that compartment. Only one unit should be installed in any one compartment and should provide the total protection required for that compartment. The compartment should have no unnecessary ventilation that would allow needless loss of suppressant.



Flammable liquids



Flammable gases



1kg Clean agent

Part No.	1KG-AUTO-CLEAN
Fire rating	B C
Height	330 mm
Capacity	1 Kg
Cylinder diameter	95 mm inc. bracket
Filled weight	2.1 Kg
Operating temperature	79 °C
Maximum area protected	1.7 m²
Working pressure	12 Bar
Duration of discharge	7 Seconds
Temperature range	-30 °C to +60 °C
CE Approved	Yes

1.5kg Clean agent

Part No.	1.5KG-AUTO-CLEAN
Fire rating	B C
Height	380 mm
Capacity	1.5 Kg
Cylinder diameter	125 mm inc. bracket
Filled weight	3.1 Kg
Operating temperature	79 °C
Maximum area protected	3.4 m²
Working pressure	12 Bar
Duration of discharge	9 Seconds
Temperature range	-30 °C to +60 °C
CE Approved	Yes

2kg Clean agent

Part No.	2KG-AUTO-CLEAN
Fire rating	B C
Height	380 mm
Capacity	2 Kg
Cylinder diameter	125 mm inc. bracket
Filled weight	3.6 Kg
Operating temperature	79 °C
Maximum area protected	3.4 m²
Working pressure	12 Bar
Duration of discharge	9 Seconds
Temperature range	-30 °C to +60 °C
CE Approved	Yes

Dry powder extinguishers

Products Kitemarked and Certified by DNV to MED "Ships Wheel" - meets the recommendations of the Royal Yachting Association and the requirements of the environmental Authority / British Waterways Board Joint Boat Safety Scheme. Ideal for use in vehicles, caravans, boats, agricultural machinery, farms, garages, in the home, offices, and for a wide range of industrial and commercial applications.



Wood, paper, textiles



Flammable liquids



Flammable gases



Electrical risks

1kg Dry powder - manual

Part No.	1KG-DP
Fire rating	A B C (5A/34B)
Height	364 mm
Capacity	1 Kg
Cylinder diameter	130 mm
Filled weight	2.12 Kg
Operating temperature	20 °C
Discharge range	4 m
Working pressure	14 Bar
Minimum burst pressure	55 Bar
Duration of discharge	7 Seconds
Temperature range	-30 °C to +60 °C
CE Approved	Yes
DNV & MED (Ships Wheel)	Yes

1kg Dry powder - automatic

Part No.	1KG-AUTO-DP
Fire rating	A B C
Height	330 mm
Capacity	1 Kg
Cylinder diameter	80 mm
Filled weight	2.1 Kg
Operating temperature	20 °C
Maximum area protected	1 m²
Working pressure	12 Bar
Duration of discharge	7 Seconds
Temperature range	-20 °C to +60 °C
CE Approved	Yes

2kg Dry powder - manual

Part No.	2KG-DP
Fire rating	A B C (5A/34B)
Height	380mm
Capacity	2 Kg
Cylinder diameter	140 mm
Filled weight	3.65 Kg
Operating temperature	20 °C
Discharge range	5 m
Working pressure	14 Bar
Minimum burst pressure	55 Bar
Duration of discharge	15 Seconds
Temperature range	-30 °C to +60 °C
CE Approved	Yes
DNV & MED (Ships Wheel)	Yes

2kg Dry powder - automatic

Part No.	2KG-AUTO-DP
Fire rating	A B C
Height	380 mm
Capacity	2 Kg
Cylinder diameter	80 mm
Filled weight	3.6 Kg
Operating temperature	20 °C
Maximum area protected	2 m²
Working pressure	12 Bar
Duration of discharge	7 Seconds
Temperature range	-20 °C to +60 °C
CE Approved	Yes

Foam AFFF

Used in industrial and commercial premises, offices, petrol filling stations, chemical paint houses, boats, lorries. Also very effective on fires caused by the combustion of flammable liquids and materials that liquefy such as plastic, oils, greases, paints, tar.... Safe, if used in error, on live electrical equipment, since the spray is non-conductive and complies with dielectric test to EN3-7 clause 9. (Model tested to the BS EN3 35,000V dielectric test as defined by BSEN3-7:2004 + A1:2007).



Wood, paper, textiles



Flammable liquids



6kg Foam AFFF

Part No.	6L-AFFF-FOAM
Fire rating	A B (13A / 144B)
Height	550 mm
Capacity	6 Kg
Cylinder diameter	220 mm
Filled weight	10.4 Kg
Operating temperature	20 °C
Working pressure	12 Bar
Discharge range	5 m
Duration of discharge	30 Seconds
Temperature range	-20 °C to +60 °C
CE Approved	Yes



0.6kg Dry powder compact aerosol

These 0.60 kg & 0.95 kg BC Powder Fire Extinguishers are designed for use in all types of motor vehicles, caravans and most areas around the home. Suitable for B and C class fires caused by: petrol (lead or unleaded), diesel, oil, gas, paints, solvents, greases, and also fires involving electrical equipment, and gaseous fires.



Flammable liquids



Flammable gases



Part No.	AEROSOL-0.6KG
Fire rating	B C (21B)
Height	281 mm
Capacity	0.6 Kg
Cylinder diameter	94 mm
Filled weight	0.76 Kg
Working pressure	18 Bar
Discharge range	2-3 m
Duration of discharge	6 Seconds
Temperature range	-20 °C to +60 °C
CE Approved	Yes

Using an extinguisher

Whatever fire extinguisher you are using you need to use the P.A.S.S. method to ensure it goes out. P.A.S.S. is the acronym for:

- **Pull** – remove the safety pin or tag. Once this is out the extinguisher should be ready to go.
- **Aim** – always aim at the base of the fire. Extinguishers work by breaking what is known as the fire triangle. You probably remember it from school. For combustion to take place you need fuel, oxygen and heat. If you aim at the flames, rather than the source of the flames, the extinguisher will not break the chemical reaction. So, aim at the base of the flames where the fuel is feeding the fire.
- **Squeeze** – squeeze the trigger slowly and steadily until the extinguisher starts to work.
- **Sweep** – sweep the extinguisher back and forth over the base of the flames until the fire is out.

*“A boat is nothing
without water and man
without his dreams”*

Mehmet Murat ildan

Inflatable *Tenders*

HYP boat range

The Seago HYP boats are robust and durable made from 1100 decitex Orca fabric. These boats have excellent UV resistance and will last longer in hot climates. All HYP boats come as standard with the following features:

- Lifting points for use with davits
- Fully adjustable seat position (wooden thwart included)
- Padded seat with removable water-resistant storage
- Aluminium 2-piece oars
- Fabric grab handles along tubes
- Stainless steel towing eyes
- Carry handles
- Inflatable floor with keel
- Repair kit
- Foot pump
- Carry bag


Part number	Max kg	Max kw	Max hp	Max person	Packed size (cm)	N.W kg	Floor type (Inflatable or slatted)	Keel (Y/N)
HYP-300	478	7.5	10	4	111x63x40	40	Inf	Y
HYP-270	436	7.5	10	3.5	111x63x38	36	Inf	Y
HYP-240	350	3.0	4	2	101x61x38	33	Inf	Y



D-ring lifting points



Carry handles



Lifting eye



Premium rowlock



- The HYP and Spirit ranges includes a padded seat and detachable storage bag kit



Scan for HYP range
technical drawings

Spirit boat range

The Spirit boats are constructed from 1100 decitex 1100g high grade PVC fabric in a stylish 2 tone design. All Spirit boats have large tubes with domed sponsons for stability. These boats are tough and well designed offering excellent specification and value. All Spirit boats feature:

- Fully adjustable seat position (wooden thwart included)
- Padded seat with removable water-resistant storage*
- Aluminium 2-piece oars
- Fabric grab handles along tubes
- Stainless steel towing eyes
- Anti-wash rubbing strake
- Carry handles
- Repair kit
- Foot pump
- Carry bag

*Not included with RT models

Part number	Max kg	Max kw	Max hp	Max person	Packed size (cm)	N.W kg	Floor type (Inflatable or slatted)	Keel (Y/N)
320Spirit-adk	511	11.2	15	4.5	111x63x42	40	Inf	Y
290Spirit-adk	458	7.5	10	4	111x63x40	38	Inf	Y
270Spirit-adk	436	7.5	10	3.5	111x63x38	35	Inf	Y
240Spirit-adk	350	3	4	2	101x61x38	32	Inf	Y
240Spirit-SL	350	3	4	2	101x61x38	29	Slat	N
230-RT	350	2.2	3	2	101x58x35	28	Slat	N
180-RT	200	na	na	1.5	86x43x32	19	Slat	N




320



Domed sponsons



Padded seat and storage*



Grab handles



Stainless steel lifting handle



230-RT

Outboard bracket




180-RT

Go Lite boat range

The new super lightweight Go Lite boats are made for those needing a boat that packs away small, is light and easy to handle. The Go Lites are made from 1100 decitex 850g PVC fabric with integrated air floor, lightweight transom and short sponson, which make these boats super light for the size and capacity. These great looking boats also offer these features:

- Fully adjustable seat position
- Aluminium seat
- Integrated air floor
- Lightweight transom
- Aluminium 2-piece oars
- Rope grab lines
- Stainless steel towing eyes
- Rubber rubbing strake
- Repair kit
- Foot pump
- Carry bag also a back pack.

Part number	Max kg	Max kw	Max hp	Max person	Packed size (cm)	N.W kg	Floor type (Inflatable or slatted)	Keel (Y/N)
270Go-lite	484	4.3	6	3.5	99x49x32	23	Inf	N
250Go-lite	400	3.9	5	3	99x49x32	21	Inf	N
230Go-lite	350	3.0	4	2	91x46x33	18	Inf	N



Lightweight Aluminium



Integral inflatable floor



Go Lite boat bag



New AF boat range

The AF tenders are a lightweight tender with an inflatable floor sporting classic shape stern tube design. This lightweight tender gives enough room for two/three people (depending on model) and up to a 7hp engine. The new styling of a classic shaped tender is perfect for lighter use and compact enough to store easily.

Made from 1100 Decitex 850g PVC giving strength while keeping the weight down

- Fully adjustable seat position (wooden thwart included)
- Aluminium 2-piece oars
- Rope grab line
- Stainless steel towing eyes
- Rubber rubbing strake
- Repair kit
- Foot pump
- Carry bag

Part number	Max kg	Max kw	Max hp	Max per-son	Packed size (cm)	N.W kg	Floor type (Inflatable or slatted)	Keel (Y/N)
260-AF	450	4.4	6	3	111x64x32	30	Inflatable	N
230-AF	350	3	4	2	111x60x31	25	Inflatable	N

new

Traditional sponson



- Every Seago boat comes with a pump, repair kit and valve spanner.

SL boat range

The SL boats are deigned to offer those needing an entry level tender for lighter use. These boats are constructed from 1100 decitex 850g PVC fabric making them lighter weight than the Spirit range. The SL boats have a traditional shape with great looks and enough features for an entry level boat:

- Fully adjustable seat position (wooden thwart included)
- Aluminium 2-piece oars
- Rope grab line
- Stainless steel towing eyes
- Rubber rubbing strake
- Repair kit
- Foot pump
- Carry bag

Part number	Max kg	Max kw	Max hp	Max per-son	Packed size (cm)	N.W kg	Floor type (Inflatable or slatted)	Keel (Y/N)
260-SL	450	4.4	6	3	111x64x32	33	Slat	N
230-SL	350	3	4	2	111x60x31	38	Slat	N

best sellers

Traditional sponson



- Every Seago boat comes with a pump, repair kit and valve spanner.



Tender cover

The brand new Seago tender cover provides extra protection for your inflatable tender. Lined with a UV protective layer, these semi-tailored covers offer a tight elastic trim and polyester strapping which snugly fit to your tender. To properly care for your inflatable this is a must have accessory.

UV rays and heat are the biggest contributors to shortening the lifecycle of your tender.

Part number	Boat size (m)
BC SML	1.8-2.6
BC LRG	2.7-3.2



PVC Repair kit

The new complete PVC repair kit for inflatable boats, sups and kayaks is the perfect handy quick repair accessory. The convenient waterproof floating container is home to all you need to patch that leak until you can get a more permanent repair. The PVC repair kit comes with 10 patches in total covering 5 of the most used colours of fabric. The patches are a mixture of 700g and 1000g 1100 decitex fabric making them extremely tough and durable.

Part number
IB/ 014



Carry bag

Comes in two sizes. Large size fits boats from 2.6m - 3.2m and the small size fits boats from 1.2m - 2.4m. Made from durable polyester with polyester webbing the large zip opening allows the bag to split in half making it extremely simple to get the rolled boat into the bag. Strong carry handles help transportation.

- Strong carry handles
- Wide opening for easy fit
- Two sizes
- Large, easy-glide, dual zips

Part number
CARRY BAGLRG
CARRY BAGSML

Seat bag

The perfect accessory for your tender, adding comfort and storage. The padded seat cover is adjustable and fits all inflatable tenders. The storage bag attaches with a strong zip. The water resistant storage area has a large opening. When you disembark from your tender you can also take this section of the seat with you using the carry strap.

- Water resistant
- Adjustable to all inflatable tenders
- Large storage area
- Detachable bag
- Carry straps

Part number
SEAT BAG



Outboard bracket

A well priced, anodised aluminium outboard bracket with laminated wooden pad.

- Suitable for outboards up to 15Hp/20kg
- Pad Size: 178mm x 224mm
- Height of lift: 355mm
- Attaches to transom by 4 bolts (not supplied)

Part number
OB- ALU



Dolly wheel

Easily manoeuvre your tender over ground, single handed, making light work of moving the dinghy from A-B. Made from robust ABS plastic with a 316 stainless steel axle and spring. Three adjustment positions and easily fitted to transom using provided kit.

Hypalon	S 320	S290	S270	S240 ADK	S240	260SL	230SL	230RT	180RT	GoLite
✓	✓	✓	✓	✓	✓	✓	✓	—	—	✓

Part number
DW
DW BRKT

- Manoeuvre single handed
- Strong ABS plastic
- Stainless steel axle
- Adjustment positions
- Easy to fit
- Includes fixing kit



* Optional bracket

Compact HD dinghy wheels

This pair of low-profile, retractable transom wheels is engineered for inflatable and small craft applications, offering a robust and terrain-adaptable solution for shore transport. Each unit features a high-durability pneumatic tire designed to perform reliably across a range of surfaces, including sand, gravel, and slipways.

The system incorporates quick-release mounting hardware, allowing for full detachment when compact stowage is required, ideal for inflatable boats that must be packed into carry bags. When deployed, the wheels significantly reduce the effort required to manoeuvre a dinghy, even when loaded with an outboard motor.

A single-handed retraction mechanism enables the wheels to be swiftly pivoted upward and secured in a stowed position while the vessel is afloat, eliminating the need for removal during operation.



Quick release to remove wheels



new

- Recommended working load 120kg for a pair of wheels (Max load 200kg)
- When extended, wheels reach 30 cm below bottom of fixing plate
- When retracted, wheels remain 11 cm above fixing plate.

Part no.
DW-C

Heavy Duty dinghy wheels

The Heavy Duty Dinghy Wheel system is specifically designed to facilitate the transport of heavily loaded tenders across challenging terrain, including uneven surfaces and slipways. Equipped with high-capacity pneumatic tires, the assembly ensures smooth and stable movement, even under demanding conditions.

Engineered to support loads up to 120 kg, the system allows for the outboard motor to remain mounted during transit. Once the vessel is launched, the wheels can be rotated into a vertical stowage position and secured using an integrated captive locking pin, enabling unobstructed operation while afloat.

Constructed from marine-grade 316 stainless steel tubing, the HD Dinghy Wheels offer superior corrosion resistance and structural integrity, ensuring long-term durability in harsh marine environments.



new

Part no.
DW-HD

Airflow 250 electric pump

The AIRFLOW250 is a compact, high-performance rechargeable pump engineered for autonomous inflation and deflation of inflatable products. Featuring a user-friendly digital interface, the unit allows precise pressure settings in both PSI and BAR. Once the desired pressure is configured, activation is achieved via a single control input, after which the pump operates independently until the target pressure is reached, at which point it automatically shuts off.

Utilising dual-stage pump technology, the AIRFLOW250 delivers high-volume airflow during the initial low-pressure phase, seamlessly transitioning to a lower-volume, high-pressure mode to complete inflation with precision. The integrated digital display continuously provides real-time feedback, including current pressure, target pressure, and active pump mode.

In addition to inflation, the AIRFLOW250 supports deflation functionality, enabling rapid air extraction for compact storage of inflatable equipment.

Additional features:

- Can be used as USB charge bank
- Bright LED torch lamp

Comes with:

- Multi valve adapter
- USB Charge lead
- Carry bag

Part no.
AF250



new



new

Airflow 350 electric pump

The AIRFLOW350 is a portable, high-output rechargeable pump designed for demanding inflation and deflation tasks. It features integrated compatibility with standard automotive 12V DC power sockets, enhancing operational flexibility in field environments.

Equipped with dual-stage pump technology, the AIRFLOW350 delivers high-volume airflow during low-pressure inflation phases, automatically transitioning to a precision high-pressure mode with reduced airflow to complete inflation efficiently. The advanced digital interface provides continuous real-time feedback, displaying current pressure, target pressure, and active pump mode.

Power input is supported via the included DC adapter or directly from a vehicle power outlet. Additionally, the onboard battery includes dual USB output ports, enabling simultaneous charging of up to two external USB-powered devices.

The unit also supports deflation functionality, allowing rapid air evacuation for compact and efficient storage of inflatable equipment.

Additional features:

- Can be used as USB charge bank
- 3 x Bright LED torch lamps

Comes with:

- Multi valve adapter
- AC Adapter
- DC connection lead
- Carry case

Part no.
AF350



Clear backlit digital display



3 x bright LED lamps



kayaks

for your adventure

Paddle boards
& kayaks

Inflatable kayak range

Experience the freedom of the water like never before with the Seago Inflatable Kayak—a game-changer in portable paddling. Unlike ordinary inflatables, this kayak is built for exceptional stability and performance, thanks to its high-pressure dual-layer drop-stitched floor and premium construction materials.

Crafted from 1100 Decitex reinforced fabric with a tough plastic coating, the kayak is rugged enough to earn a Class IV whitewater rating, ready to take on serious conditions with confidence. The high-pressure floor delivers impressive rigidity, giving you the feel and control of a traditional hard-shell kayak, without the bulk.

Whether you're navigating calm lakes or tackling fast-moving rivers, the Seago Inflatable Kayak offers hard-shell performance with inflatable convenience—all in a compact, easy-to-transport package.

Part number	Max person	Max load (kg)	Length (cm)	Width (cm)	Interior (cm)	N.W (kg)	Chambers
Kayak-tor	3	388	420	105	406 x38	20	3
Kayak-van	2	340	385	105	358 x 38	15.8	3

Key features:

- Durable 1000 denier fabric
- Stainless steel fittings
- Memory foam contoured seat
- Detachable storage
- Shock cord luggage holder
- 4 Piece paddle
- Tough removable fin





Elegant, multi-purpose

Fenders

Star fender

Star fenders and Solid round buoy fenders are manufactured using the rotation moulded process which eliminates all seams, ensuring greater strength even under extreme pressure. Minimum maintenance required. With proper use the fenders will provide protection for many years.



- Best seller
- Long lasting
- Robust material
- In Anthracite, navy, white, black & white/blue



Part no.	Dia x height (cm)	Weight (kg)	Volume (L)
F001	12 x 45	0.7	4
F002	15 x 58	1.1	8
F003	21 x 62	1.8	18
F004	24 x 70	2.4	27
F005	30 x 90	4.0	56



Solid head round buoy

- Long lasting
- Robust material
- Minimum maintenance
- Available in: black, navy or white/blue



Part no.	Dia x height (cm)	Weight (kg)	Volume (L)
FRB30	35 x 48	1.5	21
FRB40	45 x 62	2.8	45
FRB50	55 x 73	3.8	83
FRB60	65 x 88	4.9	139

Part number	Part number	Part number	Part number
FRB 30WB	FRB 40WB	FRB 50WB	FRB 60WB
FRB 30BK	FRB 40BK	FRB 50BK	FRB 60BK
FRB 30N	FRB 40N	FRB 50N	FRB 60N

Bow buoy

The Majoni Bow Buoy is the traditional style fender to minimise damage to the boat bow. It also limits the damage caused if you collide with another boat.

- Available navy and white

Part no.	Size	Measurements (cm)	Weight (kg)
BOWBUOY LN	Large	52 (a) 41 (b) 37 (c) 51 (d)	1.8
BOWBUOY LW			
BOWBUOY SN	Small	33 (a) 26 (b) 27 (c) 24 (d)	0.9
BOWBUOY SW			




Bow fender

The Majoni bow fender is designed to offer maximum protection to the bow of your boat while looking as discreet as possible.

The bow fender is available in white or navy. The Majoni bow fender attaches to the boat using ropes through the top and bottom section of the fender.

- Discreet compact design
- Maximum coverage of bow
- Easy installation
- Available in white, navy or black

Part no.		Size (cm)	Weight (kg)
BOWFEN	WHITE	60 x 14	1.8
BOWFEN	NAVY	60 x 14	1.8
BOWFEN	BLACK	60 x 14	1.8



Step fenders

The step fender can be used as a fender and a ladder. Made from top quality, robust, coated PVC, this fender ladder will protect your boat, whilst enabling easier boarding and disembarking.

- UV protected
- Easy attachment
- Highly weight-bearing
- Available in navy or white

Part no.	Dia x height (cm)	Weight (kg)
1-STEP	36x 12 x 36	3
2-STEP	25 x 12 x 55	3.6
3-STEP	25 x 12 x 75	4
4-STEP	25 x 12 x 95	5



Part number
1-STEP NAVY
1-STEP WHITE

Part number
2-STEP NAVY
2-STEP WHITE

Part number
3-STEP NAVY
3-STEP WHITE

Part number
4-STEP NAVY
4-STEP WHITE

Dock wheel

The Dock Wheel is designed for straightforward installation on dock corners, providing effective protection for a vessel's hull during docking. Upon contact, the wheel rotates along the hull surface, distributing impact forces and reducing the risk of abrasion or localized damage. This rolling action offers enhanced protection compared to traditional fixed corner fenders, which may cause scuffing or pressure marks.

- Strong ABS mounts
- Guides boat into mooring position
- Non-marking

Part no.	Size (cm)
DOCK WHEEL	30 x 15



Jetty corner fender

new

The Majoni Jetty Corner Fender is engineered to provide effective hull protection during docking and berthing operations, particularly at exposed jetty corners where impact and friction are most likely to occur. Designed to absorb and deflect contact forces, this fender helps prevent structural damage and surface abrasion to the vessel's hull.

Manufactured from high-grade, UV-stabilized marine PVC, the fender offers excellent resistance to saltwater corrosion, prolonged sun exposure, and harsh environmental conditions. Its durable, hard-wearing composition ensures long-term performance and reliability in both commercial and recreational marine settings.

The fender's contoured design allows for secure mounting on jetty corners, creating a protective buffer that minimizes direct contact between the hull and dock structure.

Part no.	Size (cm)
JETTY-CW	10 x 7 x 31
JETTY-CN	10 x 7 x 31



Block fender

new

The Block Fender offers a straightforward and effective solution for protecting vessels from hull damage during mooring operations. Designed for secure installation along the edge or corner of a jetty or pontoon, it acts as a fixed impact barrier between the boat and the dock structure.

- Simple to attach
- Slim profile
- Align several to create larger barrier

Part no.	Size (cm)
BLOCK-100-W	100 x 12 x 7
BLOCK-100-N	100 x 12 x 7
BLOCK-50-W	50 x 12 x 7
BLOCK-50-N	50 x 12 x 7



Block fender flex

new

The Block Fender Flex is designed to provide adaptable protection for vessels manoeuvring near jetty or pontoon edges. Its flexible profile conforms to corners and uneven surfaces, creating a continuous buffer that helps prevent hull damage during berthing.

Constructed from tough, UV-resistant marine-grade PVC, it offers excellent durability and resistance to salt-water and weathering. Simple to install using standard fasteners, the Block Fender Flex delivers reliable performance in both recreational and commercial mooring environments.

Part no.	Size (cm)
BLOCK-100-FLEX-W	100 x 12 x 7
BLOCK-100-FLEX-N	100 x 12 x 7



Dock fenders

This 3/4 round dock fender is designed to provide reliable hull protection during mooring and berthing operations. Manufactured from robust, UV-stabilized marine-grade PVC, it offers excellent resistance to salt-water, sunlight exposure, and harsh environmental conditions, ensuring long-term durability in demanding marine settings.

The fender is shaped to provide optimal surface coverage and impact absorption along dock edges, reducing the risk of hull abrasion, gelcoat damage, and structural stress. It can be securely mounted to pontoons or jetty structures using bolts or screws, allowing for a firm and stable installation.

Ideal for both commercial and recreational berths, this fender serves as a fixed barrier between the vessel and dock infrastructure, enhancing safety and reducing maintenance requirements.



- UV protected
- Flexible uses
- Heavy duty impact resistance
- Burst resistant

new

Part no.	Dia x height (cm)	Weight (kg)
DOCK-1	100 x 19 x 19	3.6
DOCK-1-N	100 x 19 x 19	3.6
DOCK-2	100 x 24 x 24	6
DOCK-2-N	100 x 24 x 24	6



Multi fender

The Multi Fender is a highly adaptable marine-grade fender designed for multiple deployment configurations to protect vessels during docking, berthing, or close-quarters manoeuvring. Its flexible design allows it to be suspended vertically along the hull, wrapped around pilings, or positioned in irregular docking areas where conventional fenders may be ineffective.

Constructed from durable, impact-resistant materials, the Multi Fender offers excellent resilience against compression and abrasion. Its robust structure ensures reliable performance in both static and dynamic mooring conditions, while its versatility makes it suitable for a wide range of vessel types and docking environments.

- Multi purpose
- Highly flexible
- Join many together for bespoke protection

new

Part number	Dia x height (cm)	Weight (kg)
MULTI-1-W	60 x 30 x 8	3
MULTI-1-N	60 x 30 x 8	3



Rod mooring buoy

Ideal for anchoring and mooring with a highly visible, orange, soft PVC surface which will not harm your boat. The rod is galvanised with a swivelling eye on the bottom and a fixed eye on the top to make picking it up easy.

- Long lasting
- Robust material
- Minimum maintenance

Part no.	Dia x height (cm)	Weight (kg)	Volume (L)
RB30	30 x 60	3	11
RB40	40 x 80	4.5	29
RB50	50 x 90	5.5	60
RB60	60 x 100	7	106



Part number
RB 60

Part number
RB 50

Part number
RB 40

Part number
RB 30

Pick-up buoys

The Pick-up Buoy is a really useful extra as a mooring aid. Tested and designed to aid retrieval by hand or boat hook.

- Easy grab handle for safe retrieval
- Reinforced eye assures strong attachment
- Bright and highly visual
- Manufactured from marine grade UV resistant PVC
- Available in orange

Part no.	Size (cm / length)
FOOPB 1 OR	34
FOOPB 2 OR	40



Heavy duty bucket

This versatile marine-grade vinyl bucket is specifically designed for use aboard vessels, offering a durable and non-marking solution for general utility tasks. Constructed from high-flexibility, abrasion-resistant vinyl, the bucket ensures it will not scratch or scuff gelcoat, paintwork, or polished surfaces—making it ideal for use on deck or in confined spaces.

With a 7-litre internal capacity and a 26 cm diameter, the bucket provides ample volume for cleaning, rinsing, or general handling of liquids and gear. Its flexible structure allows for easy stowage, while maintaining structural integrity under load. Available in three colour options, the bucket combines functional performance with aesthetic versatility.

Part no.	Colour	Capacity (L)	Diameter (cm)
BKTO	Orange	7	26
BKTG	Grey	7	26
BKTB	Blue	7	26



Narrow Boat Fenders



Ultra-high grade PVC, tough non inflatable fender for canal boats. Slim flat and cylindrical designs reduce boat profile. Designed to offer maximum protection without increasing the overall beam of your boat. These canal fenders have a small diameter to allow you to squeeze through tight locks and along canals. They also feature a reinforced eye for hanging and are manufactured from a specially developed harder material designed for use with steel boats. Available in black and navy.

Flat fender

- UV protected
- Two colour options
- Protection in locks and mooring
- Suitable for 8mm Seago lanyard

Part no.	Dia x height (cm)	Weight (kg)
FLAT-BK	45 x 12 x 6	1.2
FLAT-N	45 x 12 x 6	1.2




Front and side



Slim fender

- UV protected
- Two colour options
- Protection in locks and mooring
- Suitable for 8mm Seago lanyard

Part no.	Dia x height (cm)	Weight (kg)
SLIM-BK	43 x 5	0.46
SLIM-N	43 x 5	0.46



Fenders

new

Fender lanyards

Seago fender lanyards are the perfect way to hang your fenders alongside your boat.

The lanyards are either 2m or 2.5m lengths depending on the diameter. All lanyards have a pre spliced eye at one end to make life simple.

Available in three colours, white, navy, black

Part No.	Colour	Construction	Diameter	Length	Pack size
511/08-2-N	Navy	3 Strand	8mm	2m	2
511/08-2-W	White	3 Strand	8mm	2m	2
511/08-2-B	Black	3 Strand	8mm	2m	2
DB/08-2-N	Navy	Braided	8mm	2m	2
DB/08-2-W	White	Braided	8mm	2m	2
DB/08-2-B	Black	Braided	8mm	2m	2
DB/10-2-N	Navy	Braided	10mm	2m	1
DB/10-2-W	White	Braided	10mm	2m	1
DB/10-2-B	Black	Braided	10mm	2m	1
DB/12-25-N	Navy	Braided	12mm	2.5m	1
DB/12-25-W	White	Braided	12mm	2.5m	1
DB/12-25-B	Black	Braided	12mm	2.5m	1


All lanyards are Polyester



Majoni keyring

Whether you're cruising the coast or moored at the marina, this buoyant keyring shaped like a classic fender, keeps your essential keys safe from a watery grave. Engineered for single-key buoyancy, it's made from lightweight, durable materials that ensure it stays afloat if dropped overboard. The bright colour makes it easy to spot on the water's surface, giving you peace of mind that your ignition key will be waiting when you return to shore. A simple, clever solution for sailors, boaters, and coastal adventurers alike.

Part no.	Colour
KEY FENW	White
KEY FENOR	Orange
KEY BYOR	Orange



QC

Seago Yachting Chain is quality controlled at manufacture and prior to dispatch in order to ensure the dimensions and ISO- galvanisation meets the required standards. Using ultrasonic equipment Seago can ensure consistent quality.




Wire & chain

Chain & wire

Calibrated chain

Seago has an extensive range of chain sizes for marine use in both galvanised and stainless steel, made to DIN 766 or ISO standard depending on diameter. All Seago chain conforms to the required hot dipped galvanised ISO-1461.



Product number	Description	Dim a (mm)	Dim b (mm)	Dim c (mm)	Break load (kg)	Weight per m (kg)	Grade
CH 06SS	6mm Din 766	6	18.5	8	1600	0.78	40
CH 06G40					2000		
CH 08SS	8mm Din 766	8	24	12	3000	1.4	40
CH 08G40					4000		
CH 10G40	10mm Din 766	10	28	14	5000	2.2	40
CH 10ISO	10mm EN818-3	10	30	15	6400	2.2	40
CH 10ISOSS					7400		
CH 12G40	12mm DIN 766	12	36	16	7400	3.2	40

- Galvanised
- DIN 766 / ISO
- 316 Stainless steel
- Chain buckets available

Rope to chain splices available on request.

KOS wire

The most respected wire in the marine industry. Made from highest quality 316 grade stainless steel, carefully manufactured to stay bright, clean and strong. Seago PVC coated wire is also manufactured by KOS. It is high grade wire coated in bright white PVC. Available in 4-6mm and 5-8mm.

- Corrosion resistant in extreme weather
- Elegant surface brightness
- Ultrasonic cleaning
- Kosform compact strand has superior breaking strength and greater durability
- COC available


1x19 Wire					
Product number	Diameter (mm)	Weight kg/100m	Min breaking load		
			kN	kg	
SW19 02	2	1.95	3.14	320	
SW19 025	2.5	3.1	4.90	500	
SW19 03	3	4.5	7.06	720	
SW19 04	4	8.03	12.60	1285	
SW19 05	5	12.57	19.71	2010	
SW19 06	6	18.03	28.22	2878	
SW19 07	7	24.8	34.82	3551	
SW19 08	8	31.8	45.52	4642	
SW19 10	10	50	71.15	7255	
SW19 12	12	72.1	102.07	10408	
SW19 14	14	97.1	139.00	14170	
SW19 16	16	128.3	182.00	18560	

KOSFORM 1x7				
Product number	Diameter (mm)	Weight kg/100m	Min breaking load	
			kN	kg
KF71 025	2.5	3.55	6.77	690
KF71 03	3	5.5	9.81	1000
KF71 04	4	9.75	17.46	1780

PVC coated WHITE				
Product number	Diameter (mm)	Weight kg/100m	Min breaking load	
			kN	kg
PVCW 46	4-6	8.03	13.19	1345
PVCW 58	5-8	12.56	20.60	2101

7x19 wire				
Product number	Diameter (mm)	Weight kg/100m	Min breaking load	
			kN	kg
SW719 02	2	1.7	2.22	226
SW719 025	2.5	2.6	3.47	354
SW719 03	3	3.95	5.00	510
SW719 04	4	7.05	8.89	907
SW719 05	5	10.35	13.91	1418
SW719 06	6	15.05	20.02	2041
SW719 08	8	26.2	35.63	3633

KOSFORM 1x19				
Product number	Diameter (mm)	Weight kg/100m	Min breaking load	
			kN	kg
KF119 05	5	14.95	23.93	2440
KF119 06	6	21.8	34.81	3550
KF119 07	7	29.05	48.15	4910
KF119 08	8	38.1	60.31	6150
KF119 10	10	59.85	95.81	9770
KF119 12	12	81	141.22	14400



multi-purpose

Accessories

Bags

StayDry - dry bags

new


Combining high-visibility yellow with a sleek graphite finish, the StayDry Dry Bag is the perfect companion for any sailing adventure. Designed with ample storage space, it easily accommodates clothing and essential safety gear, keeping everything dry and protected.

The roll-down top closure not only allows you to adjust the bag's capacity but also doubles as a convenient carry handle once secured. Whether you're on deck or ashore, this bag delivers both functionality and style for life on the water.

It comes with a nylon D-ring and a carbine hook to attach keys or a waterproof mag light. The bag is complete with an adjustable shoulder strap.

- Fully waterproof
- High visibility neon yellow
- Adjustable roll-down top
- Shoulder strap
- Carbine hook
- Durable material

Part number	Capacity (L)
DB-50-NY	20
DB-50-NY	50



Ventilation

Lifejacket bag

High visibility tough, bright PVC with a mesh vent to allow the lifejackets to breathe and dry. The bag can comfortably hold 6 adult lifejackets. The dual zip wide opening top makes getting the lifejackets in and out simple. Features hard wearing rails protecting the fabric.

Part number	Capacity
LJBAG Seago-NY	6 jackets

- High-vis neon yellow
- Tough PVC
- Side pocket
- ID card holder
- Top and side carry handles





Binocular

The Seago BM750C is a robust, lightweight marine binocular equipped with an integrated compass and range-finder for precise navigation and distance estimation. Built to JIS7 waterproofing standards, it is fully sealed to withstand immersion in up to 1 metre of water for 30 minutes. Designed for maritime use, the binoculars are buoyant and will float if accidentally dropped overboard. Supplied with a durable, impact-resistant carry case for added protection during transport and storage.

best
seller

Floats
in water

- Floating
- Magnification: 7x
- Objective lens dia: 50mm
- Focus: Individual eye focus (dioptre control)
- Field angle: 7.5°
- Exit pupil: 6.8mm
- Eye relief: 23mm
- Prism type: Porro BAK-4
- Field of view: 132m at 1000m
- Range-finder: Reticle
- Compass zone B **
- Lens coating: Multi coating
- Housing: Rubber

Part no.	Weight (g)	Dims (cm)
BM750C	890	20 x 8 x 15

** COMPASS ZONE B: Areas between 40° North latitude and 60° North latitude

Fog horn set

This compact yet powerful fog horn is designed for maritime safety and race coordination. Powered by a pressurised air canister, it emits an extremely loud acoustic signal capable of being heard over long distances, even in adverse weather conditions. Ideal for race officials, emergency signalling, or low-visibility navigation scenarios.

High-decibel output ensures maximum audibility across open water. Air canister operation provides instant activation with no need for batteries or manual pumping. Compact and portable design allows easy stowage and quick access. Refillable system – compatible with the Seago FOG-REF replacement canister for continued use.

This horn meets essential safety standards and is a reliable tool for both recreational and professional marine environments.

Part no.	Description
FOG-SET	Fog horn set
FOG-REF	Refill cannister



new

ecodry desiccant dehumidifier

The ecodry is specifically designed for boats and marine applications with the environment in mind. The ecodry desiccant dehumidifier has no harmful gases and no compressor making this compact machine highly efficient and economic.

The ecodry can be used at home, in the garage, holiday home or caravan to ensure that the space remains dry and free from harmful mould.

The ecodry is simple to operate with a clear display showing you everything you need to know at a glance. Once the desired humidity is set ecodry is fully automated. Capable of continuous operation (ideal for boats) the ecodry will stay set. Auto restart ensures the ecodry comes back online with the last settings in the event of a power outage.

- 7 Litre per day (maximum capacity)
- Working temperature 1-40°C
- Automatic louvre for directing airflow
- Low noise level (42db)
- Continuous drain

Part no.	Weight (kg)	Dims (mm)
DD9-ECO	6	487 x 320 x 200



MODEL	DD9-ECO
CAPACITY	7L/day (20°C, 60%RH)
VOLTAGE	220-240v 50Hz
WATTAGE	610W @ 230V
WORKING ENVIRONMENT	1°C - 40°C
WATER TANK	2 Litre
NET WEIGHT	6kg



First aid kits

Seago offers a comprehensive selection of marine medical kits, ranging from general-purpose first aid packs to fully compliant Category C kits designed to meet Maritime and Coastguard Agency (MCA) standards.

Our product line includes:

Basic First Aid Kits:

Suitable for handling minor onboard injuries such as cuts, abrasions, and burns. These kits are ideal for recreational vessels or non-coded craft.



Category C MCA-Compliant Kits:

Specifically designed to meet the regulatory requirements for vessels operating under MCA coding. These kits include the mandated contents for Category C operations, ensuring legal compliance and readiness for more serious medical scenarios. Whether your vessel requires a simple solution for everyday incidents or a fully certified kit for commercial or coded operations, Seago provides reliable, regulation-ready options to support onboard safety and emergency preparedness.

- Hard case or soft pack
- Use as part of SOLAS B pack
- Make sure yours is up to date and complete before every trip

For full details on the contents of each kit refer to seagogroup.com



new



Free book with hard case kit (RRP £10.99)

Part no.	Description
FAK-INSHORE	Inshore medical kit
FAK-COASTAL	Coastal medical kit
FAK-OFFSHORE	Offshore medical kit
FAK-ISAF	ISAF medical kit
FAK-SP	Category C kit soft pack
FAK-HC	Category C kit hard case




Dock lines

A convenient pre-spliced dock line with 30cm eye one end made from a soft double braid polyester giving plenty of stretch and strength. The lines offer high UV and abrasion resistance. Available in two colours navy or white in a selection of sizes.

- Double braided Polyester
- Spliced 30cm eye
- 3 Colours: Navy, White, Back or silver

Part number	Diameter (cm)	Length (m)
DL-W 10-8	10	8
DL-N 10-8		
DL-BK 10-8		
DL-W 12-10	12	10
DL-N 12-10		
DL-BK 12-10		
DL-W 14-10	14	10
DL-N 14-10		
DL-BK 14-10		
DL-W 14-15	14	15
DL-N 14-15		
DL-BK 14-15		
DL-W 16-15	16	15
DL-N 16-15		
DL-BK 16-15		



new



Now available
in silver

Oil extractor

The Seago EXTRACT-IT pump is the perfect solution to vacuum fluids from the most difficult areas. Can be used on boats, cars, motorcycles or anything with an engine. Also the ideal tool to remove bilge water from boats or water trapped in plumbing systems.

- Oil changes with no fuss and no mess
- 6 Litre capacity
- Easy to read measurements
- Removable pump for easy storage
- Funnel for mess free emptying
- 10-20 Strokes creates powerful vacuum
- Long tube for maximum versatility

Contents	Qty
Pump handle	1
Container	1
Clear tube with cut off	1
Funnel	1

Part no.
SEA6



- NOT suitable for flammable liquids, solvents, alkalis, dangerous chemicals, poisons or acids

Transfer pump

Ideal for a many applications: household plumbing, motor vehicles, aquariums and spillages. No wires or charging units means it's extremely portable and light weight. Only 2 x size D batteries are needed. Yet it pumps up to 5 litres of liquid per minute, draining the bilge of a boat or changing your aquarium water quickly & cleanly.

- Battery operated
- Extremely portable
- Powerful motor
- Fast transfer
- Works for most liquids

Part no.
SEA-3V



- NOT suitable for flammable liquids, solvents, alkalis, dangerous chemicals, poisons or acids

Partnerships

At Seago our relationships with suppliers are founded on trust and friendship. As a result they tend to stand the test of time. The result is better for our shared customers. We're proud to have been building these friendships for decades.



We've worked closely with LIROS since the very start of Seago. Both companies are family owned and share many values. This has led to the closest of relationships which in turn has allowed us to extend UK access to these extraordinary ropes.

LIROS is recognised as a world leader in the manufacture of high tech yachting ropes, kitesurf cords, paragliding lines and a wide range of industrial cordage. With the new factory LIROS continue to manufacture in Germany in order that they can control every part of the production from start to finish. The factory is 10.000 square metres and has been laid out using the most modern flow systems which ensure maximum efficiency allowing LIROS to maintain its competitive position in the world of rope manufacturing.

LIROS is certified and approved according to DIN EN ISO 9001 and DIN EN ISO 14001. Production 100% Made in Germany.



Seago and Majoni have been working together for over 20 years. Both companies are family owned and run. Seago work closely on product development with Majoni to ensure demands are met for our customers across the UK and beyond.

In 1952 Majoni invented the plastic soccer ball, the right ingredients for a strong flexible material and a new way to produce plastic hollow products with a rotational moulding technique. This technique, together with flexible strong material was used to developed several products like fenders and buoys.

Majoni offers a wide variety of high quality fenders and buoys produced in the Netherlands. Their focus is top quality products at a low price.

- Fenders
- Dock fenders
- Floats
- Buoys
- Customised products

With their knowledge and experience they develop products of very high quality and longevity.



+44 (0) 1825 873567

sales@seagogroup.com
seagogroup.com

