






16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1


M
L
K
J
H
G
F
E
D
C
B
A



DETAIL A
SCALE 4 : 3



Amphenol EMC IP67
straight connectors



Amphenol EMC IP67
angled connectors



Straight cooling pipe



Angled cooling pipe






BEYOND MOTORS
AXM2


16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

M
L
K
J
H
G
F
E
D
C
B
A



DETAIL A
SCALE 4:3



Amphenol EMC IP67
straight connectors




Amphenol EMC IP67
angled connectors



Straight cooling pipe



Angled cooling pipe






BEYOND MOTORS
AXM2
2xUVW



16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

M
L
K
J
H
G
F
E
D
C
B
A



DETAIL A
SCALE 4 : 3



Amphenol EMC IP67
straight connectors



Amphenol EMC IP67
angled connectors



Straight cooling pipe



Angled cooling pipe






BEYOND MOTORS
AXM2
Cable lugs


16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1


M
L
K
J
H
G
F
E
D
C
B
A



DETAIL A
SCALE 4 : 3



Amphenol EMC IP67
straight connectors




Amphenol EMC IP67
angled connectors



Straight cooling pipe






Angled cooling pipe




BEYOND MOTORS
AXM2
Cable lugs 2xUVW

16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

Boxes for connectors can be aligned (parallel) or angled at 60°.




Boxes for connectors can be angled at 60°.



Rear motor can have bent or straight Amphenol connectors

Boxes for connectors can be aligned (parallel)

In case boxes for connectors are aligned, the front motor needs to have bent Amphenol connectors.



Amphenol EMC IP67 angled connectors



Straight cooling pipe




Amphenol EMC IP67 straight connectors



Angled cooling pipe





BEYOND MOTORS
AXM2
Double





BEYOND MOTORS
AXM2
Double - Cable lugs


Boxes for connectors can be aligned (parallel) or angled at 60°.




DETAIL A
SCALE 4:3



Boxes for connectors can be angled at 60°.



Rear motor can have bent or straight Amphenol connectors



In case boxes for connectors are aligned, the middle and the front motor need to have bent Amphenol connectors.


Amphenol EMC IP67 angled connectors



Straight cooling pipe



Amphenol EMC IP67 straight connectors





Angled cooling pipe





BEYOND MOTORS
AXM2
Triple


Boxes for connectors can be aligned (parallel) or angled at 60°.




DETAIL A
SCALE 4:3



Boxes for cable lugs can be angled at 60°.



Boxes for cable lugs can be aligned (parallel).




Amphenol EMC IP67 angled connectors



Straight cooling pipe



Amphenol EMC IP67 straight connectors



Angled cooling pipe



BEYOND MOTORS
AXM2
Triple - Cable lugs

Straight or angled Amphenol
Surlok IP67 Connectors
(optional)

Angled cooling pipes
(optional)

Straight cooling pipes
(optional)

Angled cooling pipes
(optional)

Straight cooling pipes
(optional)

Bracket for position sensor
(optional)

Position sensor (optional)

8 Stud bolts


Straight or angled Amphenol
Surlok IP67 Connectors
(optional)

Position sensor
(optional)

Bracket for position sensor
(optional)

8 Stud bolts

DETAIL A
SCALE 2:1



Amphenol EMC IP67
straight connectors



Amphenol EMC IP67
angled connectors




Straight cooling pipe




Angled cooling pipe








BEYOND MOTORS
AXM3



BEYOND MOTORS
AXM3
Cable lugs




BEYOND MOTORS
AXM3
2xUVW



Amphenol EMC IP67 straight connectors



Amphenol EMC IP67 angled connectors



Straight cooling pipe




Angled cooling pipe




BEYOND MOTORS

AXM3

Cable lugs 2xUVW








BEYOND MOTORS
AXM3 - Double




BEYOND MOTORS
AXM3 - Double
Cable lugs

Boxes for connectors can be aligned (parallel) or angled at 60°.






DETAIL A
SCALE 1:1




BEYOND MOTORS
AXM3 - Triple


Boxes for connectors can be aligned (parallel) or angled at 60°.




DETAIL A
SCALE 1 : 1



Box for cable lugs on the middle motor can be angled at 60°.






Boxes for cable lugs on all 3 motors can be aligned (parallel).





BEYOND MOTORS
AXM3 - Triple
Cable lugs

16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

M L K J I H G F E D C B A



DETAIL A
SCALE 1 : 1



Amphenol EMC IP67
straight connectors



Straight cooling pipe



Amphenol EMC IP67
angled connectors







Angled cooling pipe




BEYOND MOTORS
AXM4

16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1



DETAIL A
SCALE 1 : 1



Amphenol EMC IP67
straight connectors



Amphenol EMC IP67
angled connectors



Straight cooling pipe





Angled cooling pipe



BEYOND MOTORS
AXM4
2xUVW

16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

M
L
K
J
H
G
F
E
D
C
B
A



Amphenol EMC IP67
straight connectors



Straight cooling pipe



Amphenol EMC IP67
angled connectors






Angled cooling pipe





BEYOND MOTORS
AXM4
Cable lugs

16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1



DETAIL A
SCALE 1:1



Amphenol EMC IP67
straight connectors



Amphenol EMC IP67
angled connectors



Straight cooling pipe







Angled cooling pipe






BEYOND MOTORS
AXM4
Cable lugs 2xUVW

Boxes for connectors can be aligned (parallel) or angled at 60°.







When boxes for connectors are aligned, the front motor needs to have angled Amphenol connectors .



BEYOND MOTORS
AXM4 - Double


Boxes for cable lugs can be aligned (parallel) or angled at 60°.



Boxes for cable lugs can be angled at 60°.



Boxes for cable lugs on both motors can be aligned (parallel).



Amphenol EMC IP67 straight connectors



Amphenol EMC IP67 angled connectors



Straight cooling pipe






Angled cooling pipe




BEYOND MOTORS
AXM4 - Double
Cable lugs


Boxes for connectors can be aligned (parallel) or angled at 60°.




DETAIL A
SCALE 1 : 1



When boxes for connectors are aligned, the front and the middle motor need to have angled Amphenol connectors .



Rear motor can have straight or angled Amphenol Surlok IP67 Connectors (optional)



Amphenol EMC IP67 straight connectors



Straight cooling pipe




Amphenol EMC IP67 angled connectors



Angled cooling pipe



BEYOND MOTORS
AXM4 - Triple



BEYOND MOTORS
AXM4 - Triple
Cable lugs