



# ALSS-35

# **SECTION 1. IDENTIFICATION**

Product Identifier ALSS-35

Other Means of Sealant - Cherry Scent

Identification

**Recommended Use** Sealant for self serve car washes.

**Restrictions on Use** None known.

Manufacturer / Transchem Inc., 1225 Franklin Blvd, Cambridge, ON, N1R 7E5, 1-800-265-9100,

Supplier www.transchem.com

Supplier Transchem Pro Inc., 350 S. Northwest Highway, Park Ridge, IL, 60068, 1 (877) 857-3870,

www.turtlewaxpro.com

Emergency Phone No. CANUTEC (Canada), 613-996-6666, 24 Hours

INFOTRAC (U.S.), 1-800-535-5053, 24 Hours

SDS No. Ver. 1

**Date of Preparation** November 25, 2019

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Flammable liquid - Category 3; Acute toxicity (Oral) - Category 4; Skin corrosion/irritation - Category 2; Serious eye damage/eye irritation - Category 2A; Aspiration hazard - Category 1

#### **GHS Label Elements**







Signal Word:

Danger

Hazard Statement(s):

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.H319 Causes serious eye irritation.

Prevention:

P210 Keep away from heat, sparks, open flames, and hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, lighting, and other equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P264 Wash hands and skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/eye protection/face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTRE/doctor.

P330 Rinse mouth.

P331 Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

Product Identifier: ALSS-35

SDS No.: Ver. 1 Page 01 of 07

water/shower.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P370 + P378 In case of fire: Use dry chemical powder, appropriate foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with local, regional, national and international regulations.

Other Hazards
None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	%	Other Identifiers
Distillates (Petroleum), Hydrotreated Middle	64742-46-7	30-60	Mineral Seal Oil
Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides	61789-77-3	10-30	Di-Alkyl Quaternary Ammonium Chloride
Amines, C14-18 and C16-18-unsatd. alkyl, ethoxylated	68155-39-5	7-13	Ethoxylated Fatty Acid Amine
2-Propanol	67-63-0	7-13	Isopropyl Alcohol
2-Butoxyethanol	111-76-2	5-10	Ethylene glycol monobutyl ether, Butyl Cellosolve

#### **Notes**

The specific chemical identity and/or exact percentage of composition (concentration) has been withheld as a trade secret.

# **SECTION 4. FIRST-AID MEASURES**

## **First-aid Measures**

#### Inhalation

Move to fresh air. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by Poison Centre or doctor. Get medical advice/attention if you feel unwell or are concerned.

#### **Skin Contact**

Immediately wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 15-20 minutes. Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely. If skin irritation occurs get medical advice/attention.

#### **Eve Contact**

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. Immediately call a Poison Centre or doctor.

### Ingestion

Never give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Rinse mouth with water. If vomiting occurs naturally, lie on your side in the recovery position. Rinse mouth with water again. Immediately call a Poison Centre or doctor.

### Most Important Symptoms and Effects, Acute and Delayed

If on skin: may cause moderate to severe irritation. Repeated or prolonged exposure can irritate the skin. If in eyes: may cause moderate to severe irritation. Symptoms include sore, red eyes, and tearing.

### **Immediate Medical Attention and Special Treatment**

### **Target Organs**

Eyes, skin.

### **Special Instructions**

Rinse affected area (skin, eyes) thoroughly with water.

Product Identifier: ALSS-35

SDS No.: Ver. 1 Page 02 of 07

### **Medical Conditions Aggravated by Exposure**

None known.

### **SECTION 5. FIRE-FIGHTING MEASURES**

#### **Extinguishing Media**

#### Suitable Extinguishing Media

Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

### **Unsuitable Extinguishing Media**

None known.

# **Specific Hazards Arising from the Chemical**

Flammable liquid and vapour. Can ignite at room temperature. Releases vapour that can form explosive mixture with air. Product does not sustain combustion per UN SUSTAINED COMBUSTIBILITY TEST prescribed in the Manual of Tests and Criteria, Part III, sub-section 32.5.2. Do not direct solid stream of water into burning liquid. Contact with water causes violent frothing and spattering.

Very toxic carbon monoxide, carbon dioxide; corrosive, oxidizing nitrogen oxides; products of incomplete combustion.

## **Special Protective Equipment and Precautions for Fire-fighters**

Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills. See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

#### **Environmental Precautions**

Concentrated product: it is good practice to prevent releases into the environment. Do not allow into any sewer, on the ground or into any waterway.

#### Methods and Materials for Containment and Cleaning Up

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up.

Small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Do NOT use combustible materials such as sawdust. Place used absorbent into suitable, covered, labelled containers for disposal. Large spills or leaks: dike spilled product to prevent runoff. Remove or recover liquid using pumps or vacuum equipment.

Review Section 13 (Disposal Considerations) of this safety data sheet. Contact emergency services and manufacturer/supplier for advice.

#### Other Information

Report spills to local health, safety and environmental authorities, as required.

## **SECTION 7. HANDLING AND STORAGE**

### **Precautions for Safe Handling**

Do not get in eyes, on skin or on clothing. Do not swallow. Only use where there is adequate ventilation. Avoid release to the environment. Eliminate heat and ignition sources such as sparks, open flames, hot surfaces and static discharge. Post "No Smoking" signs. Wear personal protective equipment to avoid direct contact with this chemical. Do NOT smoke in work areas. Wash hands thoroughly after handling this material. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely. See Section 13 (Disposal Considerations) of this safety data sheet.

## **Conditions for Safe Storage**

Store in an area that is: clean, dry, well-ventilated, out of direct sunlight and away from heat and ignition sources, separate from incompatible materials (see Section 10: Stability and Reactivity). Store in a closed container. Comply with all applicable health and safety regulations, fire and building codes.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product Identifier: ALSS-35

SDS No.: Ver. 1 Page 03 of 07

#### **Control Parameters**

	ACGIH TLV®		OSHA PEL		AIHA WEEL	
Chemical Name	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
2-Butoxyethanol	20 ppm C Skin		50 ppm Skin			
Distillates (Petroleum), Hydrotreated Middle	5 mg/m3	10 mg/m3	5 mg/m3			
2-Propanol	200 ppm	400 ppm				

### **Appropriate Engineering Controls**

General ventilation is usually adequate. Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Provide eyewash in work area, if contact or splash hazard exists.

#### **Individual Protection Measures**

#### **Eye/Face Protection**

Wear chemical safety goggles and face shield when contact is possible.

#### **Skin Protection**

Wear chemical protective clothing e.g. gloves, aprons, boots.

### **Respiratory Protection**

Not normally required if product is used as directed.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Basic Physical and Chemical Properties
Appearance Pink liquid.
Odour Cherry

Odour Threshold Not available pH 6.5 - 9.5

Melting Point/Freezing Point Not available (melting); Not available (freezing)

Initial Boiling Point/RangeNot availableFlash Point~ 36 °C (97 °F)Evaporation RateNot availableFlammability (solid, gas)Not available

**Upper/Lower Flammability or** 

**Explosive Limit** 

Not applicable (upper); Not applicable (lower)

Vapour Pressure Not available
Vapour Density (air = 1) Not applicable

Relative Density (water = 1) 0.87

Solubility Soluble in water Partition Coefficient, Not available

n-Octanol/Water (Log Kow)

Auto-ignition TemperatureNot availableDecomposition TemperatureNot available

Viscosity Not available (kinematic)

Other Information

Physical State Liquid

Other Physical Property 1 Product does not sustain combustion per UN SUSTAINED COMBUSTIBILITY

TEST prescribed in the Manual of Tests and Criteria, Part III, sub-section 32.5.2.

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity

Not reactive.

**Chemical Stability** 

Product Identifier: ALSS-35

SDS No.: Ver. 1 Page 04 of 07

Normally stable.

### **Possibility of Hazardous Reactions**

None known.

#### **Conditions to Avoid**

Open flames, sparks, static discharge, heat and other ignition sources. Incompatible materials.

## **Incompatible Materials**

Strong oxidizing agents (e.g. perchloric acid), strong reducing agents (e.g. hydrides).

# **Hazardous Decomposition Products**

None known.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

## **Likely Routes of Exposure**

Inhalation; skin contact; eye contact; ingestion.

### **Acute Toxicity**

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
2-Butoxyethanol	450 ppm (female rat) (4-hour exposure)	400-917 mg/kg (rat)	220 mg/kg (rabbit)
Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides		200-2000 mg/kg (rat)	
Distillates (Petroleum), Hydrotreated Middle	> 10 mg/L (rat) (4-hour exposure)	> 5,000 mg/kg (rat)	> 2000 mg/kg (rabbit)
2-Propanol	72600 mg/m3 (rat) (4-hour exposure)	1870 mg/kg (rat)	4059 mg/kg (rabbit)

#### Skin Corrosion/Irritation

Human experience shows moderate or severe irritation.

#### Serious Eye Damage/Irritation

Human experience shows serious eye irritation. Symptoms include sore, red eyes, and tearing.

## STOT (Specific Target Organ Toxicity) - Single Exposure

## Inhalation

May cause nose and throat irritation, lung irritation.

#### Ingestion

Harmful if swallowed. May cause irritation of the mouth, throat and stomach. Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

### **Aspiration Hazard**

May cause lung damage if aspirated based on physical properties (e.g. kinematic viscosity) and chemical family (hydrocarbon).

### STOT (Specific Target Organ Toxicity) - Repeated Exposure

Symptoms may include dry, red, cracked skin (dermatitis).

# Respiratory and/or Skin Sensitization

No information was located.

## Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
2-Butoxyethanol	Group 3	A3		
2-Propanol	Group 3			

### **Reproductive Toxicity**

# **Development of Offspring**

No indication from ingredients.

Product Identifier: ALSS-35

SDS No.: Ver. 1 Page 05 of 07

### **Sexual Function and Fertility**

No indication from ingredients.

#### **Effects on or via Lactation**

No indication from ingredients.

## **Germ Cell Mutagenicity**

No information was located.

#### Interactive Effects

No information was located.

## **SECTION 12. ECOLOGICAL INFORMATION**

All components of this product are biodegradable by Regulation (EC) No 648/2004.

#### **Toxicity**

### **Acute Aquatic Toxicity**

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
2-Butoxyethanol	1490-2950 mg/L (Lepomis macrochirus (bluegill); 96-hour)	1550 mg/L (Daphnia magna (water flea); 48-hour)		
Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides	0.195 mg/L (96-hour)	0.3 mg/L (Daphnia magna (water flea); 48-hour)		
2-Propanol	11130 mg/L (Pimephales promelas (fathead minnow); 96-hour; static)	13299 mg/L (Daphnia magna (water flea); 48-hour)		

# **Chronic Aquatic Toxicity**

Chemical Name	NOEC Fish	EC50 Fish	NOEC Crustacea	EC50 Crustacea
2-Butoxyethanol	> 100 mg/L (21-day; semi-static)		> 100 mg/L (Daphnia magna (water flea); 21-day; semi-static)	
Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides			0.15 mg/L (Daphnia magna (water flea); 21-day)	

# Persistence and Degradability

(Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides) Biodegradable as per OECD 301E tests for ready biodegradability. Degrades rapidly based on quantitative tests.

(2-Butoxyethanol) Biodegradable as per OECD 301E tests for ready biodegradability. Degrades rapidly based on quantitative tests.

# **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal Methods**

Review federal, state/provincial, and local government requirements prior to disposal.

## **SECTION 14. TRANSPORT INFORMATION**

Not regulated under Canadian TDG Regulations. Not regulated under US DOT Regulations.

Special Precautions Not applicable

for User

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Product Identifier: ALSS-35

SDS No.: Ver. 1 Page 06 of 07

## **SECTION 15. REGULATORY INFORMATION**

### Safety, Health and Environmental Regulations

#### Canada

### Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

#### **USA**

## **Toxic Substances Control Act (TSCA) Section 8(b)**

All ingredients are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.

## Additional USA Regulatory Lists

SARA Title III - Section 313: 2-butoxyethanol (CAS: 111-76-2).

New Jersey Right To Know: 2-butoxyethanol (CAS: 111-76-2); 2-propanol (CAS: 67-63-0).

California Proposition 65: No listed substances are known to be present.

### **SECTION 16. OTHER INFORMATION**

NFPA Rating Health - 2 Flammability - 3 Instability - 0

**SDS Prepared By** Technical Group **Date of Preparation** November 25, 2019

**Disclaimer** The information contained here in has been compiled from sources believed to be reliable and

is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.

Product Identifier: ALSS-35 SDS No.: Ver. 1

November 25, 2019

SDS No.: Ver. 1 Page 07 of 07



Date of Preparation: