



# ALTP-67

## **SECTION 1. IDENTIFICATION**

**Product Identifier** ALTP-67

Other Means of Identification

Enhanced Foaming Polish Protectant - Cherry Scent - Yellow

**Recommended Use** Protectant for use in automatic carwash foam arches.

**Restrictions on Use** None known.

Manufacturer / Transchem Inc., 1225 Franklin Blvd, Cambridge, ON, N1R 7E5, 1-800-265-9100,

Supplier www.transchem.com

Supplier Transchem Pro Inc., 350 S. Northwest Highway, Park Ridge, IL, 60068, 1 (877) 857-3870,

www.turtlewaxpro.com

Emergency Phone No. CANUTEC (Canada), 613-996-6666, 24 Hours

INFOTRAC (U.S.), 1-800-535-5053, 24 Hours

SDS No. Ver. 1

**Date of Preparation** November 27, 2019

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Flammable liquid - Category 4; Skin corrosion/irritation - Category 2; Serious eye damage/eye irritation - Category 2A **GHS Label Elements** 



Signal Word:

Warning

Hazard Statement(s): Combustible liquid. Causes skin irritation.

Causes serious eye irritation.

Prevention:

Keep away from flames and hot surfaces. - No smoking.

Wash hands and skin thoroughly after handling.

Wear protective gloves/eye protection/face protection.

Response:

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use dry chemical powder, appropriate foam to extinguish.

Storage:

Store in a well-ventilated place. Keep cool.

Disposal:

Dispose of contents/container in accordance with local, regional, national and international regulations.

## Other Hazards

None known.

Product Identifier: ALTP-67

SDS No.: Ver. 1 Page 01 of 07

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers
Lauryl Dimethyl Amine Oxide	1643-20-5	5-10	N/A
2-Butoxyethanol	111-76-2	1-5	Ethylene Glycol Monobutyl Ether, Butyl Cellosolve
Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides	61789-77-3	1-5	Di-Alkyl Quaternary Ammonium Chloride
Distillates (Petroleum), Hydrotreated Middle	64742-46-7	1-5	Mineral Seal Oil
2-Propanol	67-63-0	1-5	Isopropyl alcohol

#### **Notes**

The specific chemical identity and/or exact percentage of composition (concentration) has been withheld as a trade secret.

## **SECTION 4. FIRST-AID MEASURES**

#### **First-aid Measures**

#### Inhalation

Move to fresh air. Call a Poison Centre or doctor if you feel unwell or are concerned.

#### **Skin Contact**

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Immediately wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 15-20 minutes. If skin irritation occurs get medical advice/attention. Clean clothing, shoes and leather goods.

#### **Eye Contact**

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. If eye irritation persists, get medical advice/attention.

#### Ingestion

Never give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Rinse mouth with water. Drink large amounts of water. Immediately call a Poison Centre or doctor.

#### Most Important Symptoms and Effects, Acute and Delayed

If on skin: may cause moderate to severe irritation. Repeated or prolonged exposure can irritate the skin. If in eyes: may cause moderate to severe irritation. Symptoms include pain, redness, and swelling.

#### **Immediate Medical Attention and Special Treatment**

#### **Target Organs**

Eyes, skin.

#### **Special Instructions**

Rinse affected area (skin, eyes) thoroughly with water.

#### Medical Conditions Aggravated by Exposure

None known.

## **SECTION 5. FIRE-FIGHTING MEASURES**

#### **Extinguishing Media**

#### Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire.

## **Unsuitable Extinguishing Media**

None known.

#### Specific Hazards Arising from the Chemical

Can ignite if strongly heated.

# Special Protective Equipment and Precautions for Fire-fighters

Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills.

Product Identifier: ALTP-67

SDS No.: Ver. 1 Page 02 of 07

See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

## Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

#### **Environmental Precautions**

It is good practice to prevent releases into the environment. Do not allow into any sewer, on the ground or into any waterway.

#### Methods and Materials for Containment and Cleaning Up

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up.

Small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

Large spills or leaks: dike spilled product to prevent runoff. Remove or recover liquid using pumps or vacuum equipment.

Review Section 13 (Disposal Considerations) of this safety data sheet. Contact emergency services and manufacturer/supplier for advice.

#### Other Information

Report spills to local health, safety and environmental authorities, as required.

## **SECTION 7. HANDLING AND STORAGE**

#### **Precautions for Safe Handling**

Do not get in eyes, on skin or on clothing. Eliminate heat and ignition sources such as sparks, open flames, hot surfaces and static discharge. Post "No Smoking" signs. Wear personal protective equipment to avoid direct contact with this chemical. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely. See Section 13 (Disposal Considerations) of this safety data sheet.

#### **Conditions for Safe Storage**

Store in an area that is: cool, dry, well-ventilated, out of direct sunlight and away from heat and ignition sources, separate from incompatible materials (see Section 10: Stability and Reactivity). Store in a closed container. Comply with all applicable health and safety regulations, fire and building codes.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control Parameters**

	ACGIH TLV®		OSHA PEL		AIHA WEEL	
Chemical Name	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
2-Butoxyethanol	20 ppm C Skin		50 ppm Skin			
Distillates (Petroleum), Hydrotreated Middle	5 mg/m3	10 mg/m3	5 mg/m3			
2-Propanol	200 ppm	400 ppm				

# **Appropriate Engineering Controls**

General ventilation is usually adequate. Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Provide eyewash and safety shower if contact or splash hazard exists.

#### **Individual Protection Measures**

# **Eye/Face Protection**

Wear chemical safety goggles and face shield when contact is possible.

#### **Skin Protection**

Wear chemical protective clothing e.g. gloves, aprons, boots.

Suitable materials are: latex rubber, butyl rubber.

# **Respiratory Protection**

Not normally required if product is used as directed.

Product Identifier: ALTP-67

SDS No.: Ver. 1 Page 03 of 07

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Basic Physical and Chemical Properties** 

Appearance Yellow liquid.
Odour Cherry
Odour Threshold Not available
pH 7.0 - 9.0

Melting Point/Freezing Point Not available (melting); Not available (freezing)

Initial Boiling Point/Range Not available

**Flash Point** 79 - 93 °C (174 - 199 °F) (closed cup)

Evaporation Rate Not available Flammability (solid, gas) Will not burn.

Upper/Lower Flammability or

**Explosive Limit** 

Not applicable (upper); Not applicable (lower)

Vapour Pressure Not available

Vapour Density (air = 1)  $\sim 1$ Relative Density (water = 1) 0.99

Solubility Soluble in water Partition Coefficient, Not available

n-Octanol/Water (Log Kow)

Auto-ignition TemperatureNot availableDecomposition TemperatureNot available

Viscosity Not available (kinematic)

**Other Information** 

Physical State Liquid

# **SECTION 10. STABILITY AND REACTIVITY**

#### Reactivity

None known.

#### **Chemical Stability**

Normally stable.

# **Possibility of Hazardous Reactions**

None known.

#### **Conditions to Avoid**

Open flames, sparks, static discharge, heat and other ignition sources. Incompatible materials.

#### **Incompatible Materials**

Strong oxidizing agents (e.g. perchloric acid).

#### **Hazardous Decomposition Products**

None known.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Likely Routes of Exposure**

Skin contact; skin absorption; eye contact; ingestion; inhalation.

# **Acute Toxicity**

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
2-Butoxyethanol	450 ppm (female rat) (4-hour exposure)	400-917 mg/kg (rat)	220 mg/kg (rabbit)
Quaternary ammonium compounds, dicoco		200-2000 mg/kg (rat)	

Product Identifier: ALTP-67

SDS No.: Ver. 1 Page 04 of 07

alkyldimethyl, chlorides			
Lauryl Dimethyl Amine Oxide		2700 mg/kg (rat)	
Distillates (Petroleum), Hydrotreated Middle	> 10 mg/L (rat) (4-hour exposure)	> 5,000 mg/kg (rat)	> 2000 mg/kg (rabbit)
2-Propanol	72600 mg/m3 (rat) (4-hour exposure)	1870 mg/kg (rat)	4059 mg/kg (rabbit)

#### Skin Corrosion/Irritation

Human experience shows moderate or severe irritation.

## Serious Eye Damage/Irritation

Human experience shows serious eye irritation. May cause reddening and swelling of tissues around the eyes.

# STOT (Specific Target Organ Toxicity) - Single Exposure

#### Inhalation

May cause nose and throat irritation, lung irritation, coughing, headaches.

#### Ingestion

May cause irritation of the mouth, throat and stomach. Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

## **Aspiration Hazard**

No information was located.

#### STOT (Specific Target Organ Toxicity) - Repeated Exposure

Symptoms may include dry, red, cracked skin (dermatitis).

## Respiratory and/or Skin Sensitization

No information was located.

## Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
2-Butoxyethanol	Group 3	A3		
2-Propanol	Group 3			

## **Reproductive Toxicity**

#### **Development of Offspring**

Not known to harm the unborn child.

#### **Sexual Function and Fertility**

Not known to cause effects on sexual function or fertility.

## **Effects on or via Lactation**

Not known to cause effects on or via lactation.

# **Germ Cell Mutagenicity**

No information was located.

#### **Interactive Effects**

No information was located.

## **SECTION 12. ECOLOGICAL INFORMATION**

All components of this product are biodegradable by Regulation (EC) No 648/2004.

## **Toxicity**

# **Acute Aquatic Toxicity**

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
2-Butoxyethanol	1490-2950 mg/L (Lepomis macrochirus (bluegill); 96-hour)	1550 mg/L (Daphnia magna (water flea); 48-hour)		

Page 05 of 07

Product Identifier: ALTP-67

SDS No.: Ver. 1

Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides	0.195 mg/L (96-hour)	0.3 mg/L (Daphnia magna (water flea); 48-hour)	
2-Propanol	11130 mg/L (Pimephales promelas (fathead minnow); 96-hour; static)	13299 mg/L (Daphnia magna (water flea); 48-hour)	

## **Chronic Aquatic Toxicity**

Chemical Name	NOEC Fish	EC50 Fish	NOEC Crustacea	EC50 Crustacea
2-Butoxyethanol	> 100 mg/L (21-day; semi-static)		> 100 mg/L (Daphnia magna (water flea); 21-day; semi-static)	
Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides			0.15 mg/L (Daphnia magna (water flea); 21-day)	

## **Persistence and Degradability**

2-Butoxyethanol: Degrades rapidly based on quantitative tests. Biodegradable as per OECD 301E tests for ready biodegradability.

# **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal Methods**

Review federal, state/provincial, and local government requirements prior to disposal.

## **SECTION 14. TRANSPORT INFORMATION**

Not regulated under Canadian TDG Regulations. Not regulated under US DOT Regulations.

**Special Precautions** Not applicable

for User

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15. REGULATORY INFORMATION**

#### Safety, Health and Environmental Regulations

# Canada

#### Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

#### USA

#### **Toxic Substances Control Act (TSCA) Section 8(b)**

All ingredients are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.

## **Additional USA Regulatory Lists**

California Proposition 65: No listed substances are known to be present.

New Jersey Right To Know: 2-butoxyethanol (CAS: 111-76-2); 2-propanol (CAS: 67-63-0).

SARA Title III - Section 313: 2-butoxyethanol (CAS: 111-76-2).

# **SECTION 16. OTHER INFORMATION**

NFPA Rating Health - 1 Flammability - 2 Instability - 0

SDS Prepared By Technical Group

Date of Preparation November 27, 2019

**Disclaimer** The information contained here in has been compiled from sources believed to be reliable and

is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates.

Product Identifier: ALTP-67

SDS No.: Ver. 1 Page 06 of 07

Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.

Product Identifier: ALTP-67

