

Water Quality Data Quarterly Summary (March 2026)

Wressle 1 Wellsite, North Lincolnshire


29 April 2026

CONFIDENTIAL



Prepared For: Envireau Water**Date Issued:** 29/04/2026**Project Code:** 3491506**Revision:** 01

Authors

	Name	Signed
Prepared by	Alastair Rose	
Checked by	Penny Jenkinson	
Approved by	Phil Ham	

Revision History

	Details	Prepared by	Checked by	Approved by	Issue Date
REV01		Alastair Rose	Penny Jenkinson	Phil Ham	29/04/2026
REV02					
REV03					
REV04					

© Envireau Ltd. 2026.

Registered in England & Wales No. 6647619. Registered office: Spring Lodge, 172 Chester Road, Helsby, Cheshire, WA6 0AR

Any report provided by Envireau Ltd. is for the client's use and may be reproduced by the client for internal use. The report must not be issued to third parties without the express written consent of Envireau Ltd. If the report is released to any third party, Envireau Ltd will not accept responsibility or liability of any nature to that third party to whom the report (or part thereof) is released. Moreover, Envireau Ltd will accept no liability for damage or loss as a result of any report being made known to, or relied upon by, a third party, unless expressly agreed with Envireau Ltd in writing.

Contents

1	Introduction	1
1.1	<i>Background</i>	1
1.2	<i>Purpose of This Report</i>	1
2	Scheme of Monitoring	2
2.1	<i>Overview</i>	2
2.2	<i>Monitoring Frequency</i>	2
2.3	<i>Analytical Parameters</i>	2
3	Summary of Data Collected in March 2026	4

Figures

Figure 1	Site and Monitoring Locations	3
Figure 2	Selected Analytical Parameters	5
Figure 3	Selected Analytical Parameters (continued)	6

Appendices

Appendix A	Monitoring Summary
Appendix B	Lab Analysis Parameters

1 Introduction

1.1 Background

Egdon Resources U.K. Limited (Egdon) has developed the Wressle-1 wellsite (the “Site”) on farmland at Lodge Farm, Appleby, North Lincolnshire.

Egdon holds an environmental permit EPR/AB3609XX/V004 [Ref.1] for the Site, which requires groundwater monitoring to be carried out for a range of specific chemical and physico-chemical parameters. A Groundwater Monitoring Plan (GMP) [Ref. 2] was developed by Egdon and agreed with the Environment Agency. The GMP, in conjunction with the environmental permit, sets out the frequency of monitoring, the method of sampling and the monitoring parameters. Any changes to the GMP must be agreed with the Environment Agency.

Baseline monitoring was carried out by Envireau Water in April – July 2020 prior to the development of the Site [Ref. 3]. The Site was constructed in Autumn – Winter 2020 and operational monitoring began in January 2021.

The environmental permit requires Egdon to report on the operational monitoring data quarterly and to submit a report to the Environment Agency within 28 days of the end of the reporting period.

1.2 Purpose of This Report

This report presents a factual summary of all the monitoring data collected at the Site, with a focus on the data collected in March 2026 (Round 48).

Detailed information regarding the scheme of monitoring and sampling methods can be found in Ref. 3.

This report is updated quarterly. There have been 20 quarterly reports issued, with the first report issued in March 2021.

2 Scheme of Monitoring

2.1 Overview

The current scheme of monitoring comprises groundwater monitoring in the Unconsolidated Sands aquifer (GWMBH1R, GWMBH2R, GWMBH3R, and GWMBH5) and the Lincolnshire Limestone aquifer (GWMBH4) at the Site.

In August 2021, monitoring of the discharge of treated site surface water to the Ella Beck was added to the environmental permit (EPR/AB3609XX/V006). Monitoring occurs at the point of discharge (DP) before being discharged to the Ella Beck.

In September 2024, the requirement for surface water monitoring in the Ella Beck (EB1, EB2 and EB3) was removed from the scheme of monitoring and in February 2026 the site surface water monitoring (DP) was also removed as agreed between Egdon and the Environment Agency. An application has been made to the Environment Agency to vary the permit to account for the revised scheme of monitoring.



The locations of the monitoring points are shown in Figure 1.

2.2 Monitoring Frequency

A summary of the monitoring undertaken to date is presented in Appendix A. The monitoring reflects the requirements of the environmental permit.

2.3 Analytical Parameters

The required analytical parameters are specified in the environmental permit for the Site [Ref. 1] and are included in full in Appendix B. A reduced suite of groundwater analytical parameters has been agreed between Egdon and the Environment Agency for Round 10 (and future sampling rounds, excluding sampling at the time of the proppant squeeze in July 2021, when a full suite of analyses was required).



KEY

- Wellsite Boundary
- Monitoring Borehole (Unconsolidated Sands Aquifer)
- Monitoring Borehole (Lincolnshire Limestone)
- P Surface Water Monitoring Location
- Surface Water Feature with flow direction

Monitoring Location National Grid References:

GWMBH1R:	496745, 411080
GWMBH2R:	496843, 411108
GWMBH3R:	496827, 411162
GWMBH4:	496826, 411160
GWMBH5:	496780, 411143
EB1:	496657, 411136
EB2:	496771, 411163
EB3:	496860, 411205
DP:	496831, 411183

Reproduction of base map with the permission of The Controller of Her Majesty's Stationary Office © Crown copyright. Licence No. AL 100050002.



Ref: 3491506 Egdon Wressle 2026 / FIG 1 Site and Mon Locations
Date: 24/04/2026

Figure 1

Egdon Resources: Wressle

Site and Monitoring Locations

3 Summary of Data Collected in March 2026

Sampling at the designated monitoring points was undertaken on 26 March 2026. Selected chemical indicators are plotted graphically (Figures 2 & 3) to illustrate the trends in water chemistry across the monitoring period.

The field and laboratory data collected in March 2026 were broadly consistent with the baseline data and previous operational monitoring rounds, with key observations including:

- NO visible oil or grease was observed during sampling.
- NO volatile or semi-volatile organic compounds (VOC or SVOC), **extractable** petroleum hydrocarbons, or alcohols/acetates were detected in any of the samples.
- Concentrations of dissolved methane were consistent with baseline data.
- As anticipated, concentrations of Sodium, Chloride and Calcium, which were slightly elevated in GWMBH2R in the previous sampling round, are now decreasing. It is expected that the cause of the elevated concentrations was due to the application of road salt in this area during cold weather and concentrations are expected to continue to decrease.
- The laboratory data displays good reproducibility. Ionic balances are $< \pm 5\%$ for all samples, which is within the acceptable criteria.




Figure 2: Selected Analytical Parameters

Date: 24 April 2026
Project No. 3491506
Client: Egdon Resources
Ref: FIG 2 - SAP - RND
Drawn by: AR









Figure 3: Selected Analytical Parameters

Date: 24 April 2026
Project No. 3491506
Client: Egdon Resources
Ref: FIG 3 - SAP - RND
Drawn by: AR

References

- Ref. 1 Permit Number: EPR/AB3609XX. Variation Number EPR/AB3609XX/V004. Egdon Resources UK Limited Wressle 1, Lodge Farm, Clapp Gate, Broughton and Appleby, Scunthorpe, DN15 0DB
- Ref. 2 Groundwater Monitoring Plan. Egdon Resources, 7/02/2017. Document Reference: ER-EPRA-W1-GWMP-001.
- Ref.3 Baseline Water Quality Data. Prepared by Envireau Water for Egdon Resources June 2024.

Appendix A Monitoring Summary

Sample Round	Phase	Date	Monitoring Location								
			GWMB H1R	GWM BH2R	GWMB H3R	GWMB H4	GWMB H5	EB1	EB2	EB3	DP
1	Baseline/Pre-Operational	27/05/2020	X	X	X	X	X	-	-	-	-
2		18/06/2020	X	X	X	X	X	-	-	-	-
3		22/07/2020	X	X	X	X	X	X	X	X	-
4	Workover & Re-Perforation	11/01/2021	-	-	-	-	-	X	X	X	-
5		19/01/2021	-	-	-	-	-	X	X	X	-
6		26/01/2021	-	-	-	-	-	X	X	X	-
7	Operational	16/03/2021	X	X	X	X	X	X	X	X	-
8		14/04/2021	-	-	-	-	-	X	X	X	-
9		18/05/2021	-	-	-	-	-	X	X	X	-
10		16/06/2021	X	X	X	X	X	X	X	X	-
11	Proppant Squeeze	26/07/2021	X	X	X	X	X	X	X	X	-
12	Operational	24/08/2021	-	-	-	-	-	X	X	X	-
13		15/09/2021	X	X	X	X	X	X	X	X	X
14		27/10/2021	-	-	-	-	-	X	X	X	X
15		24/11/2021	-	-	-	-	-	X	X	X	-
16		16/12/2021	X	X	X	X	X	X	X	X	X
17		21/01/2022	-	-	-	-	-	X	X	X	-
18		17/02/2022	-	-	-	-	-	X	X	X	-
19		16/03/2022	X	X	X	-	X	X	X	X	-
20		14/04/2022	X	X	X	X	X	X	X	X	X
21		17/05/2022	-	-	-	-	-	X	X	X	X
22		09/06/2022	X	X	X	X	X	X	X	X	X
23		13/07/2022	-	-	-	-	-	X	X	X	-
24		10/08/2022	-	-	-	-	-	-	X	X	X
25		13/09/2022	X	X	X	X	X	X	X	X	X
26		11/10/2022	-	-	-	-	-	X	X	X	X
27		16/11/2022	-	-	-	-	-	X	X	X	X
28		13/12/2022	X	X	X	X	X	X	X	X	X
29		12/01/2023	-	-	-	-	-	X	X	X	X
30		07/02/2023	-	-	-	-	-	X	X	X	-
31		14/03/2023	X	X	X	X	X	X	X	X	X
32		18/04/2023	-	-	-	-	-	X	X	X	X
33		16/05/2023	-	-	-	-	-	X	X	X	X
34		15/06/2023	X	X	X	X	X	X	X	X	-

Sample Round	Phase	Date	Monitoring Location								
			GWMB H1R	GWM BH2R	GWMB H3R	GWMB H4	GWMB H5	EB1	EB2	EB3	DP
35		07/07 /2023	-	-	-	-	-	X	X	X	X
36		08/08 /2023	-	-	-	-	-	X	X	X	X
37		14/09 /2023	X	X	X	X	X	X	X	X	X
38		06/12 /2023	-	-	-	-	-	X	X	X	X
		19/12 /2023	X	X	X	X	X	-	-	-	-
39		22/01 /2023	-	-	-	-	-	X	X	X	X
40		08/03 /2024	X	X	X	X	X	X	X	X	X
41		05/06 /2024	X	X	X	X	X	X	X	X	X
42		19/09 /2024	X	X	X	X	X	-	-	-	X
43		06/12 /2024	X	X	X	X	X	-	-	-	X
44	11/03 /2025	X	X	X	X	X	-	-	-	X	
45		10/06 /2025	X	X	X	X	X	-	-	-	X
46		18/09 /2025	-	X	X	X	X	-	-	-	X
47		17/12 2025	X	X	X	X	X				X
48		26/03 /2026	X	X	X	X	X	-	-	-	-

Appendix B Lab Analysis Parameters

Category	Analysis Parameters	Analytical Method	Method Detection Limit (units)
Alkali and alkaline earth metals	Ca(0.2), Mg(0.1), K(0.1), Na(0.1)	ICP-OES	various (mg/l), as indicated in parentheses after element symbol
Metals	Cd(0.5), Cr(1.5), Cu(7), Pb(5), Hg(1), Ni(2), Zn(3), Al(20), Ba(3), Co(2), Fe(20), Mo(2), Mn(2), V(1.5), Be(0.5), Ti(5)	ICP-OES	various (µg/l), as indicated in parentheses after element symbol
Minor Trace Elements	As(2.5), B(12), Sb(2), Se(3),	ICP-OES	various (µg/l)
Cl ⁻	Chloride	Kone analyser	0.3 (mg/l)
Diss Meth	Dissolved methane	GCFID	1 (µg/l)
Alk	Bicarbonate and Total Alkalinity	Metrohm	1 (mg/l) as CaCO ₃
SO ₄ ⁼	Sulphate as SO ₄ ⁼	Kone analyser	0.5 (mg/l)
NO ₃ ⁻	Nitrate as NO ₃ ⁻	Kone analyser	0.2 (mg/l)
Amm N - N	Ammoniacal Nitrogen as N	Kone analyser	0.03 (mg/l)
Salinity	Salinity	Meter	0.1 (%)
pH	pH	Determination of pH (Metrohm)	0.01 pH units
EC	Electrical Conductivity	Metrohm	2 (µS/cm)
TPHCWG C44	TPH CWG (Aliphatics C5-6,>6-8,>8-10,>10-12,>12-16,>16-21,>21-35) (aromatics >C5-7,>7-8,>8-10,>10-12,>12-16,>16-21,>21-35) inc BTEX/MTBE to C44	C5-10 fractions by Headspace GCFID(036W). C10-44 fraction extracted with hexane, aliphatic/aromatic splits run by GCFID (005W).	10 (µg/l) (BTEX/MTBE 5 (µg/l))
SVOC	SVOC target list including PAHs, phenol and chlorinated phenols by GCMS	SVOC target list by GCMS - modified USEPA 8270 on DCM extract.	0.5-10 (µg/l), reducing to 0.1 – 0.005 (µg/l) from start 2022
VOC	VOC target list including BTEX/MTBE by GCMS	VOC target list by headspace GCMS - modified USEPA 8260	1-5 (µg/l)
TSS	Total Suspended Solids	Gravimetric - BSEN15216	10 (mg/l)
TOC	Total organic carbon	High Temperature Combustion followed by non-dispersive infra-red detection	2 (mg/l)
NO ₂ ⁻	Nitrite as NO ₂ ⁻	Kone analyser	0.02 (mg/l)
Alc/acet	Ethyl acetate, i-propyl acetate, methyl acetate, n-butyl acetate, n-propyl acetate, ethyl alcohol(ethanol), i-propyl alcohol(IPA), methyl alcohol(methanol), n-butyl alcohol, n-heptyl alcohol, n-hexyl alcohol, n-propyl alcohol, n-pentyl alcohol	GCMS headspace	100 (µg/l) except Methanol & Ethanol (500 (µg/l))

Abbreviations:

ICP-OES = inductively coupled plasma optical emission spectroscopy

GCFID = gas chromatography with flame ionisation detector

TPHCWG = total petroleum hydrocarbons (criteria working group)

SVOC / VOC = Semi-volatile / Volatile organic compounds

BTEX/MTBE = benzene, toluene, ethylbenzene and xylene / methyl tert-butyl ether

GCMS = Gas chromatography with mass spectrometry

DCM = dichloromethane

Field filtration:

Samples for metals and minor trace elements by ICP-OES were (or were not) field filtered at 0.45 µm prior to preservation by concentrated nitric acid. The analyses thus effectively represent the dissolved (<0.45 µm) fraction.

Bristol Office

The Old School
Stillhouse Ln
Bristol
BS3 4EB

Shrewsbury Office

Windsor House
Windsor Pl
Shrewsbury
SY1 2BY

Derby Office

3 Royal Scot Rd
Derby
DE24 8AJ

Stirling Office

Unit 13, Beta Centre
Stirling University
Innovation Park
Stirling
FK9 4NK

Richmond Office

Aske Stables
North Yorkshire
DL10 5HG

01332 871 882

info@envireauwater.co.uk

envireau.co.uk