



LOGICO GOODS LIFT

ACUTE

ELEVATORS







Logico Up is the industrial goods-lift that does not require installation sites preliminary checks and feasibility. Its self-supporting system allows it to be safely installed in any site and location.

The standardisation of the product, with a platform available in 2 sizes (1300x1700mm and 1100x1440mm), allows reduced delivery times and quick installation.

1 SELF-STANDING STRUCTURE

Logico Up is an innovative self-standing goods-lift which can be installed in any industrial site, without needing to be anchored at the landings and does not require any structural check.

2 MODULARITY

Logico Up modular structure is optimized for pallets and industrial mezzanines, with adjustable stroke achievable up to 7 meters.

3 QUICK INSTALLATION

Logico Up is a safe solution to reach mezzanines and raised floors: you'll need just to check the needed space for a quick installation in just few steps.

REDUCED DELIVERY AND INSTALLATION TIMES

LOGICO UP IT CAN BE INTEGRATED WITH SMART INDUSTRY 4.0 SYSTEMS

4

JUST ONE CLICK!

One click is enough to operate Logico Up automatically and in total safety.

5

SMART INDUSTRY 4.0 READY

Logico Up technology was born for the interconnection with automated Smart Industry 4.0 systems.



ACUTE

ELEVATORS

THE FREESTANDING GOODS-LIFT



Capacity (Kg)	Max stroke (mm)	Stops	Min. headroom (mm)	Clear platform dimensions standard (mm)	Needed space for installation (mm)
600	7000	5	2300	1100x1440	1580x1780
				1300x1700	1780x2040

	STANDARD EQUIPMENT	AVAILABLE OPTIONAL
goods only transport	<input checked="" type="checkbox"/>	
motor 2,2 KW 3phase	<input checked="" type="checkbox"/>	
speed 0,15 m/s	<input checked="" type="checkbox"/>	
bumper stripes	<input checked="" type="checkbox"/>	
self-standing structure laser tubular shaped RAL7016	<input checked="" type="checkbox"/>	
cladding in blind sheet metal RAL9006	<input checked="" type="checkbox"/>	
manual swing doors single or double leaf	<input checked="" type="checkbox"/>	
ramp at lowest floor 100mm	<input checked="" type="checkbox"/>	
goods and Attendant on board transport		<input checked="" type="checkbox"/>
maximum speed 0,30 m/s (available for goods only)		<input checked="" type="checkbox"/>
micro perforated cladding RAL9006		<input checked="" type="checkbox"/>
automation for doors		<input checked="" type="checkbox"/>
automatic roller doors		<input checked="" type="checkbox"/>
overload control		<input checked="" type="checkbox"/>
cabinet for hydraulic unit and switchboard		<input checked="" type="checkbox"/>
smart Industry 4.0 ready		<input checked="" type="checkbox"/>

ACUTE

ELEVATORS

Contact:

www.acute-elevators.co.uk

info@acute-elevators.co.uk

0203 410 0495 - London

0161 523 6299 - Manchester

Unit B1, Black Barns, Upper Nashenden Farm

Stoney Lane, Off Maidstone Road

Rochester, Kent, ME1 3QJ