


GRU A TORRE

GA 727

GRU AUTOMATICA CON
MONTAGGIO IDRAULICO



FB F.lli Butti s.r.l.

Via XXV Aprile, 58


23868 Valmadrera (LC)

Tel. 0341.581108 - Fax 0341.200253


E-mail : fbgru@fbgru.it - <http://www.fbgru.it>

CE

GA 727 braccio m 27 flecha — jib
ausleger — fleche



GA 727 braccio m 25 flecha — jib
ausleger — fleche



MECCANISMI

MECANISMOS — MECHANISMS
ANTRIEBE — MÉCANISMES

MOVIMENTO MOVIMIENTO MOVEMENT BEWEGUNG MOUVEMENT	ALIMENTAZIONE ALIMENTACION OPERATING VOLTAGE BETRIEBSSPANNUNG TENSION DE SERVICE	PRESTAZIONI FUNCIONAMIENTOS PERFORMANCES LEISTUNGEN EXÉCUTIONS	POTENZA NECESSARIA POTENCIA NECESARIA POWER REQUIREMENT KRAFT DARF PUISSANCE NÉCESSAIRE
---	---	---	--

		▷ m/1' - kg	▷▷ m/1' - kg	▷▷▷ m/1' - kg	
SOLLEVAMENTO ELEVACION — HOISTING HEBEN — LEVAGE  INVERTER	400 V 50 Hz	4 ↑ 5 ↓ 2000	25 ↑ 26 ↓ 2000	38 ↑ 40 ↓ 38 ↑ 40 ↓ 1000 700	kW 9.2
	400 V - 50 Hz <i>EDS system</i>	4 ↑ 5 ↓ 2000	25 ↑ 26 ↓ 2000	38 ↑ 40 ↓ 47 ↑ 50 ↓ 1000 700	

		▷ m/1'	▷▷ m/1'	▷▷▷ m/1'	
CARRELLO CARRILLO — JIB TROLLEY LAUFKATZE — DISTRIBUTION  INVERTER	400 V 50 Hz	15	37	-	kW 2.2
	400 V - 50 Hz <i>EDS system</i>	15	26	37	

		▷ g/1'	▷▷ g/1'	▷▷▷ g/1'	
ROTAZIONE ROTACION — SLEWING DREHEN — ORIENTATION  INVERTER	400 V 50 Hz	0 → 0.19	0.19 → 0.85	-	kW 2.2
	400 V - 50 Hz <i>EDS system</i>	0 → 0.19	0.19 → 0.59	0.59 → 0.85	



Conforme alle direttive
CEE sul livello acustico
2000/14/CE

Conforme con las directivas
CEE sobre el nivel acustico

In compliance with the EEC
instructions on noise level


Gemäss EWG-Richtlinien für
den Schall-Leistungspegel

Conforme aux directives CEE
sur le niveau acoustique

CURVE DI CARICO

CURVAS DE CARGAS — LOAD DIAGRAMS
LASTKURVEN — COURBES DE CHARGES

m	11.9	12.4	14	15	17	19	21	23	24	25	27
kg	2000	1910	1652	1522	1310	1145	1015	906	859	816	700
		2000	1707	1581	1360	1185	1048	938	890	800	

BRACCIO IMPENNATO FLECHA IZADA LUFFING JIB AUSLEGER IN STEILSTELLUNG FLÈCHE RELEVÉE	 Carrellino distributore Carrellino distribuidor — Traversing trolley Verfahrbare laufkatze — Chariot distributeur	kg 700
--	---	--------

POTENZA RICHIESTA

POTENCIA-ELECTRICA NECESARIA — NECESSARY ELECTRIC POWER
KRAFTBEDARF — PUISSANCE ELECTRIQUE NÉCESSAIRE

ALIMENTAZIONE TRIFASE TRIFASICA THREE PHASE DREIPHASIGE TRIPHASE	14 kw 400 V - 50 Hz	SOLLEVAMENTO ELEVACION HOISTING HEBEN LEVAGE	kg 2000
---	----------------------------	---	---------

Con riserva di modifiche


Derecho de modificaciones reservadas

Subject to change without notice

Änderungen vorbehalten

Modifications réservées

MONTAGGIO MONTAJE — ERECTION
MONTAGE — MONTAGE



TRASPORTO TRANSPORTE — TRANSPORT
TRANSPORT — TRANSPORT

