




## AESTHETIC OPTIONS



### ACCENT RIBS

Two, three, or four raised accent ribs strengthen metal panels to create a bold aesthetically pleasing panel.

NOTE: NRM-1000/1750/2000 has 2 lines · NRM-5000 has 3 lines · NRM-6000 has 4 lines



### STRIATIONS

Striations are a great way to disguise “oil-canning,” or the unsightly waviness in roof panels that often result from an uneven deck structure underneath.



### FLAT PANEL

A smooth, flat surface with no extra stiffening, this classic look is **only available in 24 gauge clip system products.**



### NOISE REDUCTION SYSTEM

Dripstop: Factory applied noise deadening material will reduce the sound of rain falling on your roof.



### CONDENSATION STOPPER

Perfect for open framing projects like garages, barns and overhangs. This product is factory applied in our facility for ease of installation.



### SNOW RETENTION SYSTEMS

Partnered with Ace Clamp, we offer standard non-penetrating clamps for your project.



### SOLAR PANEL ATTACHMENT SYSTEMS

Stocking the best non-penetrating solar clamps by Ace Clamp, mounting your solar array system has never been easier.



### UNDERLAYMENTS

Asphaltic and Buytl based high temp ice and water shield underlayments are available to complete your next project.



AN OMNIMAX PORTFOLIO BRAND

### WASHINGTON

P: 800-700-7228

F: 253-833-7268

### CALIFORNIA

P: 800-806-8279

F: 909-793-3102



Featuring:  
NRM-1000 Old Zinc Gray  
16" with Accent Ribs

# GET THE MOST OUT OF YOUR ROOF

At Nu-Ray, we look at your purchase as a long-term investment. By taking a systematic approach to quality control, we deliver results that are strong, elegant, and built to last. Whether you're building your dream home or rehabbing a beloved woodshed, our metal products make it easy to achieve the exact look you envision.

We also offer a variety of styles and finishes to ensure you are selecting the best metal products for your project. No matter your price point, we offer top of the line products for all budgets.



Featuring:  
NRM-6000 Old Town  
Gray 16" With Striations



Featuring:  
NRM-6000 Charcoal Gray  
16" With Accent Ribs

## EXPOSED FASTENER PANELS

### NRM-4500



#### ARCHITECTURALLY ATTRACTIVE

NRM-4500 panel can be specified on various building applications, including roofs, walls, and soffits. The product can be manufactured in lengths ranging from 4'-0" to 48'-0".

#### TECHNICAL INFO

- 0.75" tall rib design
- 36" width standard
- Anti-siphon groove
- Exposed fastener design
- Minimum roof pitch 3:12

### NRM-PBR



#### DESIGNED FOR FLEXIBILITY

NRM-PBR panels offer exceptional design flexibility and structural performance. This product can be specified for applications related to roofs, walls, liner panels, and equipment screens. The product can be manufactured in lengths ranging from 4'-0" to 48'-0".

#### TECHNICAL INFO

- 1.25" tall rib design
- 36" width standard
- Exposed fastener design
- Structural
- Minimum roof pitch 1:12 w/butyl mastic

### NRM-9000



#### CORRUGATED ROOFING AND SIDING PANEL

The NRM-9000 panel offers many uses in the building industry beyond roofing. Other uses include walls, mansards, fences, and screens. Perforated panels offer great design options as well. The product can be manufactured in lengths ranging from 4'-0" to 48'-0".

#### TECHNICAL INFO

- 0.875" tall rib design
- 32" width standard (wall)
- 29" width standard (roof)
- Exposed fastener design
- Minimum roof pitch 3:12



#### WARRANTY

Best warranties in the market, including our exclusive Ocean Guard and Puget Sound Warranties.



#### EXPECTED LIFE SPAN

Our warranties span up to 50 years, but metal roofing has proven to last many years longer.



#### AESTHETIC

With over 50 colors and hundreds of product and finish combinations, your ideal design is within reach.



#### MAINTENANCE

Our very low maintenance products are easy to keep looking brand new.



#### ENVIRONMENT

100% recyclable is just the beginning of our products' environmental benefits.

### SUSTAINABLE

Our metal panels are constructed out of a minimum 25% re-purposed steel, qualifying our products to be labeled as "green". Our products are 100% recyclable at the end of their useful life, unlike other roofing materials which are routinely disposed of in landfills by the ton.

# CONCEALED FASTENER PANELS

## NRM-1000



### THE CLASSIC METAL ROOFING PANEL

NRM-1000 is a low-maintenance metal roofing panel featuring a tall, narrow rib design with multiple width and accent options. Available in lengths from 4'-0" to 48'-0".

#### TECHNICAL INFO

- 1.50" tall rib design
- 12" & 16" widths standard
- Accent options: Flat (24ga only) · Striations · Ribs
- Floating clip design spaced 18.00" on center
- Minimum roof pitch 3:12

## NRM-1750



### OUTPERFORMS ALL OTHERS

The NRM-1750 combines proven metal roofing features with a floating clip and continuous lock system for superior strength, faster installation, and thermal movement control. Available in lengths from 4'-0" to 48'-0".

#### TECHNICAL INFO

- 1.75" tall rib design
- 14" & 18" widths standard
- Accent options: Clip relief (24ga only) · Striations · Ribs
- Floating clip design spaced 18.00" on center
- Minimum roof pitch 2:12

## NRM-2000



### BEST FOR LOW SLOPES

NRM-2000 combines structural strength with architectural aesthetics and features a mechanically seamed, anti-siphon design for very low-slope roofs. Optional factory-injected seam sealant available. Lengths from 4'-0" to 48'-0", with onsite forming available for longer runs. (For longer lengths please inquire about onsite forming).

#### TECHNICAL INFO

- 1.50" tall rib design
- 12" & 16" widths standard
- Accent options: Flat (24ga only) · Striations · Ribs
- Floating clip design spaced 18.00" on center
- Minimum roof pitch 1/2:12

## NRM-5000/6000



### TRADITIONAL ELEGANCE

The snap-together design of the NRM-5000 (12") & NRM-6000 (16") panels makes them ideal for roofing, mansard, canopy, and fascia applications. Simple installation with a premium look instantly upgrades any project. The product can be manufactured in lengths ranging from 4'-0" to 48'-0".

#### TECHNICAL INFO

- 1.00" tall rib design
- 12" & 16" width standard
- Accent options: Striations · Ribs
- Snap-lock design
- Minimum roof pitch 3:12



Featuring:  
NRM-6000 Weathered Copper  
16" with Striations

## ECO-FRIENDLY

Nu-Ray metal roof panels are engineered to comply with ENERGY STAR solar reflectance limits for steep-slope roofing products. Asphalt based roofing products retain heat well after the sun sets resulting in high attic temperatures throughout the entire day. Metal on the other hand, becomes ambient temperature quickly, resulting in lower attic temperatures and lowering AC costs.

## METAL FOR HOMES


When it comes to your homes needs, choosing the right colors, paint systems, fasteners, gauge, and panel type depends on the style and look you want and the durability you need. Metal is increasing in popularity among homeowners due to its life-span, durability, and unmatched aesthetics. Nu-Ray Metals is the industry leader in functionality, design and color options.



Featuring:  
NRM-1000 Old Zinc Gray  
16" with Pencil Ribs

## 40 YEAR LIMITED WARRANTY SELECT PLUS 26GA & 29GA

Select Plus finishes combine robust warranties with a budget-friendly option for residential, commercial and agricultural projects. Utilizing the most up-to-date color pigment technologies, Nu-Ray and PPG have developed a paint system to fit your project. Select Plus is offered in 26 and 29 gauge thicknesses and features G90/G60 galvanizing for a long lasting finish.









 <b>Cinder Black</b> (no sri data)   LRV 5	 <b>Flat Black</b> SRI 26   LRV 6	 <b>Cascade Gray</b> SRI 24   LRV 12
 <b>Granite Gray</b> SRI 24   LRV 20	 <b>Dove Gray</b> SRI 32   LRV 29	 <b>Winter White</b> SRI 75   LRV 75
 <b>Copper Penny</b> SRI 53   LRV 27	 <b>Desert Scape</b> SRI 48   LRV 36	 <b>Midnight Bronze</b> SRI 25   LRV 7
 <b>Medium Bronze</b> SRI 25   LRV 11	 <b>Oceania Blue</b> SRI 26   LRV 8	 <b>Skyline Blue</b> SRI 24   LRV 17
 <b>Forest Green</b> SRI 26   LRV 8	 <b>Classic Green</b> SRI 26   LRV 9	 <b>Light Stone</b> SRI 48   LRV 39
 <b>Sedona Red</b> SRI 34   LRV 9	 <b>Rustique</b> SRI 30   LRV 10	 <b>Zincalume Plus</b> SRI 65   LRV 67

Ⓞ = Premium Material Upgrade  
SRI = Solar Reflective Index  
LRV = Light Reflective Value

## 40 YEAR LIMITED WARRANTY D2 KYNAR 26GA

Tried, tested and proven. With over a 40 year history combining Kynar resin technology with the richest, brightest, organic pigments available; Nu-Ray has created the industry standard in exterior coatings.




 <b>Matte Black</b> SRI 26   LRV 6	 <b>Dark Bronze</b> SRI 28   LRV 7	 <b>Weathered Copper</b> SRI 27   LRV 10
 <b>Charcoal Gray</b> SRI 31   LRV 11	 <b>Old Zinc Gray</b> SRI 41   LRV 20	

NOTE: Colors are close representations of actual colors but are limited by printing capabilities. Please request a free metal sample to confirm color prior to placing order.

## 50 YEAR LIMITED WARRANTY D2 KYNAR W/OCEAN GUARD 24GA

Durability, appearance and peace-of-mind is available with our proprietary Ocean Guard system. Beginning with heavy 24 gauge Zincalume steel and applying an extra thick (4x thicker than standard) primer coat and finishing the system with PPG Kynar 500, Nu-Ray has created the most robust system available in the market.











 <b>Dark Bronze</b> SRI 28   LRV 7	 <b>Weathered Copper</b> SRI 27   LRV 10
 <b>Desert Tan</b> SRI 58   LRV 36	 <b>Parchment</b> SRI 58   LRV 41
 <b>Deep Blue Sea</b> SRI 26   LRV 9	 <b>Tahoe Blue</b> SRI 26   LRV 12
 <b>Hartford Green</b> SRI 26   LRV 7	 <b>Moss Green</b> SRI 26   LRV 8
 <b>Leaf Green</b> SRI 26   LRV 11	 <b>Colonial Red</b> SRI 34   LRV 9
 <b>Redi-Mix Red</b> SRI 44   LRV 11	 <b>Copper Penny</b> SRI 53   LRV 27
 <b>Antique Patina</b> SRI-39   LRV 17	 <b>Vintage</b> SRI-22   LRV 20
	 <b>Vintage Heritage</b> SRI-20   LRV 18

Ⓞ = Ocean Guard Available  
Ⓞ = Premium Material Upgrade  
Ⓞ = Cool Roof Rating Council

### KYNAR 24 NATURAL MATTE

 <b>Carbon</b> SRI N/A   LRV 4
 <b>Basalt</b> SRI 31   LRV 13
 <b>Graphite</b> SRI 28   LRV 9
 <b>Ore</b> SRI 27   LRV 8
 <b>Shale</b> SRI 41   LRV 23


SRI = Solar Reflective Index  
LRV = Light Reflective Value

 <b>True Black</b> (no sri data)   LRV 5
 <b>Matte Black</b> SRI 26   LRV 6
 <b>Pre-Weathered Zinc</b> SRI 41   LRV 22
 <b>Charcoal Gray</b> SRI 31   LRV 11
 <b>Old Zinc Gray</b> SRI 41   LRV 20
 <b>Old Town Gray</b> SRI 44   LRV 26
 <b>Silver Metallic</b> SRI 59   LRV 47
 <b>Regal White</b> SRI 75   LRV 72




Available With **OCEAN GUARD**

Nu-Ray in collaboration with PPG, has designed a premier commercial grade product to set the new standard in metal roofing.

Our Ocean Guard paint system is specifically designed to endure harsh marine conditions while maintaining a strong and beautiful appearance. Material finish warranties near salt water are available through Nu-Ray. To learn more, please visit our website: NuRayMetals.com

Proudly Partnered With

Featuring:  
NNRM-1750 Vintage  
14' Flat Panel