

Compact and Easy

Ensure an optimised workflow with the ECOSYS MA2600cwx series.



ECOSYS MA2600cwx/MA2600cfx/MA2600cwx
ECOSYS MA2101cwx/MA2101cfx
ECOSYS PA2600cwx/PA2600cx
ECOSYS PA2101cwx/PA2101cx

A4 format Color MFP / Printer

Evolution of ECOSYS

ECOLOGY	Providing energy-saving, silent design and compact design, realize top-class environment support in the industry.
ECONOMY	Providing lower CPP and longer life-time design, enhance TCO competitiveness.
SYSTEM	Provide reliable machines by assuring compatibility with the legacy machines improvement of stable operation / adding the function of streamlining duties.

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates a "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

Optimise your business with **ECOSYS MA2600cwfxf** series

With consistent high quality, high efficiency and long-term reliability, this entry-level professional all-rounder is the ideal printer for all your needs. Supports operations of every-size businesses on printing, copying, scanning, and faxing.

With the ECOSYS MA2600cwfxf series you get:

- Cloud integration enables flexible work from anywhere.
- Enhanced security features for efficient and reliable document management.
- Cost-effective machinery and equipment.
- 5GHz Wireless LAN supports Wi-Fi Direct for fast connections.*
- Exceptional image clarity for outstanding visual results.
- Eco-friendly design for our planet.

* Compatible with Wifi model only





Improved features for daily tasks

Enhance printer visibility

The 4.3-inch touchscreen enables smooth navigation, making it easy to switch between options and choose desired features.



* Available on ECOSYS
MA2600cwf/MA2600cf/MA2600cw

Extension capabilities

Offers extensive document creation capabilities, including automatically aligns the scanned data and automatically detects the document size.



Capturing A6-sized documents

The duplex automatic document feeder enables quick scanning of A6 payment slips, delivery notes, and invoices for same-day digital processing, enhancing workflow efficiency.



Delivers outstanding image quality

The upgraded image processing technology removes blurriness, boosts brightness, saturation, high contrast, and color precision to create stunning and vibrant visual effects.



Secure Your Business

Guards against malware and prohibit the execution of unknown programs, while mitigating security risks with document information leakage prevention.



- **Keep your system updated**

Your equipment is monitored 24/7, and firmware updates are applied remotely through advanced settings to keep it current and secure*.

* KFS(KYOCERA Fleet Services) or Service Contract is required.

- **Watermark Printing**


It is visible only on copies, distinguishing originals from duplicates and protecting against information leaks.

- **Prevents unauthorized software interference**

Harmful programs like viruses can't function without the necessary permissions, preventing infections and allowing you to use the machine worry-free.

- **Restrict access**

Enhance printer security by configuring the IP filter to restrict access to your network and block unauthorized users.



Streamlining Business Process

The MA2600cwf series seamlessly integrates with Kyocera Mobile Apps, enhancing printing functions and improving user experience for greater efficiency.



KYOCERA MyPanel

Remote control designated KYOCERA printing devices by smartphone or tablet.



KYOCERA Net Manager*

Control sensitive documents and reduce printing costs.



KYOCERA Mobile Print

Conveniently print files, web pages and images using smartphone or tablet.



Kyocera Cloud Print and Scan*

Connect to access functionalities for cloud scanning, cloud printing, user management, and print management.

* KYOCERA Net Manager and Kyocera Cloud Print and Scan are paid solution.

** The available features vary depending on the version of KYOCERA Net Manager and Kyocera Cloud Print and Scan.



Simplify Document Workflow


The MA2600cwf series supports business workgroups of all sizes, delivering power and productivity in a compact design. They offer flexibility, functionality, and reliability while minimizing environmental impact, ideal for workgroups seeking high performance.



A4 Color Multifunction Printers



A4 Color Printers



Superior Functions

Easy-to-use

4.3-inch touch LCD panel*

Standard Document Processor*
Support Dual Scan and
A6 Duplex Scan
(e.g. A6 Bank Slip)

Speedy A4 copy/print

Up to 26 cpm

Smart Design

Prevent envelop wrinkles,
paper jam; and
easy jam clearing

High Flexibility

Handle max. 550 sheets
Multi-Purpose Tray x1;
Standard Paper Feeder x1;
PF-5110 Paper Feeder x1
(Optional)

Intuitive operation

2.7-inch touch panel
Designed to enhance
usability

Compact Size

Small footprint to fit inside
office space

* Available on ECOSYS MA2600cwf/ MA2600cf/MA2600cw



Eco-friendly

Long life design

Enhances resource conservation by using a long-life drum, reducing the need for frequent replacements and accumulation of discarded components.



Improved Quietness

By reviewing the cooling structure, quietness during machine operation has been further improved, allowing it to not interfere with the work in a quiet office. In addition, "Quiet mode" can provide an even more comfortable experience.

** For ECOSYS MA2101cwf/MA2101cfx model: 48dB(A);
ECOSYS MA2600cwf/MA2600cfx/MA2600cwx model: 49dB(A)*



48dB (A)

Improved Sleep Mode Power Consumption

Equipped with the latest controller to reduce power consumption during sleep and contribute to energy saving.

** For ECOSYS MA2600cwf/MA2101cwf series: 0.4W;
ECOSYS ECOSYS PA2600cx/PA2101cwx: 0.3W*



0.4 W



0.3 W

Energy-efficient design.

The upgraded planar heater fuser is now optimized for compatibility with monochrome medium-speed machines, improving its efficiency in converting electrical energy into thermal energy and resulting in superior energy-saving performance.



Main Specifications					
Model	ECOSYS MA2101cfx	ECOSYS MA2101cwfxf	ECOSYS MA2600cwx	ECOSYS MA2600cfxf	ECOSYS MA2600cwfxf
Main Function	Copy, Print, Scan, Fax		Copy, Print, Scan	Copy, Print, Scan, Fax	
Writing Method	Semiconductor Laser				
CPU	ARM Cortex-A53 single core 1.0GHz				
Print Speed (A4) (Mono/Color)	21/21 ppm		26/26 ppm		
Scanning Speed (Simplex, A4) 300dpi (Mono/Color)	27/22 ipm				
Memory	Standard 1GB (Max. 1GB, No expansion required)				
Warm Up Time	32 seconds		29 seconds		
Paper Capacity	Standard	250 sheets (Cassette) + 50 sheets (MPT)			
	Maximum	550 sheets (Main Unit + 250 sheets PF-5110 + MPT)			
Paper Size	Cassette	Min. A6R – Max. A4 (Legal) ; Custom (100 × 148 – 216 × 356 mm)			
	MPT	Min. A6R – Max. A4 (Legal) ; Custom (70 × 148 – 216 × 356 mm)			
Paper Weight	Cassette	60 - 163 g/m ²			
	MPT	60 - 220 g/m ²			
Duplex Printing	Paper size: A5R - A4/Legal; Paper weight: 60 - 120 g/m ²				
Output Capacity	Max. 150 sheets face-down				
Control Panel	2.7 inch Touch screen panel		4.3 inch Touch screen panel		
Document Processor	Standard (Max. 50 sheets ADF Type)		Standard (Max. 50 sheets DSDP Type)		
Dimension (W x D x H) (Main Unit)	410mm x 416mm x 457mm				
Weight (Main Unit)	Approx. 26kg				
Power Consumption (Standard configuration)	Copy/Print Mode	345W		375W	
	Stand-by Mode	41W			
	Energy Saver	0.4W			
Noise (ISO7779/ ISO9296)	Copy/Print Mode	48 dB(LpAm); Quiet mode: 44 dB(LpAm)		49 dB(LpAm); Quiet mode: 44 dB(LpAm)	
	Stand-by Mode	30 dB(LpAm)			
Copy Functions (Standard)					
Copy Size	Min. A6R – Max. A4 (Legal)				
Resolution	600 x 600 dpi				
First Copy Time (Mono/Color)	10/12 seconds		8/10 seconds		
Zoom Ratio (Manual)	25% - 400% (1% per Step)				
Multiple Copy	1 - 999				
Print Functions (Standard)					
Resolution	600 x 600 dpi; 1,200 x 1,200 dpi				
PDL	PRESCRIBE, PCL6 (PCL XL, PCL 5c), KPDLL3 (Postscript 3 compatible), XPS / OpenXPS, PDF Direct Print				
First Print Out Time (Mono/Color)	11/12.5 seconds		9.5/10.5 seconds		
Interface	USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T; USB Host Interfacex1, 802.11 b/g/n/ac/Wireless LAN/WiFi Direct (WiFi model only)				
Network Printing	TCP/IP, FTP LPR, Port9100, NetBEUI, Apple Bonjour				
E-mail Printing	Printing received e-mail data Data format : PDF, PS, Text, JPEG, XPS, OpenXPS, TIFF				
Secure Printing	IPP over TLS				
Mobile Printing	AirPrint, Mopria, KYOCERA Mobile Print, KYOCERA MyPanel				
Scan Functions (Standard)					
Color Selection	Full Color; Grayscale; Black & White				
Resolution	200 dpi x 200 dpi, 300 dpi x 300 dpi, 200 dpi x 100 dpi, 600 dpi x 600 dpi, 400 dpi x 400 dpi, 200 dpi x 400 dpi, 1200 dpi x 1200dpi (OnlyTWAIN driver and WIA driver)				
File Format	TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG/High-compression PDF)				
Image Type Mode	Text, Photo, Text + Photo, Light Text/Fine Line ,OCR				
Transmission Type	Scan to SMB; Scan to E-mail; Scan to FTP or FTP over TLS; Scan to USB; TWAIN Scan; WSD Scan				
Address Storage	300 addresses (Common address list), 50 groups (Group address list)				
Fax Functions (Standard)					
Original Size	Min. A6R – Max. A4 (Legal)				
Coding Method	MMR, MR, MH, JBIG				
Transmission Speed	33.6 kbps				
Transmission Time	3 sec. or less				
Network FAX	Yes				
Consumables & Options					
Toner Kit (Page Yield in accordance with ISO/IEC 19798)	TK-5495K : Black (2,800 pages) TK-5495C/M/Y : Cyan/Magenta/Yellow (2,400 pages) TK-5485K : Black (1,250 pages) TK-5485C/M/Y : Cyan/Magenta/Yellow (1,250 pages)		TK-5455K : Black (4,100 pages) TK-5455C/M/Y : Cyan/Magenta/Yellow (3,200 pages)		
Capacity of Start up Toner	Black 1,200 pages, Cyan/Magenta/Yellow 1,200 pages				
Paper Feeder	PF-5110: 250 sheets (Max. x1)				
Card Authentication	Card Authentication Kit(B)				

Main Specifications					
Model		ECOSYS PA2101cx	ECOSYS PA2101cwx	ECOSYS PA2600cx	ECOSYS PA2600cwx
Type		Desktop			
Writing Method		Semiconductor Laser			
Print Speed (A4) (Mono/Color)		21/21 ppm		26/26 ppm	
First Print Out Time (Mono/Color)		10/12 seconds		8/10 seconds	
Warm Up Time		32 seconds		29 seconds	
Resolution		600 x 600 dpi, 1,200 x 1,200 dpi			
Duplex Printing		Paper size: A5R - A4/Legal; Paper weight: 60 - 120 g/m2			
Control Panel		2.7 inch Touch screen panel			
Power Consumption (Standard configuration)	Print Mode	345W		375W	
	Stand-by Mode	33W			
	Sleep Mode	0.3W			
Noise (ISO7779/ ISO9296)	Print Mode	48 dB(LpAm); Quiet mode: 44 dB(LpAm)		49 dB(LpAm); Quiet mode: 44 dB(LpAm)	
	Stand-by Mode	30 dB(LpAm)			
Dimension (W x D x H) (Main Unit)		410mm x 410mm x 329mm			
Weight (Main Unit)		Approx. 21 kg			
Controller					
CPU		ARM Cortex-A53 single core 1.0GHz			
Memory		Standard 1GB (Max. 1GB, No expansion required)			
Interface		USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T; USB Host Interfacex1, 802.11 b/g/n/ac/Wireless LAN/WiFi Direct (WiFi model only)			
PDL		PRESCRIBE, PCL6 (PCL XL, PCL 5c), KPD3 (Postscript 3 compatible), XPS / OpenXPS, PDF Direct Print			
Network Printing		TCP/IP, FTP LPR, Port9100, NetBEUI, Apple Bonjour			
E-mail Printing		Printing received e-mail data Data format : PDF, PS, Text, JPEG, XPS, OpenXPS, TIFF			
Secure Printing		IPP over TLS			
Mobile Printing		AirPrint, Mopria, KYOCERA Mobile Print, KYOCERA MyPanel			
Paper Handling					
Paper Capacity	Standard	250 sheets x1 (Cassette) + 50 sheets (MPT)			
	Maximum	550 sheets (Main Unit + PF-5110 x1 + MPT)			
Paper Size	Cassette	Min. A6R - Max. A4 (Legal) ; Custom (100 x 148 - 216 x 356 mm)			
	MPT	Min. A6R - Max. A4 (Legal) ; Custom (70 x 148 - 216 x 356 mm)			
Paper Weight	Cassette	60 - 163 g/m ²			
	MPT	60 - 220 g/m ²			
Duplex Printing		Paper size: A5R - A4/Legal; Paper weight: 60 - 120 g/m ²			
Output Capacity		Max. 150 sheets face-down			
Consumables & Options					
Toner Kit (Page Yield in accordance with ISO/IEC 19798)		TK-5495K : Black (2,800 pages) TK-5495C/M/Y : Cyan/Magenta/Yellow (2,400 pages) TK-5485K : Black (1,250 pages) TK-5485C/M/Y : Cyan/Magenta/Yellow (1,250 pages)		TK-5455K : Black (4,100 pages) TK-5455C/M/Y : Cyan/Magenta/Yellow (3,200 pages)	
Capacity of Start Up Toner		Black 1,200 pages, Cyan/Magenta/Yellow 1,200 pages			
Paper Feeder		PF-5110 : 250 sheets (Max. x1)			
Card Authentication		Card Authentication Kit(B)			



KYOCERA Document Solutions Asia Limited

13/F, Mita Centre, 552-566 Castle Peak Road,
Tsuen Wan, N.T., Hong Kong
Tel : +852-2496-5678 / Fax: +852-2610-2063

www.kyoceradocumentsolutions.asia