




Data sheet




Jupiter 550 XL see through



550 XL see through



550 XL see through, airbox on top



General Information

<i>Manufacturer:</i>	Meteor A/S, Drejervej 1, DK-7451 Sunds
<i>Model:</i>	Jupiter 550 XL see through fireplace insert for combustion with solid fuel
<i>Identification code:</i>	ELAB 2170

Fuel

<i>Fuel type:</i>	wood – suitable for combustion with kiln-dried firewood in accordance with the user manual
<i>Recommended fuel load:</i>	1,9 kg
<i>Basic fire bed weight:</i>	435 g
<i>Suitable for:</i>	intermittent operation – according to EN 16510 definition

Testing

<i>Test report valid from:</i>	14.11.2017
<i>Tested according to:</i>	EN 16510-1:2022 and EN 16510-2-2:2022, Tested by DTI in accordance with Regulation (EU) 2015/1186
<i>Testing institute:</i>	Danish Technological Institute (DTI), #1235
<i>Declaration of Performance (DoP):</i>	01.11.2025
<i>DoP number</i>	DoP-2170-2025-02

Dimensions and Weight

<i>Weight</i>	188 kg
<i>External frame dimensions:</i>	W780 x H615 mm
<i>Door dimensions:</i>	W663 x H494 mm

Performance Data

<i>Energy efficiency class:</i>	EEl 110, Class A
<i>Nominal heat output:</i>	8,3 kW
<i>Heat to water:</i>	N/A
<i>Efficiency:</i>	75 %
<i>Seasonal efficiency:</i>	65 %
<i>Emissioner (normal operation, 13 % O₂)</i>	CO: ≤ 1500 mg/Nm ³ NOX: ≤ 200 mg/Nm ³ OGC: ≤ 120 mgC/Nm ³ PM: ≤ 40 mg/Nm ³





ENERG
енергия · ενεργεια



Meteor A/S

Jupiter 470 XL GG og
550 XL GG



8,3
kW

ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI

2015/1186