PROJECT: TYPE: QTY:

SCOTCH

ATTRAKT Lighting System

BINA COMPANY



SCOTCH is statement piece for any space.

The track is lined with a rich embossed leather texture and is offered with an assortment of elegant luminaires that lock in place.

It can be suspended by aircraft cable or surface mounted by stem on both the horizontal and vertical plane.

Can be both top and bottom illuminated.

Curved options available

48VDC magnetic low voltage

Field cuttable

0-10V, Dali or Wireless Bluetooth dimmable

Universal voltage 120V-277V

IP20 / Dry only environment

How to Specify

1. Specify the application.
2. Specify the shape. For patterned runs, please provide a drawing of the full run layout.
3. Specify the mounting and ceiling canopy (if applicable).
4. Specify the overall run length. For runs that require corner connections, specify run length after the corner connector.
5. Select track sections
6. Select corner sections
7. Select luminaires

ORDER CODE (Example): Scotch-C-SQR-SM4.5”-LC-144”X144”X144”X144”

Series	Application	Shape	Mounting		Ceiling Canopy	Overall Length
Scotch	**C** Ceiling	**STR** Straight	**SM** Stem Mounted	**#** 2" / 4.5" / 12.5"	**RC**[1] Recessed Driver	___" *Straight run only*
	W Wall	**PTR** Pattern	**AC** Suspended w/ AC Cable	**#** Specify Length	**SC**[2] Surface Canopy	___" X ___" X ___" X ___"
	W2C Wall to Ceiling	**SQR** Square			**RM**[3] Remote Driver	*Specify total length of each straight run after each corner connector.*
		OVL Oval				

In an effort to offer the best product possible, we reserve the right to change, without notice, specification or material of the product.

PROJECT: TYPE: QTY:


SCOTCH

ATTRAKT Lighting System

BINA COMPANY

Track

Straight track




Track	
#	SC-ST40
#	SC-ST60
#	SC-ST79
#	SC-CV55
# = count	


Finish	
BB	Brown/Black
GB	Green/Black

Brown/Black


SC-ST40



SC-ST60




SC-ST79




Curvy track



SC-CV55



Curvy track can be flipped to create the curve on both the right or left side. Can be combined to create S shape runs or with straight track to create patterned runs.



In an effort to offer the best product possible, we reserve the right to change, without notice, specification or material of the product.

PROJECT: TYPE: QTY:

SCOTCH

ATTRAKT Lighting System


BINA COMPANY

Circular Track

Oval track in brown/black finish



Oval track in green/black finish




Track	
#	SC-OV32
#	SC-SQ32
#	SC-SQ40

 # = count

Finish	
BB	Brown/Black
GB	Green/Black




SC-OV32



Square track




SC-SQ32





SC-SQ40



In an effort to offer the best product possible, we reserve the right to change, without notice, specification or material of the product.

PROJECT: TYPE: QTY:

SCOTCH


ATTRAKT Lighting System


BINA COMPANY

Corner Sections

Curved corner








Inner corner





Use corners to create patterns that can go from wall to ceiling.

In an effort to offer the best product possible, we reserve the right to change, without notice, specification or material of the product.


PROJECT: TYPE: QTY:

SCOTCH

ATTRAKT Lighting System

BINA COMPANY


Luminaires



Lantern		CCT		Optic		Finish		Control	
LN5	5W	27K	2700K	110	110 Degree	BB	Black/Black	ND	Non Dimming
LN10	10W	30K	3000K					D10	0-10V
		35K	3500K					BN	BubblyNet Wireless
		40K	4000K						

Lantern (LN5)






Power: 5W

Flux(Lm): 253Lm

Angle: 210°

Lantern (LN10)





Power: 10W


Flux(Lm): 530Lm

Angle: 210°



Spot		CCT		Optic		Finish		Control	
SP7	7W	27K	2700K	15D	15 Degree	BB	Black/Black	ND	Non Dimming
SP12	12W	30K	3000K	24D	24 Degree	BG	Black/Gold	D10	0-10V
		35K	3500K	30D	30 Degree			BN	BubblyNet Wireless
		40K	4000K						

Spot (SP7 & SP12)



Matte Black and Rose Gold

Power: 7W

Flux(Lm): 438Lm

Angle: 15°/24°/30°

Power: 12W

Flux(Lm): 849Lm

Angle: 15°/24°/30°

In an effort to offer the best product possible, we reserve the right to change, without notice, specification or material of the product.

PROJECT: TYPE: QTY:

SCOTCH

ATTRAKT Lighting System

BINA COMPANY


Luminaires



Down Light		CCT		Optic		Finish		Control	
DL3	3W	27K	2700K	15D	15 Degree	BB	Black/Black	ND	Non Dimming
		30K	3000K	24D	24 Degree			D10	0-10V
		35K	3500K	30D	30 Degree			BN	BubblyNet Wireless
		40K	4000K						

Down Light (DL3)






Power: 3W


Flux(Lm): 155Lm


Angle: 15°/24°/30°



Grille		CCT		Optic		Finish		Control	
GR7	7.5W	27K	2700K	10D	10 Degree	BB	Black/Black	ND	Non Dimming
		30K	3000K	15D	15 Degree			D10	0-10V
		35K	3500K	24D	24 Degree			BN	BubblyNet Wireless
		40K	4000K	30D	30 Degree				

Grille (GR7)





Power: 5×1.5W

Flux(Lm): 535Lm

Angle: 10°/15°/20°/30°

In an effort to offer the best product possible, we reserve the right to change, without notice, specification or material of the product.

PROJECT: TYPE: QTY:


SCOTCH

ATTRAKT Lighting System

BINA COMPANY

Mounting

Stem Mount



Cable Mount




Wall Mount



Power

Power Box




Conductor




Canopy

Recessed Canopy









Surface Mount Canopy












PROJECT: TYPE: QTY:


SCOTCH


ATTRAKT Lighting System

BINA COMPANY

Installation Components

A  Scotch Track Sections	B  Curved Corner	C  Conductor	D  Power Box	E  Suspension Cable
F  Recessed Canopy (optional Surface Mount Canopy also available	G  Driver enclosed in driver enclosure box. Can be recessed into the ceiling.	H  Disposable template used for marking and positioning stems during installation.		





Note: If the track is too long, it can be sawed off at 90° to fit the installation size





PROJECT: TYPE: QTY:


SCOTCH

ATTRAKT Lighting System

BINA COMPANY

Installation Components Wall to Ceiling

A	B	C	D	E
 Scotch Track Sections	 Inner Corner	 Curved Corner	 Conductor	 Power Box
F	**G**	**H**	**I**	**J**
 Stem Mount	 Wall Mount	 Recessed Canopy (optional Surface Mount Canopy also available	 Driver enclosed in driver enclosure box. Can be recessed into the ceiling.	 Disposable template used for marking and positioning stems during installation.



In an effort to offer the best product possible, we reserve the right to change, without notice, specification or material of the product.