



**FRANDENT**




# FRANDENT




1977



1987



1997



2007




2020




1982




1992



2002



2014



2023





40



1977














Follow us !










**FRANDENT**

← strada mare  
→ strada  
→ strada 14  
→ strada 2-47  
→ strada









## Eternum *Large*



**SP 36**

600 / 700 / 800 cm



**RP 29**

400 / 450 / 500 / 600 cm



## Eternum




**HS 30**

300 / 350 / 400 cm



**HR 22**

350 / 400 cm



**HR 19**

300 cm



## Classic



**Z 10**


200 / 230 / 250 / 300 cm



**T 7**

90 / 110 / 130 / 150 / 170 / 190 / 210 cm





# Eternum

*Slim*



**RP 28**

400 / 450 / 500 / 600 cm



**NP 22**

400 / 450 / 500 / 600 cm



**HN 16**

250 / 300 cm




**R 15**

150 / 180 / 200 / 230 cm



**V 9**

100 / 130 / 150 / 180 / 200 cm



**SPE**



**SCX**



**SSE**




























**Eternum**

✓ 36 months warranty  
36 mesi di Garanzia



**Classic**




**OPTION**












OPTION




OPTION



OPTION






OPTION

















## Puzzle System







| NP 22                                                                                                  |           |      |      | RP 28     |      |      |      | RP 29     |      |      |      | SP 36     |      |      |      |
|--------------------------------------------------------------------------------------------------------|-----------|------|------|-----------|------|------|------|-----------|------|------|------|-----------|------|------|------|
|  (kg)<br>Paker Ø550 | 2523      | 2683 | 2868 | 3178      | 2733 | 2953 | 3198 | 3628      | 2953 | 3173 | 3398 | 3868      | 3968 | 4421 | 4873 |
|  (m)                | 4         | 4,5  | 5    | 6         | 4    | 4,5  | 5    | 6         | 4    | 4,5  | 5    | 6         | 6    | 7    | 8    |
|  (m)                | 2,5       |      |      | 2,5       |      |      |      | 3         |      |      |      | 3         |      |      |      |
|  (HP)               | 110 - 250 |      |      | 110 - 320 |      |      |      | 120 - 320 |      |      |      | 180 - 400 |      |      |      |
|                     | 16        | 18   | 20   | 24        | 16   | 18   | 20   | 24        | 16   | 18   | 20   | 24        | 24   | 28   | 32   |



| HN 16                                                                                                    |          | HR 19 |          | HR 22     |      | HS 30     |      |
|----------------------------------------------------------------------------------------------------------|----------|-------|----------|-----------|------|-----------|------|
|  (kg)<br>Paker Ø550 | 1278     | 1408  | 1700     | 1857      | 2041 | 1734      | 2120 |
|  (m)                | 2,5      | 3     | 3        | 3,5       | 4    | 3         | 4    |
|  (m)                | 2,5      | 3     | 3        | 3,5       | 4    | 3         | 4    |
|  (HP)               | 70 - 160 |       | 80 - 190 | 100 - 250 |      | 120 - 300 |      |
|                     | 10       | 12    | 12       | 14        | 16   | 12        | 16   |





### R 15

|                                                                                                        |          |      |      |      |
|--------------------------------------------------------------------------------------------------------|----------|------|------|------|
|  (kg)<br>Paker Ø460 | 892      | 983  | 1073 | 1163 |
|  (m)                | 1,5      | 1,8  | 2    | 2,3  |
|  (m)                | 1,58     | 1,83 | 2,07 | 2,32 |
|  (HP)               | 60 - 130 |      |      |      |
|                     | 6        | 7    | 8    | 9    |



### Z 10

|                                                                                                          |          |      |      |      |
|----------------------------------------------------------------------------------------------------------|----------|------|------|------|
|  (kg)<br>Paker Ø460 | 862      | 924  | 988  | 1114 |
|  (m)                | 2        | 2,3  | 2,5  | 3    |
|  (m)                | 2,08     | 2,32 | 2,57 | 3,07 |
|  (HP)               | 40 - 120 |      |      |      |
|                     | 8        | 9    | 10   | 12   |



### V 9

|                                                                                                        |          |      |      |      |      |
|--------------------------------------------------------------------------------------------------------|----------|------|------|------|------|
|  (kg)<br>Paker Ø460 | 526      | 596  | 667  | 738  | 808  |
|  (m)                | 1        | 1,3  | 1,5  | 1,8  | 2    |
|  (m)                | 1,08     | 1,33 | 1,58 | 1,83 | 2,08 |
|  (HP)               | 25 - 100 |      |      |      |      |
|                     | 4        | 5    | 6    | 7    | 8    |



### T 7

|                                                                                                         |         |      |      |      |      |      |      |
|---------------------------------------------------------------------------------------------------------|---------|------|------|------|------|------|------|
|  (kg)<br>Cage Ø360 | 210     | 248  | 286  | 324  | 362  | 390  | 428  |
|  (m)               | 0,9     | 1,1  | 1,3  | 1,5  | 1,7  | 1,9  | 2,1  |
|  (m)               | 0,97    | 1,17 | 1,37 | 1,57 | 1,77 | 1,97 | 2,17 |
|  (HP)              | 15 - 75 |      |      |      |      |      |      |
|                    | 4       | 5    | 6    | 7    | 8    | 9    | 10   |





# FRANDENT

Via Garzigliana, 37 10060 Osasco (TO) ITALIA

☎ +39 0121 541029

✉ [info@frandent.it](mailto:info@frandent.it)

[www.frandent.it](http://www.frandent.it)